



Citations of VPIphotonics Design Suite™

VPIphotonics sets the standard for software and services supporting end-to-end Photonic Design Automation and Optical Equipment Configuration.

VPIphotonics offers the VPIphotonics Design Suite for the design of optical core, metro and access networks, and for the design of optical components and subsystems. These software tools share the same design environment. Hence, component designs can easily be characterized in terms of the impact on system performance. Schematics can be exported for distribution as DynamicDataSheets to VPIplayer, a free tool allowing anyone to run a simulation and investigate particular key parameters.

VPIphotonics' award-winning products are used by forward-looking groups, product design and marketing teams from over 100 commercial corporations and educators in over 140 university programs across the world.

This paper lists 1895 publications in technical journals and conferences where authors refer to the usage of VPIcomponentMaker and VPItransmissionMaker (or their predecessor products) based on information as of August 31, 2024.

Please email additions to support@VPIphotonics.com.
For an updated list, please visit www.VPIphotonics.com, or join the VPIphotonics Users Forum.

Contents

Year 2024	4
Year 2023	7
Year 2022	16
Year 2021	25
Year 2020	30
Year 2019	35
Year 2018	42
Year 2017	48
Year 2016	52
Year 2015	57
Year 2014	61
Year 2013	66
Year 2012	72
Year 2011	79
Year 2010	86
Year 2009	90
Year 2008	96
Year 2007	100
Year 2006	104

Year 2005	108
Year 2004	113
Year 2003	116
Year 2002	119
Year 2001	122
Year 2000	124
Year 1999	125

2024

- [1] Zhao et al.. "Time-frequency dual-dimension deep neural network (TF-DD-DNN)-based OSNR and XT monitoring in mode-division multiplexing systems". In: Optics Communications, vol. 565, pp. 130649, August 2024.
DOI: 10.1016/j.optcom.2024.130649
- [2] Peng et al.. "Coherent all-optical reservoir computing for nonlinear equalization in long-haul optical fiber communication systems". In: Optics & Laser Technology, vol. 174, pp. 110697, July 2024.
DOI: 10.1016/j.optlastec.2024.110697
- [3] Locatelli et al.. "Feedback-Based Channel Frequency Optimization in Superchannels". In: Journal of Lightwave Technology, vol. 42, no. 13, pp. 4467–4475, July 2024.
DOI: 10.1109/jlt.2024.3372376
- [4] Querol et al.. "InP-based integrated optical frequency shifter for heterodyne detection applications". In: Optics & Laser Technology, vol. 179, pp. 111274, June 2024.
DOI: 10.1016/j.optlastec.2024.111274
- [5] Huerta et al.. "An experimental alternative of microwave signal generation through an optical heterodyning technique using a multimode laser diode and a tunable DFB laser". In: IEEE Latin America Transactions, vol. 22, no. 6, pp. 512–518, June 2024.
DOI: 10.1109/tla.2024.10534302
- [6] Wang et al.. "Auxiliary Management and Control Channel (AMCC) for Coherent Frequency-Division-Multiplexing (FDM) PON". In: IEEE Photonics Journal, vol. 16, no. 3, pp. 1–9, June 2024.
DOI: 10.1109/jphot.2024.3381867
- [7] Guo et al.. "Broadband Chaos Generation and Synchronization Induced by Integrated Tri-section Laser". In: IEEE Access, pp. 1–1, June 2024.
DOI: 10.1109/access.2024.3409547
- [8] Masaad et al.. "Opto-electronic machine learning network for Kramers-Kronig receiver linearization". In: Optics Express, vol. 32, no. 13, pp. 23561, June 2024.
DOI: 10.1364/oe.522673
- [9] Skladova et al.. "Extending Transceiver Capacity with a Scalable Spectrum Slicing Technique for Optical Access Networks". In: Latvian Journal of Physics and Technical Sciences, vol. 61, no. 3, pp. 43–52, May 2024.
DOI: 10.2478/lpts-2024-0019
- [10] Ali et al.. "Enhancement 5G Backhaul in Radio-over Fiber (RoF) System by Eliminate Error Vector Magnitude". In: 2024 International Congress on Human-Computer Interaction, Optimization and Robotic Applications (HORA), vol. 36, pp. 1–5, May 2024.
DOI: 10.1109/hora61326.2024.10550590
- [11] Shao et al.. "Advanced Equalization in 112 Gb/s Upstream PON Using a Novel Fourier Convolution-based Network". In: , May 2024.
DOI: 10.48550/ARXIV.2405.02609
- [12] Yamamoto et al.. "Experimental Results of Multiplexing Transmission of 256-Qam 5g Nr Signal with Control Signal by Scm Over 20km Analog Rof Link". In: Optics Communications, May 2024.
DOI: 10.2139/ssrn.4821846
- [13] Zuo et al.. "Inter-Mode Interference Effect in Sparse-MDM System Over Weakly-Coupled FMF". In: Journal of Lightwave Technology, vol. 42, no. 7, pp. 2267–2274, April 2024.
DOI: 10.1109/jlt.2023.3339178

- [14] Straub et al.. "ML approaches for OTDR diagnoses in passive optical networks—event detection and classification: ways for ODN branch assignment". In: Journal of Optical Communications and Networking, vol. 16, no. 7, pp. C43, April 2024.
DOI: 10.1364/jocn.516659
- [15] Luay et al.. "5G passive optical network employing all optical-OFDM_Hybrid SSMF/FSO". In: Optical and Quantum Electronics, vol. 56, no. 5, April 2024.
DOI: 10.1007/s11082-024-06668-1
- [16] Shao et al.. "A Novel Machine Learning-based Equalizer for a Downstream 100G PAM-4 PON". In: Optical Fiber Communication Conference (OFC) 2024, vol. 37, pp. W1H.1, April 2024.
DOI: 10.1364/ofc.2024.w1h.1
- [17] Moon et al.. "Coherent-lite PON with repetition code and single polarization receiver". In: Optics Communications, vol. 557, pp. 130331, April 2024.
DOI: 10.1016/j.optcom.2024.130331
- [18] Yan et al.. "Adaptive Partial-Response Neural Network Equalization for Bandwidth-Limited PAM Transmission in Intra-Datacenter Interconnect". In: Journal of Lightwave Technology, vol. 42, no. 8, pp. 2762–2773, April 2024.
DOI: 10.1109/jlt.2023.3348482
- [19] Gautam et al.. "Transformer-Based Nonlinear Equalization for DP-16QAM Coherent Optical Communication Systems". In: IEEE Communications Letters, vol. 28, no. 3, pp. 577–581, March 2024.
DOI: 10.1109/lcomm.2023.3344996
- [20] Zakhleniuk et al.. "Optical injection locking and optical-fiber data transmission by directly modulated wavelength tunable laser transmitters". In: AIP Advances, vol. 14, no. 3, March 2024.
DOI: 10.1063/5.0193550
- [21] Zhong et al.. "Exploration of Four-Channel Coherent Optical Chaotic Secure Communication with the Rate of 400 Gb/s Using Photonic Reservoir Computing Based on Quantum Dot Spin-VCSELs". In: Photonics, vol. 11, no. 4, pp. 309, March 2024.
DOI: 10.3390/photonics11040309
- [22] Rosa et al.. "Optimization of Pilot-Aided Joint Phase Recovery for Frequency Comb-Based Wideband Transmission". In: Optical Fiber Communication Conference (OFC) 2024, pp. M1E.4, March 2024.
DOI: 10.1364/ofc.2024.m1e.4
- [23] Wu et al.. "Numerical Analysis of Dither Induced Penalty for Automatic Bias Control Methods". In: IEEE Photonics Journal, vol. 16, no. 1, pp. 1–9, February 2024.
DOI: 10.1109/jphot.2023.3338617
- [24] Feng et al.. "Extracting causal impulse responses from baseband band-limited S-parameters of passive photonic integrated circuits for time-domain simulations". In: Optics Express, vol. 32, no. 5, pp. 7697, February 2024.
DOI: 10.1364/oe.507238
- [25] Fagotto et al.. "Impact of wideband wavelength conversion on the performance of optical networks". In: Optics & Laser Technology, vol. 169, pp. 109948, February 2024.
DOI: 10.1016/j.optlastec.2023.109948
- [26] Hasan et al.. "High-resolution Si3N4 spectrometer: architecture & virtual channel synthesis and experimental demonstration". In: Optics Express, vol. 32, no. 6, pp. 8697, February 2024.
DOI: 10.1364/oe.509659

- [27] Bochao et al.. "Wideband microwave frequency-hopping signal generation technology based on coherent double optical comb". In: Journal of Lightwave Technology, pp. 1–9, February 2024.
DOI: 10.1109/jlt.2024.3361932
- [28] Hadi et al.. "Experimental Assessment of Digital Predistortion Using Reinforcement Learning for 5G Analog Radio over Fiber Links". In: IEEE Communications Society, February 2024.
DOI: 10.36227/techrxiv.170906939.95961682/v1
- [29] Kraemer et al.. "Data-Driven SOA Parameter Discovery and Optimization Using Bayesian Machine Learning With a Parzen Estimator Surrogate". In: Journal of Lightwave Technology, vol. 42, no. 2, pp. 721–731, January 2024.
DOI: 10.1109/jlt.2023.3316353
- [30] Hu et al.. "In-Advance Joint Timing/Frequency Synchronization Using FrFT Pilot for Digital Subcarrier Multiplexing Systems". In: Journal of Lightwave Technology, vol. 42, no. 1, pp. 208–218, January 2024.
DOI: 10.1109/jlt.2023.3310112
- [31] Termos et al.. "Terahertz Replica Generation of Ultra-High Data Rate Transmission in an Electro-Optical Semiconductor Optical Amplifier Mach-Zehnder Interferometer System". In: Photonics, vol. 11, no. 1, pp. 83, January 2024.
DOI: 10.3390/photonics11010083
- [32] Mohammad et al.. "Design, Fabrication, and Characterization of a Hybrid Integrated Photonic Module for a Synthetic Aperture Radar Receiver". In: Journal of Lightwave Technology, vol. 42, no. 2, pp. 760–770, January 2024.
DOI: 10.1109/jlt.2023.3318473
- [33] Nikitskiy et al.. "Advancements in hybrid photonics integration: Unleashing this technology's potential in Europe". In: PhotonicsViews, vol. 21, no. 1, pp. 60–63, January 2024.
DOI: 10.1002/phvs.202400004
- [34] Abdulrahman et al.. "Enhancing the analog to digital converter using proteretic hopfield neural network". In: Neural Computing and Applications, vol. 36, no. 11, pp. 5735–5745, January 2024.
DOI: 10.1007/s00521-023-09373-4
- [35] Lai et al.. "Phase to intensity modulation and fading compensation using a single ring resonator for radio-over-fiber links". In: Optics Express, vol. 32, no. 3, pp. 4525, January 2024.
DOI: 10.1364/oe.511966
- [36] Igarashi et al.. "Fast QoT estimation method using cascaded artificial neural network for real-time path provisioning in IMDD based all-optical networks". In: Optics Express, vol. 32, no. 2, pp. 1176, January 2024.
DOI: 10.1364/oe.505932

2023

- [37] Gao et al.. "Study of all-optical mode regeneration based on few-mode Mach-Zehnder interferometer". In: Optics Communications, vol. 549, pp. 129830, December 2023.
DOI: 10.1016/j.optcom.2023.129830
- [38] Altuna et al.. "Monitoring of Power Over Fiber Signals Using Intercore Crosstalk in ARoF 5G NR Transmission". In: Journal of Lightwave Technology, vol. 41, no. 23, pp. 7155–7161, December 2023.
DOI: 10.1109/jlt.2023.3300184
- [39] Bui et al.. "Wavelength switching technique for phase interrogation of Mach Zehnder interferometer-based optical sensors". In: Optics Express, vol. 31, no. 26, pp. 43560, December 2023.
DOI: 10.1364/oe.504471
- [40] Gu et al.. "High-speed physical layer secure communication scheme based on synchronous chaotic and electro-optic self-feedback dual-phase encryption". In: Journal of Optics, vol. 26, no. 1, pp. 015703, December 2023.
DOI: 10.1088/2040-8986/ad15ea
- [41] Wang et al.. "Secure key real-time upyear and dynamic DNA encryption for CO-OFDM-PON based on a hybrid 5-D chaos". In: Optics Express, vol. 31, no. 26, pp. 42961, December 2023.
DOI: 10.1364/oe.495626
- [42] Tang et al.. "Reconfigurable all-optical pattern-matching system for phase modulation formats based on phase-sensitive amplification in highly nonlinear fiber". In: Optical Fiber Technology, vol. 81, pp. 103548, December 2023.
DOI: 10.1016/j.yofte.2023.103548
- [43] Zhang et al.. "All-optical encryption/decryption of DmPSK signals with key steganography for photonic layer security". In: Optics Express, vol. 31, no. 26, pp. 44523, December 2023.
DOI: 10.1364/oe.506065
- [44] R. et al.. "DAPSK - OFDMA PON Based Heterogeneous Optical Network". In: International Journal of Computer Network and Information Security, vol. 15, no. 6, pp. 78–88, December 2023.
DOI: 10.5815/ijcnis.2023.06.07
- [45] Miyake et al.. "System Performance Analysis of a Photonics-based Wireless Signal Receiver for Terahertz Communication". In: 2023 IEEE Photonics Conference (IPC), November 2023.
DOI: 10.1109/ipc57732.2023.10360555
- [46] Li et al.. "Long-Haul Optical Chaos Synchronization Employing Optical Phase Conjugation". In: 2023 Asia Communications and Photonics Conference/2023 International Photonics and Optoelectronics Meetings (ACP/POEM), November 2023.
DOI: 10.1109/acp/poem59049.2023.10368925
- [47] Panasiewicz et al.. "An All-Digital Optical Phase-Locked Loop Suitable for Satellite Downlinks". In: Photonics, vol. 10, no. 12, pp. 1312, November 2023.
DOI: 10.3390/photonics10121312
- [48] Pan et al.. "Complex-valued Optical Neural Networks Enabled by Multimode Interferometers and Phase Shifters". In: 2023 IEEE Photonics Conference (IPC), November 2023.
DOI: 10.1109/ipc57732.2023.10360514
- [49] Peng et al.. "Nonlinear Distortion Mitigation via Coherent All-Optical Reservoir Computing for Long-Haul IM-DD transmission Systems". In: 2023 Asia Communications and Photonics Conference/2023 International Photonics and Optoelectronics Meetings (ACP/POEM), November 2023.
DOI: 10.1109/acp/poem59049.2023.10369906

- [50] Hussein et al.. "The first distributed-mass high-performance programmable optoelectromechanical steerable motion-wave sensors focused on sophisticated biomedical applications". In: SN Applied Sciences, vol. 5, no. 12, November 2023.
DOI: 10.1007/s42452-023-05558-7
- [51] Vohnout et al.. "Living Lab Long-Term Sustainability in Hybrid Access Positive Energy Districts—A Prosumer Smart Fog Computing Perspective". In: IEEE Internet of Things Journal, vol. 10, no. 21, pp. 18898–18908, November 2023.
DOI: 10.1109/jiot.2023.3280594
- [52] Zhang et al.. "Security optimization of synchronization in DFB lasers under constant-amplitude random-phase drive light by reducing drive-response correlation". In: Optics Express, vol. 31, no. 25, pp. 41083, November 2023.
DOI: 10.1364/oe.506022
- [53] Ashok et al.. "All Electrical Costas Loop for Carrier-Forwarded Analog Coherent DCI Receivers: System Integration, Characterization, and Measurements". In: IEEE Transactions on Instrumentation and Measurement, vol. 73, pp. 1–8, November 2023.
DOI: 10.1109/tim.2023.3336434
- [54] Cui et al.. "Dynamic Secure Key Distribution Based on Dispersion Equalization and Cellular Automata for Optical Transmission". In: Photonics, vol. 10, no. 12, pp. 1308, November 2023.
DOI: 10.3390/photonics10121308
- [55] Yang et al.. "Improved IQ imbalance compensation algorithm in faster-than-Nyquist coherent optical communication systems". In: Fourteenth International Conference on Information Optics and Photonics (CIOP 2023), pp. 149, November 2023.
DOI: 10.1117/12.3007726
- [56] Bai et al.. "Photonics-assisted Millimeter-Wave Multiband Integrated Sensing and Communication System Using Coherent Receiving". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 29, no. 6: Photonic Signal Processing, pp. 1–11, November 2023.
DOI: 10.1109/jstqe.2023.3276903
- [57] Mandal et al.. "Recent advancement of RB noise alleviation techniques in different communication networks and its lacunae: a review". In: Journal of Optical Communications, November 2023.
DOI: 10.1515/joc-2023-0248
- [58] Zhong et al.. "Multi-Wavelength Broadband Chaos Generation and Synchronization Using Long-Cavity FP Lasers". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 29, no. 6: Photonic Signal Processing, pp. 1–7, November 2023.
DOI: 10.1109/jstqe.2022.3223445
- [59] Huang et al.. "The Effect of Coupling Offset to VCSEL-MMF Links for Short-reach Optical Communications". In: 2023 Asia Communications and Photonics Conference/2023 International Photonics and Optoelectronics Meetings (ACP/POEM), pp. 01–04, November 2023.
DOI: 10.1109/acp/poem59049.2023.10369325
- [60] Peng et al.. "Lumped Impairments Compensation Based on a Finite-Impulse-Response Extended Kalman Filter for PDM-QPSK Systems". In: 2023 Asia Communications and Photonics Conference/2023 International Photonics and Optoelectronics Meetings (ACP/POEM), pp. 1–5, November 2023.
DOI: 10.1109/acp/poem59049.2023.10369047
- [61] Cisneros et al.. "Photonic Integrated Circuits for Microwave Astronomy". In: Inventions, vol. 8, no. 6, pp. 135, October 2023.
DOI: 10.3390/inventions8060135

- [62] García et al.. "Selective Data Recovery of an Optical Communication Link Using an Optical Band-Pass Filter". In: 2023 IEEE International Conference on Engineering Veracruz (ICEV), October 2023.
DOI: 10.1109/icev59168.2023.10329695
- [63] Li et al.. "Frequency-Shift Monitoring of Optical Filter Based on Optical Labels over FTN-WDM Transmission Systems". In: Photonics, vol. 10, no. 10, pp. 1166, October 2023.
DOI: 10.3390/photronics10101166
- [64] Termos et al.. "Performance amelioration of simultaneous up- and down-mixing contingent on a parallel SOA-MZIs design". In: Optik, vol. 293, pp. 171436, October 2023.
DOI: 10.1016/j.ijleo.2023.171436
- [65] Shi et al.. "Digital Mobile Fronthaul Based on Delta-Sigma Modulation and Chirp-Managed Signal Transmission". In: Journal of Lightwave Technology, vol. 41, no. 20, pp. 6521–6532, October 2023.
DOI: 10.1109/jlt.2023.3289528
- [66] Liu et al.. "Directional Modulation Signal Generation Technology Based on Microwave Photonics". In: 2023 IEEE 7th International Symposium on Electromagnetic Compatibility (ISEMC), pp. 1–4, October 2023.
DOI: 10.1109/isemc58300.2023.10370653
- [67] Shen et al.. "Multi-parameter optical performance monitoring based on single-channel convolutional neural network". In: Optical Fiber Technology, vol. 80, pp. 103472, October 2023.
DOI: 10.1016/j.yofte.2023.103472
- [68] Cheptang et al.. "Design and Simulation of Single Mode Rib Waveguide Based on Thin Film Lithium Niobate on Insulator". In: 2023 IEEE AFRICON, September 2023.
DOI: 10.1109/afriicon55910.2023.10293336
- [69] Camponeschi et al.. "Towards a Multi-Channel Scanning RF Receiver Based on Integrated Photonic". In: 2023 International Conference on Photonics in Switching and Computing (PSC), September 2023.
DOI: 10.1109/psc57974.2023.10297210
- [70] Pan et al.. "Simulation and Analysis of Optical Neural Network Accelerators Based on Multimode Interferometers and Phase Shifters". In: 2023 IEEE 8th Optoelectronics Global Conference (OGC), September 2023.
DOI: 10.1109/ogc59456.2023.10314631
- [71] Ordouie et al.. "Differential phase-diversity electrooptic modulator for cancellation of fiber dispersion and laser noise". In: Nature Communications, vol. 14, no. 1, September 2023.
DOI: 10.1038/s41467-023-41772-y
- [72] Baldini et al.. "Classification of Optical Transmission Anomalies with Convolutional Neural Networks and 2D Histograms". In: 2023 IEEE International Mediterranean Conference on Communications and Networking (MeditCom), vol. 3361, pp. 62–67, September 2023.
DOI: 10.1109/meditcom58224.2023.10266654
- [73] Li et al.. "Simultaneous OSNR and chromatic dispersion monitoring based on optical tones power ratio". In: Optik, vol. 287, pp. 171078, September 2023.
DOI: 10.1016/j.ijleo.2023.171078
- [74] Gao et al.. "Simple and low-latency multipoint-to-point aggregation architecture using commercial optical transceivers for uplink fronthaul". In: Optics Express, vol. 31, no. 20, pp. 31806, September 2023.
DOI: 10.1364/oe.498876
- [75] Kulandaivel et al.. "Combined image Hough transform based simultaneous multi-parameter optical performance monitoring for intelligent optical networks". In: Optical Fiber Technology, vol. 79, pp. 103357, September 2023.
DOI: 10.1016/j.yofte.2023.103357

- [76] Men et al.. "Photonic-assisted generation of joint radar and communication signals with immunity to power fading". In: Optics Communications, vol. 542, pp. 129598, September 2023.
DOI: 10.1016/j.optcom.2023.129598
- [77] Zhang et al.. "Experimental demonstration of 84 Gbps QPSK signal's 4-symbol all-optical pattern recognition". In: Optical Fiber Technology, vol. 79, pp. 103338, September 2023.
DOI: 10.1016/j.yofte.2023.103338
- [78] Sulikhah et al.. "Realization of High-power DFB Lasers with Single and Multiple Partially Corrugated Gratings". In: 2023 28th Microoptics Conference (MOC), vol. 14, pp. 1–2, September 2023.
DOI: 10.23919/moc58607.2023.10302884
- [79] Suda et al.. "High-Capacity WDM Transmitter for Co-Packaged Optics by Suppressing SOA-Induced Nonlinearities". In: 2023 International Conference on Photonics in Switching and Computing (PSC), pp. 1–3, September 2023.
DOI: 10.1109/psc57974.2023.10297245
- [80] Kimura et al.. "+30.8 dBm, IM-DD, 32 Gbit/s High Power Optical Transmission with a 4-km Photonic Bandgap Fiber". In: 2023 International Conference on Photonics in Switching and Computing (PSC), September 2023.
DOI: 10.1109/psc57974.2023.10297221
- [81] Ban et al.. "Improvement on stability of direct modulation laser with integrated active feedback by partial corrugated gratings". In: Optics Express, vol. 31, no. 18, pp. 28778, August 2023.
DOI: 10.1364/oe.495842
- [82] Zhao et al.. "Laser frequency noise correction in LFM-based interferometric fiber-optic hydrophone array". In: Optics Express, vol. 31, no. 17, pp. 27482, August 2023.
DOI: 10.1364/oe.493168
- [83] Li et al.. "A Multidimensional Signal Receiver Based on Time Interleaved Phase Diversity Detection". In: Journal of Lightwave Technology, vol. 41, no. 16, pp. 5252–5261, August 2023.
DOI: 10.1109/jlt.2023.3258479
- [84] Shao et al.. "Machine Learning-Assisted Watermarking via Bias Control of Electro-Optical Modulator". In: Journal of Lightwave Technology, vol. 41, no. 15, pp. 4941–4948, August 2023.
DOI: 10.1109/jlt.2023.3253127
- [85] Li et al.. "Monolithically Integrated Multi-Section Semiconductor Lasers: Toward the Future of Integrated Microwave Photonics". In: Optical Imaging and Sensing, pp. 215–270, August 2023.
DOI: 10.1002/9783527835201.ch7
- [86] Serrano et al.. "Evaluation of radiation hardness of InP-based photonic integrated circuits for space applications". In: International Conference on Space Optics — ICSO 2022, July 2023.
DOI: 10.1117/12.2691127
- [87] Luay et al.. "Performance investigation for the WDM-passive optical network using multicarrier source". In: Journal of Optical Communications, July 2023.
DOI: 10.1515/joc-2023-0147
- [88] Spirito et al.. "Feasibility study of a Terabit/s GEO-to-ground WDM optical communication link". In: International Conference on Space Optics — ICSO 2022, July 2023.
DOI: 10.1117/12.2691132
- [89] Pan et al.. "Microring Modulators Based Optical Matrix-matrix Multiplication Accelerators". In: 2023 21st International Conference on Optical Communications and Networks (ICOON), July 2023.
DOI: 10.1109/icocn59242.2023.10236411

- [90] Pan et al.. "An Optical Neural Network Accelerator Based on A Dual Microring Modulator Array". In: 2023 Opto-Electronics and Communications Conference (OECC), July 2023.
DOI: 10.1109/oecc56963.2023.10209740
- [91] Kurbatska et al.. "The Approach for Simulation of the Noise-Related Characteristics for Radio-Over-Fiber Transmission Systems". In: 2023 Photonics & Electromagnetics Research Symposium (PIERS), July 2023.
DOI: 10.1109/piers59004.2023.10221302
- [92] Chen et al.. "Application of Trellis-Coded Modulation in Long-Haul Optical Fiber Transmissions". In: 2023 21st International Conference on Optical Communications and Networks (ICOCN), July 2023.
DOI: 10.1109/icocn59242.2023.10236009
- [93] Bonk et al.. "Perspectives on and the road towards 100 Gb/s TDM PON with intensity-modulation and direct-detection". In: Journal of Optical Communications and Networking, vol. 15, no. 8, pp. 518, July 2023.
DOI: 10.1364/jocn.489228
- [94] Cossa et al.. "Artificial Neural Networks for Self-phase Modulation Compensation in Unrepeated Digital Coherent Optical Systems". In: Proceedings of International Conference on Computational Intelligence, pp. 259–269, July 2023.
DOI: 10.1007/978-981-99-2854-5_2
- [95] Dong et al.. "Phase Retrieval of Modulus-based DSB signal in IMDD System". In: Advanced Photonics Congress 2023, July 2023.
DOI: 10.1364/sppcom.2023.spm3d.2
- [96] Lu et al.. "Impact of Non-Gaussian Noise Distribution by Artificial Neural Network-based Equalizers". In: 2023 Opto-Electronics and Communications Conference (OECC), July 2023.
DOI: 10.1109/oecc56963.2023.10209616
- [97] Mitsolidou et al.. "Microwave Photonic filter with reconfigurable bandwidth and tunable central frequency aimed for flexible satellite payloads in Ka-, Q-, -V band". In: International Conference on Space Optics — ICSO 2022, July 2023.
DOI: 10.1117/12.2690897
- [98] Nogueira et al.. "Enhancing Inter-Data Centre Link Security with Spectral Polarisation Shuffling and Phase Encoding". In: 2023 23rd International Conference on Transparent Optical Networks (ICTON), July 2023.
DOI: 10.1109/icton59386.2023.10207283
- [99] Liu et al.. "Improved Fast Anti-fluctuation Adaptive Digital Back-Propagation for Kerr-nonlinearity Compensation". In: 2023 Opto-Electronics and Communications Conference (OECC), July 2023.
DOI: 10.1109/oecc56963.2023.10209706
- [100] Düzgöl et al.. "Calibration of a Photonic Neural Network Considering Fabrication Tolerances". In: 2023 23rd International Conference on Transparent Optical Networks (ICTON), July 2023.
DOI: 10.1109/icton59386.2023.10207442
- [101] Ali et al.. "Multievent localization for loop-based Sagnac sensing system using machine learning". In: Optics Express, vol. 31, no. 15, pp. 24005, July 2023.
DOI: 10.1364/oe.495367
- [102] Guo et al.. "Noise Suppression of All-optical OOK Matching System Based on Cascaded Highly Nonlinear Fiber". In: 2023 21st International Conference on Optical Communications and Networks (ICOCN), July 2023.
DOI: 10.1109/icocn59242.2023.10236034
- [103] Wang et al.. "Suppressed Noise Enhancement Equalization Combined With Nonlinear-MLSE Techniques for Bandwidth-Limitation IM/DD System". In: Journal of Lightwave Technology, vol. 41, no. 14, pp. 4655–4662, July 2023.
DOI: 10.1109/jlt.2023.3244350

- [104] Wang et al.. "Transmission Link Status Estimation Based on Phase Information for Long-Haul Optical Networks". In: 2023 Opto-Electronics and Communications Conference (OECC), July 2023.
DOI: 10.1109/oecc56963.2023.10209928
- [105] Zhao et al.. "A Novel Reliability Evaluation Model for an End-to-End Optical Transmission Channel". In: 2023 Opto-Electronics and Communications Conference (OECC), pp. 1–6, July 2023.
DOI: 10.1109/oecc56963.2023.10209760
- [106] Brestas et al.. "Investigation of a Photonic Reservoir Computing based Equalizer for Short Reach Applications". In: Advanced Photonics Congress 2023, vol. 47, pp. JW2E.4, July 2023.
DOI: 10.1364/iprsn.2023.jw2e.4
- [107] Sun et al.. "Clock Recovery and Equalization Algorithms for Coherent Optical Communication Systems with Non-Integer Oversampling". In: 2023 Opto-Electronics and Communications Conference (OECC), vol. 30, pp. 1–5, July 2023.
DOI: 10.1109/oecc56963.2023.10209930
- [108] Yan et al.. "Ultrafast Silicon Optical Nonlinear Activator for Neuromorphic Computing". In: , July 2023.
DOI: 10.21203/rs.3.rs-3151403/v1
- [109] Sulikhah et al.. "Design of A High Single-mode-yield 1.3- μm EMLs with PCG-DFB Lasers and integrated SOA for Future Mobile Applications". In: 2023 Opto-Electronics and Communications Conference (OECC), vol. 28, pp. 1–3, July 2023.
DOI: 10.1109/oecc56963.2023.10209618
- [110] Singh et al.. "60 GHz Analog Radio-Over-Fiber Single Sideband Transmitter Chipset With 55nm SiGe BiCMOS Driver RFIC and Silicon Photonics Modulator PIC". In: Journal of Lightwave Technology, vol. 41, no. 11, pp. 3620–3627, June 2023.
DOI: 10.1109/jlt.2023.3262124
- [111] Kurbatska et al.. "Power limits with adjustable 10G receiver parameters for A-RoF transmission". In: Elektronika ir Elektrotechnika, vol. 29, no. 3, pp. 62–67, June 2023.
DOI: 10.5755/j02.eie.33862
- [112] Termos et al.. "SOA-MZI Differential Transformation Approach Applied on Simultaneous Electro-Optical Mixing". In: Photonics, vol. 10, no. 6, pp. 649, June 2023.
DOI: 10.3390/photonics10060649
- [113] Morthier et al.. "Numerical Study of the Single Mode Stability of Quantum Well and Quantum Dot DFB Laser Diodes Under External Optical Feedback". In: IEEE Photonics Journal, vol. 15, no. 3, pp. 1–4, June 2023.
DOI: 10.1109/jphot.2023.3281513
- [114] Shi et al.. "All-optical matching structure for multi-order modulation formats". In: Optical Engineering, vol. 62, no. 06, June 2023.
DOI: 10.1117/1.oe.62.6.068106
- [115] Liu et al.. "Phase-locking-free all-optical binary sequence flexible matching system". In: Optical and Quantum Electronics, vol. 55, no. 8, June 2023.
DOI: 10.1007/s11082-023-04915-5
- [116] Bi et al.. "Frequency offset modeling in presence of ASE noise and corresponding low-complexity solution for discrete spectrum modulated nonlinear frequency division multiplexing system". In: Optics Communications, vol. 537, pp. 129396, June 2023.
DOI: 10.1016/j.optcom.2023.129396

- [117] Liu et al.. "Spatial enhancement of chaotic optical communication keys based on multi-zone semiconductor lasers". In: International Conference on Intelligent Systems, Communications, and Computer Networks (ISCCN 2023), vol. 43, pp. 97, June 2023.
DOI: 10.1117/12.2680438
- [118] Chen et al.. "Multifrequency Vector Mm-Wave Signal Generation with No Optical Filtering Based on One Dual-Arm MZM with Phase Factor Optimization". In: Photonics, vol. 10, no. 7, pp. 747, June 2023.
DOI: 10.3390/photonics10070747
- [119] Wu et al.. "Performance Analysis and Power Tilt Mitigation of Ultra-Wideband WDM Transmission Systems". In: Photonics, vol. 10, no. 5, pp. 530, May 2023.
DOI: 10.3390/photonics10050530
- [120] Wang et al.. "Chaos synchronization of semiconductor lasers over 1040-km fiber relay transmission with hybrid amplification". In: Photonics Research, vol. 11, no. 6, pp. 953, May 2023.
DOI: 10.1364/prj.478487
- [121] Ding et al.. "High-speed Multi-channel all-optical de-aggregator based on polarization-assisted phase-sensitive amplification in elastic optical networks". In: Optics & Laser Technology, vol. 160, pp. 109103, May 2023.
DOI: 10.1016/j.optlastec.2022.109103
- [122] Hou et al.. "Joint pre-compensation with DRE and THP for low-resolution data center optical interconnect". In: 14th International Photonics and Optoelectronics Meetings (POEM 2022), April 2023.
DOI: 10.1117/12.2672961
- [123] Termos et al.. "Establishment of an Electro-Optical Mixing Design on a Photonic SOA-MZI Using a Differential Modulation Arrangement". In: Sensors, vol. 23, no. 9, pp. 4380, April 2023.
DOI: 10.3390/s23094380
- [124] Hao et al.. "Low-Complexity Modulation Format Identification Based on Amplitude Histogram Distributions for Digital Coherent Receivers". In: Photonics, vol. 10, no. 4, pp. 472, April 2023.
DOI: 10.3390/photonics10040472
- [125] Li et al.. "SNR-enhanced and high-order frequency multiplied 64-QAM millimeter-wave signal generation enabled by MZM-based angle modulation". In: Optics Letters, vol. 48, no. 8, pp. 2106, April 2023.
DOI: 10.1364/ol.486671
- [126] Zhang et al.. "All-Optical QPSK Pattern Recognition in High-Speed Optoelectronic Firewalls". In: IEEE Photonics Journal, vol. 15, no. 2, pp. 1–16, April 2023.
DOI: 10.1109/jphot.2023.3243896
- [127] Shi et al.. "Parallel Photonic Convolutional Processing on-Chip With Cross-Connect Architecture and Cyclic AWGs". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 29, no. 2: Optical Computing, pp. 1–10, March 2023.
DOI: 10.1109/jstqe.2022.3226138
- [128] Rajasekaran et al.. "Performance analysis of a heterogeneous network employing DAPSK based OFDMA-PON". In: China Communications, vol. 20, no. 3, pp. 128–145, March 2023.
DOI: 10.23919/jcc.2023.03.010
- [129] Fito et al.. "Design requirements for mm-wave integrated optical beamforming networks". In: Next-Generation Optical Communication: Components, Sub-Systems, and Systems XII, March 2023.
DOI: 10.1117/12.2660412
- [130] Navitskaya et al.. "Simulation framework for classical and quantum communications over the free-space optical channel". In: Free-Space Laser Communications XXXV, March 2023.
DOI: 10.1117/12.2648365

- [131] Termos et al.. "All-Optical Three-Input "AND" Gate Dependent on a Differential Modulation Architecture". In: Electronics, vol. 12, no. 7, pp. 1510, March 2023.
DOI: 10.3390/electronics12071510
- [132] Guo et al.. "Key Space Enhancement of Chaos Communication Using Semiconductor Lasers with Spectrum-Programmable Optoelectronic Feedback". In: Photonics, vol. 10, no. 4, pp. 370, March 2023.
DOI: 10.3390/photonics10040370
- [133] Jin et al.. "Phase rearrangement shell mapping in single-span nonlinear optical fiber communication system". In: Optics Communications, vol. 530, pp. 129107, March 2023.
DOI: 10.1016/j.optcom.2022.129107
- [134] Totović et al.. "Programmable Photonic Neural Networks for advanced Machine Learning tasks". In: Optical Fiber Communication Conference (OFC) 2023, vol. 30, pp. Th3D.4, March 2023.
DOI: 10.1364/ofc.2023.th3d.4
- [135] Mohsin et al.. "Performance analysis of an outdoor Li-Fi system-based AO-OFDM architecture under different FSO turbulence and weather conditions". In: Optik, vol. 273, pp. 170427, February 2023.
DOI: 10.1016/j.ijleo.2022.170427
- [136] Zhang et al.. "800G/λ Self-Homodyne Coherent Links With Simplified DSP for Next-Generation Intra-Data Centers". In: Journal of Lightwave Technology, vol. 41, no. 4, pp. 1216–1222, February 2023.
DOI: 10.1109/jlt.2022.3218764
- [137] Li et al.. "Local Oscillator Power Adjustment-Based Adaptive Amplification for Coherent TDM-PON With Wide Dynamic Range". In: Journal of Lightwave Technology, vol. 41, no. 4, pp. 1240–1249, February 2023.
DOI: 10.1109/jlt.2022.3216763
- [138] Akasaka et al.. "Hybrid Amplification Approach Towards Wideband Optical Communications". In: Journal of Lightwave Technology, vol. 41, no. 3, pp. 815–821, February 2023.
DOI: 10.1109/jlt.2022.3206661
- [139] Jiang et al.. "High-resolution timing jitter measurement based on the photonics time stretch technique". In: Optics Express, vol. 31, no. 4, pp. 6722, February 2023.
DOI: 10.1364/oe.479124
- [140] Huang et al.. "Virtual-carrier-assisted 12 Gb/s 64QAM millimeter-wave signal transmission at 30 GHz using a 4-bit digital-to-analog converter". In: Optics Letters, vol. 48, no. 4, pp. 1076, February 2023.
DOI: 10.1364/ol.482246
- [141] Jain et al.. "A survey on machine learning schemes for fiber nonlinearity mitigation in radio over fiber system". In: Journal of Optical Communications, February 2023.
DOI: 10.1515/joc-2022-0306
- [142] Chen et al.. "Penalty mitigation for OSC-induced XPM in long-haul WDM coherent systems by digital up-conversion coding". In: Optics Express, vol. 31, no. 5, pp. 8875, February 2023.
DOI: 10.1364/oe.484633
- [143] Terrones et al.. "Evaluation of the Digital Data Performance Transmission on a Fiber-Radio System". In: Electronics, vol. 12, no. 2, pp. 378, January 2023.
DOI: 10.3390/electronics12020378
- [144] Hasan et al.. "Broadband high-resolution integrated spectrometer architecture & data processing method". In: Physics - Optics, January 2023.
DOI: 10.48550/ARXIV.2301.06653

- [145] Peng et al.. "A Photonics-aided MMW OFDM Joint Radar and Communication System with Velocity Accuracy Improvement". In: 2023 IEEE Applied Sensing Conference (APSCON), January 2023.
DOI: 10.1109/apscn56343.2023.10101228
- [146] Mehandiratta et al.. "High order coupled microring resonator filters for on-chip optical interconnects with steep edge response". In: Fiber and Integrated Optics, vol. 42, no. 1, pp. 20–30, January 2023.
DOI: 10.1080/01468030.2023.2170838
- [147] Almohimmah et al.. "Performance investigation of an ambiguity function-shaped waveform (AFSW) using a photonics-based radar system". In: Optics Express, vol. 31, no. 3, pp. 3784, January 2023.
DOI: 10.1364/oe.478413
- [148] Termos et al.. "All-Optical Simultaneous Frequency Metamorphose Contingent on a Three Parallel SOA-MZIs Copula". In: Optics, vol. 4, no. 1, pp. 55–65, January 2023.
DOI: 10.3390/opt4010005
- [149] Singh et al.. "Reliable and cost effective all-optical wireless architecture for a broadband access network". In: Journal of Optical Communications and Networking, vol. 15, no. 2, pp. 98, January 2023.
DOI: 10.1364/jocn.463574
- [150] Panasiewicz et al.. "Automatic bias control suitable for a microwave photonic vector modulator". In: Optical and Quantum Electronics, vol. 55, no. 2, January 2023.
DOI: 10.1007/s11082-022-04469-y
- [151] Wang et al.. "Heterogeneously Integrated Multicore Fibers for Smart Oilfield Applications". In: Applied Sciences, vol. 13, no. 3, pp. 1579, January 2023.
DOI: 10.3390/app13031579
- [152] Wang et al.. "A 'DOMZM-Filter-BPD'-Based Microwave Photonic Link for Eliminating Even Harmonics Distortion". In: Journal of Lightwave Technology, vol. 41, no. 2, pp. 618–626, January 2023.
DOI: 10.1109/jlt.2022.3220553
- [153] Jiang et al.. "Joint CD, DGD, and PDL Estimation Enabled by FrFT based Time-Frequency Reconstruction". In: Journal of Lightwave Technology, pp. 1–9, January 2023.
DOI: 10.1109/jlt.2023.3237705

2022

- [154] Jarangal et al.. "Performance enhancement of FSO system under the effect of Scintillation using CWDM". In: AGRIVOLTAICS2021 CONFERENCE: Connecting Agrivoltaics Worldwide, December 2022.
DOI: 10.1063/5.0114042
- [155] Reza et al.. "Multi-Static Multi-Band Synthetic Aperture Radar (SAR) Constellation Based on Integrated Photonic Circuits". In: Electronics, vol. 11, no. 24, pp. 4151, December 2022.
DOI: 10.3390/electronics11244151
- [156] Zhou et al.. "Joint Modulation Format Identification and Optical Signal-to-Noise Ratio Monitoring Based on Ternary Neural Networks". In: IEEE Access, vol. 10, pp. 133324–133332, December 2022.
DOI: 10.1109/access.2022.3230834
- [157] Wang et al.. "Research on constant modulus algorithm of multicore multiplexing system". In: 2022 4th International Academic Exchange Conference on Science and Technology Innovation (IAECST), December 2022.
DOI: 10.1109/iaecst57965.2022.10062261
- [158] Liu et al.. "245Gb/s P2MP Mobile Fronthaul Downstream Transmission Using Code-Division Multiplexing and Self-Homodyne Coherent Technologies". In: IEEE Photonics Journal, vol. 14, no. 6, pp. 1–9, December 2022.
DOI: 10.1109/jphot.2022.3215473
- [159] Sun et al.. "Ultra-stable and Low-complexity Retiming Technique for Bandwidth-limited 112-Gbps PAM-4 systems". In: 2022 IEEE 7th Optoelectronics Global Conference (OGC), December 2022.
DOI: 10.1109/ogc55558.2022.10051113
- [160] Chen et al.. "Automating Optical Network Fault Management with Machine Learning". In: IEEE Communications Magazine, vol. 60, no. 12, pp. 88–94, December 2022.
DOI: 10.1109/mcom.003.2200110
- [161] Ding et al.. "All-Optical Multi-Channel Aggregator for QPSK to 16QAM Based on Time-Lens and Phase Reloader in Elastic Optical Networks". In: IEEE Photonics Journal, vol. 14, no. 6, pp. 1–8, December 2022.
DOI: 10.1109/jphot.2022.3221796
- [162] Wang et al.. "Joint nonlinear optical signal-to-noise ratio estimation and modulation format identification based on constellation-points trajectory information and multitask 1DCNN for WDM systems". In: Applied Optics, vol. 61, no. 36, pp. 10744, December 2022.
DOI: 10.1364/ao.475792
- [163] Hu et al.. "Joint Optimization-Encryption Model Based on Auto Encoder Neural Network, Variable-Length Dynamic S-Box and New Stream Encryption". In: International Journal of Bifurcation and Chaos, vol. 32, no. 14, November 2022.
DOI: 10.1142/s0218127422502327
- [164] Zheng et al.. "Energy consumption modeling and analysis for short-reach optical transmissions using irregular LDPC codes". In: Optics Express, vol. 30, no. 24, pp. 43852, November 2022.
DOI: 10.1364/oe.472564
- [165] Luo et al.. "Nonlinear Impairment Compensation Using Transfer Learning-Assisted Convolutional Bidirectional Long Short-Term Memory Neural Network for Coherent Optical Communication Systems". In: Photonics, vol. 9, no. 12, pp. 919, November 2022.
DOI: 10.3390/photonics9120919
- [166] Tough et al.. "InP integrated optical frequency comb generator using an amplified recirculating loop". In: Optics Express, vol. 30, no. 24, pp. 43195, November 2022.
DOI: 10.1364/oe.469942

- [167] Yue et al.. "Enhanced photonic time-stretch reservoir computing using all-optical input masks". In: 2022 IEEE Photonics Conference (IPC), November 2022.
DOI: 10.1109/ipc53466.2022.9975723
- [168] Abdulrahman et al.. "Continuous Proteretic Hopfield Neural Network in Walsh-based Distributed Storage". In: Passer Journal of Basic and Applied Sciences, vol. 4, no. Special issue, pp. 92–106, November 2022.
DOI: 10.24271/psr.2022.161643
- [169] Shi et al.. "Modeling Device Nonlinearity in Millimeter-Wave Photonics Systems". In: 2022 Asia Communications and Photonics Conference (ACP), November 2022.
DOI: 10.1109/acp55869.2022.10088459
- [170] Zhan et al.. "Fiber Nonlinearity Mitigation for mQAM Coherent Optical Communication System Utilizing Random Forest Algorithm". In: 2022 Asia Communications and Photonics Conference (ACP), November 2022.
DOI: 10.1109/acp55869.2022.10088718
- [171] Yang et al.. "Joint Modulation Format Identification and Mode Coupling Estimation Scheme Based on ADTP and MT-CNN for Mode Division Multiplexed Systems". In: 2022 Asia Communications and Photonics Conference (ACP), November 2022.
DOI: 10.1109/acp55869.2022.10089052
- [172] Deng et al.. "Design of Codebook for Long-reach Sparse Code Multiple Access Passive Optical Networks". In: 2022 Asia Communications and Photonics Conference (ACP), vol. 14, pp. 633–638, November 2022.
DOI: 10.1109/acp55869.2022.10088776
- [173] Gao et al.. "Joint Recovery for Carrier Frequency Offset and Carrier Phase Noise Using Extended Kalman Filter for Nonlinear Frequency Division Multiplexing 16/64APSK System". In: 2022 Asia Communications and Photonics Conference (ACP), pp. 602–606, November 2022.
DOI: 10.1109/acp55869.2022.10088452
- [174] He et al.. "An Improved Frequency Offset Estimation Algorithm Based on Eigenvalue Shift and Grid Search for Discrete Spectrum Modulated NFDMA System". In: 2022 Asia Communications and Photonics Conference (ACP), pp. 1079–1082, November 2022.
DOI: 10.1109/acp55869.2022.10088833
- [175] Termos et al.. "Sampling Parallel SOA-MZIs Configuration for All-Optical Simultaneous Frequency Down-Conversion". In: Photonics, vol. 9, no. 10, pp. 745, October 2022.
DOI: 10.3390/photronics9100745
- [176] Molina-Luna et al.. "Alternative to Super-PON downstream transmitter using a directly-modulated SOA". In: Optical and Quantum Electronics, vol. 54, no. 12, October 2022.
DOI: 10.1007/s11082-022-04159-9
- [177] Masaad et al.. "Photonic reservoir computing for nonlinear equalization of 64-QAM signals with a Kramers–Kronig receiver". In: Nanophotonics, vol. 0, no. 0, October 2022.
DOI: 10.1515/nanoph-2022-0426
- [178] Lopez-Querol et al.. "Integrated Frequency Shifter based on an Indium Phosphide Generic Platform for Heterodyne Detection Systems". In: Frontiers in Optics + Laser Science 2022, October 2022.
DOI: 10.1364/fio.2022.jw5b.38
- [179] Wang et al.. "Multi-Wavelength Photonic Neuromorphic Computing for Intra and Inter-Channel Distortion Compensations in WDM Optical Communication Systems". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 29, no. 2: Optical Computing, pp. 1–12, October 2022.
DOI: 10.1109/jstqe.2022.3213172

- [180] Lora et al.. "Distribution of Microwave Signals Using Space Division Multiplexing Technique". In: 2022 IEEE International Conference on Engineering Veracruz (ICEV), October 2022.
DOI: 10.1109/icev56253.2022.9959601
- [181] Shao et al.. "Microwave-photonic dynamic frequency-swept interferometry for fast ranging". In: Interferometry XXI, October 2022.
DOI: 10.1117/12.2631682
- [182] Panasiewicz et al.. "All-Digital Optical Phase-Locked Loop for satellite communications under Turbulence Effects". In: 2022 IEEE International Topical Meeting on Microwave Photonics (MWP), October 2022.
DOI: 10.1109/mwp54208.2022.9997784
- [183] Altuna et al.. "Power-Over-Fiber Impact and Chromatic-Induced Power Fading on 5G NR Signals in Analog RoF". In: Journal of Lightwave Technology, vol. 40, no. 20, pp. 6976–6983, October 2022.
DOI: 10.1109/jlt.2022.3205743
- [184] Huang et al.. "Improved DBSCAN algorithm based signal recovery technology in coherent optical communication systems". In: Optics Communications, vol. 521, pp. 128590, October 2022.
DOI: 10.1016/j.optcom.2022.128590
- [185] Puentes et al.. "Colorless PAM-4 for WDM-PON Systems using a Fabry-Perot Laser Configuration". In: Frontiers in Optics + Laser Science 2022 (FIO, LS), October 2022.
DOI: 10.1364/fio.2022.jtu4b.58
- [186] Braunfelds et al.. "Designing of Fiber Bragg Gratings for Long-Distance Optical Fiber Sensing Networks". In: Modelling and Simulation in Engineering, vol. 2022, pp. 1–14, October 2022.
DOI: 10.1155/2022/8331485
- [187] Li et al.. "Single-carrier transmission scheme for extracting characteristic parameters of 32-Point 6PolSK-QPSK". In: EURASIP Journal on Advances in Signal Processing, vol. 2022, no. 1, October 2022.
DOI: 10.1186/s13634-022-00935-7
- [188] Wu et al.. "60 Gb/s coherent optical secure communication over 100 km with hybrid chaotic encryption using one dual-polarization IQ modulator". In: Optics Letters, vol. 47, no. 20, pp. 5285, October 2022.
DOI: 10.1364/ol.470839
- [189] Sulikhah et al.. "On the Mode and Wavelength Stability of Ultra-high-speed Directly-modulated Passive Feedback DFB Lasers". In: 2022 28th International Semiconductor Laser Conference (ISLC), pp. 1–2, October 2022.
DOI: 10.23919/islc52947.2022.9943517
- [190] Yang et al.. "Optical Labels Enabled Optical Performance Monitoring in WDM Systems". In: Photonics, vol. 9, no. 9, pp. 647, September 2022.
DOI: 10.3390/photonics9090647
- [191] Zhu et al.. "Quantum noise ciphered optical stealth communication based on equivalent spectral encoding". In: Optics Express, vol. 30, no. 21, pp. 38128, September 2022.
DOI: 10.1364/oe.471977
- [192] Serrano et al.. "Differential Absorption Lidar Transmitter Based on an Indium Phosphide Photonic Integrated Circuit for Carbon Dioxide Sensing". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 28, no. 5: Lidars and Photonic Radars, pp. 1–8, September 2022.
DOI: 10.1109/jstqe.2022.3156183
- [193] Termos et al.. "Quadrature amplitude modulation frequency up- and down-conversions using a positive-intrinsic-negative photodiode sampling mixer". In: Optical Engineering, vol. 61, no. 09, September 2022.
DOI: 10.1117/1.oe.61.9.096103

- [194] Xiao et al.. "Optimizations and investigations for transfer learning of iteratively pruned neural network equalizers for data center networking". In: Optics Express, vol. 30, no. 20, pp. 36358, September 2022.
DOI: 10.1364/oe.468716
- [195] Xiao et al.. "Feedforward neural network-based chaos encryption method for polarization division multiplexing optical OFDM/OQAM system". In: Optical Fiber Technology, vol. 72, pp. 102942, September 2022.
DOI: 10.1016/j.yofte.2022.102942
- [196] Wu et al.. "Channel characteristics estimation based on a secure optical transmission system with deep neural networks". In: Optics Express, vol. 30, no. 18, pp. 32391, August 2022.
DOI: 10.1364/oe.464257
- [197] Espiritu et al.. "Generation of triangular waveform radiofrequency signals based on photonic filtering using a broad-spectrum source". In: Revista Mexicana de Fisica, vol. 68, no. 5 Sep-Oct, August 2022.
DOI: 10.31349/revmexfis.68.050901
- [198] Li et al.. "Performance Assessments of Joint Linear and Nonlinear Pre-Equalization Schemes in Next Generation IM/DD PON". In: Journal of Lightwave Technology, vol. 40, no. 16, pp. 5478–5489, August 2022.
DOI: 10.1109/jlt.2022.3180589
- [199] Fan et al.. "Linear Regression vs. Deep Learning for Signal Quality Monitoring in Coherent Optical Systems". In: IEEE Photonics Journal, vol. 14, no. 4, pp. 1–8, August 2022.
DOI: 10.1109/jphot.2022.3193727
- [200] Xu et al.. "Optical performance monitoring in transparent fiber-optic networks using neural networks and asynchronous amplitude histograms". In: Optics Communications, vol. 517, pp. 128305, August 2022.
DOI: 10.1016/j.optcom.2022.128305
- [201] Zhai et al.. "Data Fragmentation Multipath Secure Coherent Optical Communication System Based on Electrical Signal Processing". In: IEEE Photonics Journal, vol. 14, no. 4, pp. 1–6, August 2022.
DOI: 10.1109/jphot.2022.3195753
- [202] Huang et al.. "Optical Multipath Interference Mitigation for High-Speed PAM4 IMDD Transmission System". In: Journal of Lightwave Technology, vol. 40, no. 16, pp. 5490–5501, August 2022.
DOI: 10.1109/jlt.2022.3181695
- [203] Lai et al.. "Comparison of Enhanced DD-LMS and MCMA in PDM-PAM4 PON Utilizing Heterodyne Coherent Detection". In: 2022 IEEE/CIC International Conference on Communications in China (ICCC), vol. 33, pp. 616–620, August 2022.
DOI: 10.1109/iccc55456.2022.9880655
- [204] Gao et al.. "Security-Enhanced Chaotic Optical Communication Based on External Temporal Self-Feedback Hardware Encryption and Decryption". In: IEEE Photonics Journal, vol. 14, no. 4, pp. 1–8, August 2022.
DOI: 10.1109/jphot.2022.3198527
- [205] Zhang et al.. "LSTM-DFE equalizer for 25 Gbit/s IM/DD Super-PON". In: 2022 20th International Conference on Optical Communications and Networks (ICOON), pp. 1–3, August 2022.
DOI: 10.1109/icocn55511.2022.9901116
- [206] Termos et al.. "Frequency Alteration Built on an Electro-Optical Sampling SOA-MZI Using a Differential Modulation Schema". In: Optics, vol. 3, no. 3, pp. 225–233, July 2022.
DOI: 10.3390/opt3030022
- [207] Koushyar et al.. "Linearity analysis of microwave photonic links for analog signal processing". In: Dissertation, July 2022.
DOI: 10.26153/TSW/50505

- [208] Genay et al.. "Performance of Directly Modulated Laser for 50Gbit/s High Speed Passive Optical Networks with MLSE Equalization". In: Optica Advanced Photonics Congress 2022, July 2022.
DOI: 10.1364/bgppm.2022.jw3a.34
- [209] Yu et al.. "Modified low CSPR Kramer-Kronig receivers based on a signal-signal beat interference estimation". In: Optics Express, vol. 30, no. 16, pp. 28251, July 2022.
DOI: 10.1364/oe.454183
- [210] Fan et al.. "Feedforward Neural Network-Based EVM Estimation: Impairment Tolerance in Coherent Optical Systems". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 28, no. 4, pp. 1–10, July 2022.
DOI: 10.1109/jstqe.2022.3177004
- [211] He et al.. "Hybrid-word-length quantization scheme for implement-efficient perturbation-based fiber nonlinearity compensation". In: Optical Fiber Technology, vol. 71, pp. 102880, July 2022.
DOI: 10.1016/j.yofte.2022.102880
- [212] Jiang et al.. "Blind and low-complexity modulation format identification based on signal envelope flatness for autonomous digital coherent receivers". In: Applied Optics, vol. 61, no. 20, pp. 5991, July 2022.
DOI: 10.1364/ao.457463
- [213] Huo et al.. "Simplified radius-directed linear Kalman filter algorithm for lightning-induced state of polarization compensation in optical ground wire". In: Optical Engineering, vol. 61, no. 07, July 2022.
DOI: 10.1117/1.oe.61.7.076112
- [214] Huang et al.. "Channel estimation based on interference cancellation method for FBMC-PON". In: Optical Fiber Technology, vol. 71, pp. 102905, July 2022.
DOI: 10.1016/j.yofte.2022.102905
- [215] Bai et al.. "Millimeter-wave joint radar and communication system based on photonic frequency-multiplying constant envelope LFM-OFDM". In: Optics Express, vol. 30, no. 15, pp. 26407, July 2022.
DOI: 10.1364/oe.461508
- [216] Totovic et al.. "WDM equipped universal linear optics for programmable neuromorphic photonic processors". In: Neuromorphic Computing and Engineering, vol. 2, no. 2, pp. 024010, June 2022.
DOI: 10.1088/2634-4386/ac724d
- [217] Jahid et al.. "Electro Optical Circuit Architecture for Photonic Signal Processing". In: Dissertation, June 2022.
DOI: 10.20381/RUOR-27945
- [218] Zakis et al.. "Cladding-Pumped Er/Yb-Co-Doped Fiber Amplifier for Multi-Channel Operation". In: Photonics, vol. 9, no. 7, pp. 457, June 2022.
DOI: 10.3390/photonics9070457
- [219] Gao et al.. "Physical secure key distribution based on chaotic self-carrier phase modulation and time-delayed shift keying of synchronized optical chaos". In: Optics Express, vol. 30, no. 13, pp. 23953, June 2022.
DOI: 10.1364/oe.460773
- [220] Olonkins et al.. "Experimental and Simulative Analysis of Cladding-Pumped EYDFA Gain Evolution". In: 2022 International Conference Laser Optics (ICLO), June 2022.
DOI: 10.1109/iclo54117.2022.9840294
- [221] Deng et al.. "Challenges and Enabling Technologies for Multi-Band WDM Optical Networks". In: Journal of Lightwave Technology, vol. 40, no. 11, pp. 3385–3394, June 2022.
DOI: 10.1109/jlt.2022.3162725
- [222] Zhang et al.. "Microwave photonics broadband unambiguous frequency measurement based on a Sagnac loop and a linear optical filter". In: Applied Optics, vol. 61, no. 17, pp. 5090, June 2022.
DOI: 10.1364/ao.456821

- [223] Xie et al.. "Pre-filtered and post-filtered 1-bit delta sigma modulator for fronthaul downlinks". In: Optics Communications, vol. 510, pp. 127908, May 2022.
DOI: 10.1016/j.optcom.2022.127908
- [224] Singh et al.. "Cost Effective Hybrid FSO-Wireless Architecture for Broadband Access Network". In: 2022 International Conference on Optical Network Design and Modeling (ONDM), May 2022.
DOI: 10.23919/ondm54585.2022.9782861
- [225] Dai et al.. "Simultaneously precise frequency response and IQ skew calibration in a self-homodyne coherent optical transmission system". In: Optics Express, vol. 30, no. 12, pp. 20894, May 2022.
DOI: 10.1364/oe.461139
- [226] Liu et al.. "Optical Adaptive LMS Equalizer with an Opto-electronic Feedback Loop". In: Conference on Lasers and Electro-Optics, May 2022.
DOI: 10.1364/cleo_s.i.2022.sm3j.3
- [227] Morozko et al.. "Modal theory for twisted waveguides". In: Metamaterials XIII, May 2022.
DOI: 10.1117/12.2620784
- [228] Lowery et al.. "XPM Efficiency Versus Symbol Rate". In: Journal of Lightwave Technology, vol. 40, no. 9, pp. 2850–2861, May 2022.
DOI: 10.1109/jlt.2022.3148414
- [229] Lu et al.. "High-speed PON downstream transmission based on pre-configured KK scheme with CD pre-compensation and direct detection". In: Optics Communications, vol. 510, pp. 127906, May 2022.
DOI: 10.1016/j.optcom.2022.127906
- [230] Wu et al.. "Spectrally sliced heterodyne coherent receiver with halved electrical bandwidth". In: Chinese Optics Letters, vol. 20, no. 9, pp. 090601, May 2022.
DOI: 10.3788/co1202220.090601
- [231] Wu et al.. "Joint monitoring of OSNR and frequency offset for coherent optical fiber communication systems based on QPSK training sequence". In: Optics Communications, vol. 511, pp. 127985, May 2022.
DOI: 10.1016/j.optcom.2022.127985
- [232] Sang et al.. "Low Complexity Neural Network Equalization Based on Multi-Symbol Output Technique for 200+ Gbps IM/DD Short Reach Optical System". In: Journal of Lightwave Technology, vol. 40, no. 9, pp. 2890–2900, May 2022.
DOI: 10.1109/jlt.2022.3146863
- [233] Li et al.. "Convolutional Neural Network-Aided DP-64 QAM Coherent Optical Communication Systems". In: Journal of Lightwave Technology, vol. 40, no. 9, pp. 2880–2889, May 2022.
DOI: 10.1109/jlt.2022.3146839
- [234] Saadaoui et al.. "Broadband optical network design for the future aircraft cabin". In: Optics Continuum, vol. 1, no. 4, pp. 719, April 2022.
DOI: 10.1364/optcon.447053
- [235] Wei et al.. "Effective handling of nonlinear distortions in CO-OFDM using affinity propagation clustering". In: Optics Express, vol. 30, no. 9, pp. 15697, April 2022.
DOI: 10.1364/oe.454468
- [236] Luo et al.. "Design and Analysis of Wideband Self-Interference Cancellation for Full-Duplex Wireless Networks". In: 2022 IEEE Wireless Communications and Networking Conference (WCNC), April 2022.
DOI: 10.1109/wcnc51071.2022.9771818

- [237] Gooskens et al.. "Wavelength dimension in waveguide-based photonic reservoir computing". In: Optics Express, vol. 30, no. 9, pp. 15634, April 2022.
DOI: 10.1364/oe.455774
- [238] Sulikhah et al.. "Low-Frequency-Drop of Electroabsorption Modulated Lasers and the Improvement With Partially Corrugated Grating Based DFB Lasers". In: IEEE Photonics Journal, vol. 14, no. 2, pp. 1–9, April 2022.
DOI: 10.1109/jphot.2022.3149945
- [239] Esmail et al.. "Sagnac Loop Based Sensing System for Intrusion Localization Using Machine Learning". In: Photonics, vol. 9, no. 5, pp. 275, April 2022.
DOI: 10.3390/photonics9050275
- [240] Wu et al.. "Channel Characteristics Based Adjustable Fingerprint for Identity Authentication in WDM-PON With Deep Neural Networks". In: IEEE Photonics Journal, vol. 14, no. 2, pp. 1–11, April 2022.
DOI: 10.1109/jphot.2022.3158622
- [241] Wang et al.. "Chaotic physical layer encryption scheme based on phase ambiguity for a DMT system". In: Optics Express, vol. 30, no. 9, pp. 14782, April 2022.
DOI: 10.1364/oe.454432
- [242] Saif et al.. "Performance Investigation of Modulation Format Identification in Super-Channel Optical Networks". In: IEEE Photonics Journal, vol. 14, no. 2, pp. 1–10, April 2022.
DOI: 10.1109/jphot.2022.3148798
- [243] Sun et al.. "Low-latency and efficient retiming and equalizing scheme for a 112-Gbps bandwidth-limited optical PAM-4 system". In: Optics Express, vol. 30, no. 9, pp. 14565, April 2022.
DOI: 10.1364/oe.457998
- [244] Yu et al.. "Multi-Task Learning Convolutional Neural Network and Optical Spectrums Enabled Optical Performance Monitoring". In: IEEE Photonics Journal, vol. 14, no. 2, pp. 1–8, April 2022.
DOI: 10.1109/jphot.2022.3153638
- [245] Liu et al.. "Frequency measurement of microwave signals in a wide frequency range based on an optical frequency comb and channelization method". In: Applied Optics, vol. 61, no. 13, pp. 3663, April 2022.
DOI: 10.1364/ao.456507
- [246] Ragheb et al.. "Reconfigurable photonics-based millimeter wave signal aggregation for non-orthogonal multiple access". In: Optics Express, vol. 30, no. 10, pp. 16812, April 2022.
DOI: 10.1364/oe.457723
- [247] Zhai et al.. "An Ultraefficient Broadband Photonic Channelizer Based on Polarization-Division Multiplexing and Integrated Dual-Polarization Coherent Detection Receiver". In: IEEE Transactions on Microwave Theory and Techniques, vol. 70, no. 3, pp. 1821–1831, March 2022.
DOI: 10.1109/tmtt.2021.3127877
- [248] Li et al.. "A low complexity nonlinearity impairment compensation scheme assisted by label propagation algorithm". In: Optics Communications, vol. 506, pp. 127547, March 2022.
DOI: 10.1016/j.optcom.2021.127547
- [249] Saadaoui et al.. "PON WDM network architecture for the future aircraft cabin". In: Metro and Data Center Optical Networks and Short-Reach Links V, March 2022.
DOI: 10.1117/12.2605958
- [250] Lopera et al.. "Design of a colorless transmitter based on a low-resonant Fabry-Perot Laser for applications in WDM-PON". In: Optik, vol. 253, pp. 168523, March 2022.
DOI: 10.1016/j.ijleo.2021.168523

- [251] Li et al.. "Photonic generation of frequency-modulated continuous-wave signal using sideband amplification injection locking effect based on the integrated mutually injected semiconductor laser". In: *Optik*, vol. 254, pp. 168629, March 2022.
DOI: 10.1016/j.ijleo.2022.168629
- [252] Yang et al.. "Joint modulation format identification and OSNR estimation method based on trajectory information analysis". In: *Optics Communications*, vol. 507, pp. 127657, March 2022.
DOI: 10.1016/j.optcom.2021.127657
- [253] Zhu et al.. "Direct detection transmission of a PAM signal with power fading mitigation based on Alamouti coding and dual-drive MZM". In: *Optics Express*, vol. 30, no. 6, pp. 9321, March 2022.
DOI: 10.1364/oe.446676
- [254] Gao et al.. "Mismatch Length Estimation of Self-Homodyne Coherent Optical Systems by Using Carrier-Pilot-Assist Method". In: *Optical Fiber Communication Conference (OFC) 2022*, vol. 31, pp. W1G.5, March 2022.
DOI: 10.1364/ofc.2022.w1g.5
- [255] Dai et al.. "Experimental Demonstration of Simultaneously Precise Tx and Rx Skew Calibration for Coherent Optical Transceiver". In: *Journal of Lightwave Technology*, vol. 40, no. 4, pp. 1043–1054, February 2022.
DOI: 10.1109/jlt.2021.3125094
- [256] Termos et al.. "Simultaneous Up-Conversion Based on a Co- & Counter-Directions SOA-MZI Sampling Mixer with Standard & Differential Modulation Modes". In: *Photonics*, vol. 9, no. 2, pp. 109, February 2022.
DOI: 10.3390/photonics9020109
- [257] Huang et al.. "Optical performance monitoring using SOI-based spectral analysis". In: *Optics Express*, vol. 30, no. 4, pp. 6397, February 2022.
DOI: 10.1364/oe.451269
- [258] Hasan et al.. "Experimental realization of a universal RF photonic integrated circuit". In: *Physics - Applied Physics*, February 2022.
DOI: 10.48550/ARXIV.2202.06820
- [259] Yu et al.. "Joint multi-parameter optical performance monitoring scheme based on trajectory information for a Stokes vector direct detection system". In: *Applied Optics*, vol. 61, no. 7, pp. 1606, February 2022.
DOI: 10.1364/ao.449392
- [260] Hussein et al.. "Adaptive opto-electromechanical silicon-on-insulator increased bandwidth accelerometer". In: *SN Applied Sciences*, vol. 4, no. 2, January 2022.
DOI: 10.1007/s42452-021-04922-9
- [261] Termos et al.. "Real and Simulated QPSK Up-Converted Signals by a Sampling Method Using a Cascaded MZMs Link". In: *Photonics*, vol. 9, no. 1, pp. 34, January 2022.
DOI: 10.3390/photonics9010034
- [262] Belkin et al.. "A comparison study of a quality of transmission for an analog fiber-optic interconnect line with direct or external modulation". In: *Proceedings of the European Modeling & Simulation Symposium, EMSS*, January 2022.
DOI: 10.46354/i3m.2022.emss.036
- [263] Shi et al.. "InP photonic integrated multi-layer neural networks: Architecture and performance analysis". In: *APL Photonics*, vol. 7, no. 1, January 2022.
DOI: 10.1063/5.0066350
- [264] Farooq et al.. "Assessment of Different Channel Equalization Algorithms for a Converged OFDM-Based 5G mm-wave A-RoF System at 60 GHz". In: *Applied Sciences*, vol. 12, no. 3, pp. 1511, January 2022.
DOI: 10.3390/app12031511

- [265] Saif et al.. "Machine Learning Based Low-Cost Optical Performance Monitoring in Mode Division Multiplexed Optical Networks". In: Photonics, vol. 9, no. 2, pp. 73, January 2022.
DOI: 10.3390/photonics9020073
- [266] Yang et al.. "Low-crosstalk laser-direct-writing FI/FO device for 8×100-Gbps optical interconnection". In: Optics Express, vol. 30, no. 2, pp. 1675, January 2022.
DOI: 10.1364/oe.448689
- [267] Zhang et al.. "A survey on QoT prediction using machine learning in optical networks". In: Optical Fiber Technology, vol. 68, pp. 102804, January 2022.
DOI: 10.1016/j.yofte.2021.102804

2021

- [268] Xu et al.. "Investigation of stimulated Raman scattering effect on designing of NG-EPON systems". In: Optical Engineering, vol. 60, no. 12, December 2021.
DOI: 10.1117/1.oe.60.12.126101
- [269] Chen et al.. "Broadband photonic RF channelizer with 66 channels based on acousto-optic frequency shifter". In: Optical Engineering, vol. 60, no. 12, December 2021.
DOI: 10.1117/1.oe.60.12.126102
- [270] Reza et al.. "Design and Performance Estimation of a Photonic Integrated Beamforming Receiver for Scan-on-Receive Synthetic Aperture Radar". In: Journal of Lightwave Technology, vol. 39, no. 24, pp. 7588–7599, December 2021.
DOI: 10.1109/jlt.2021.3119225
- [271] Xu et al.. "Simulation investigation of XPM and SRS effect on upgraded Super-PON systems". In: Optical Fiber Technology, vol. 67, pp. 102727, December 2021.
DOI: 10.1016/j.yofte.2021.102727
- [272] Gonem et al.. "Timing Jitter Analysis and Mitigation in Hybrid OFDM-DFMA PONs". In: IEEE Photonics Journal, vol. 13, no. 6, pp. 1–13, December 2021.
DOI: 10.1109/jphot.2021.3121168
- [273] Yang et al.. "Low-complexity modulation format identification scheme via graph-theory in digital coherent optical receivers". In: Optics Communications, vol. 501, pp. 127380, December 2021.
DOI: 10.1016/j.optcom.2021.127380
- [274] Lee et al.. "Protection Scheme for a Wavelength-Division-Multiplexed Passive Optical Network Based on Reconfigurable Optical Amplifiers". In: Applied Sciences, vol. 12, no. 1, pp. 365, December 2021.
DOI: 10.3390/app12010365
- [275] Santacruz et al.. "Modulation and Equalization Techniques for mmWave ARoF". In: Enabling 6G Mobile Networks, pp. 259–292, November 2021.
DOI: 10.1007/978-3-030-74648-3_8
- [276] Termos et al.. "Repetition rate performance for frequency mixing of four simultaneous QPSK signals based on a SOA-MZI photonic sampling mixer". In: Optical Engineering, vol. 60, no. 11, November 2021.
DOI: 10.1117/1.oe.60.11.116104
- [277] Zhao et al.. "Blind modulation format identification based on improved PSO clustering in a 2D Stokes plane". In: Applied Optics, vol. 60, no. 31, pp. 9933, November 2021.
DOI: 10.1364/ao.439749
- [278] Huo et al.. "C band 112 Gb/s PAM4 signal transmission over 320 km with a quasi-linear double-side electro-absorption modulated laser (DS-EML)". In: Optical Fiber Technology, vol. 61, pp. 102407, November 2021.
DOI: 10.1016/j.yofte.2020.102407
- [279] Wang et al.. "100 Gbit/s/lambda DMT-PON System Based on Intensity Modulation and Heterodyne Coherent Detection". In: IEEE Photonics Technology Letters, vol. 33, no. 18, pp. 1014–1017, September 2021.
DOI: 10.1109/lpt.2021.3079982
- [280] Charalambous et al.. "Integrated Photonic Linear Frequency Discriminator Filter for 5G Phase-Modulated Microwave Photonic Links". In: Journal of Lightwave Technology, pp. 1–1, September 2021.
DOI: 10.1109/jlt.2021.3105242

- [281] Igarashi et al.. "Network Design for Bus-Type Optical Access Using Distributed Raman Amplification With Asymmetric Power Splitter". In: Journal of Lightwave Technology, pp. 1–1, September 2021.
DOI: 10.1109/jlt.2021.3106061
- [282] Hadi et al.. "Pre-BPF based Sigma Delta Radio over Fiber for 5G Sub-6 GHz Fronthauls". In: 2021 International Conference on Communication Technologies (ComTech), September 2021.
DOI: 10.1109/comtech52583.2021.9616760
- [283] Rajasekaran et al.. "Performance analysis of hybrid Fi-Wi network employing OCDMA based NG-PON". In: Frequenz, vol. 76, no. 1-2, pp. 97–108, September 2021.
DOI: 10.1515/freq-2021-0053
- [284] Termos et al.. "Simultaneous up- and down-frequency mixing based on a cascaded SOA-MZIs link". In: Applied Optics, vol. 60, no. 27, pp. 8336, September 2021.
DOI: 10.1364/ao.432179
- [285] Xu et al.. "Mitigation of the XPM in 5G fronthaul wavelengths by using orthogonal polarization method". In: Optics Communications, vol. 494, pp. 127046, September 2021.
DOI: 10.1016/j.optcom.2021.127046
- [286] Xiang et al.. "Phase Retrieval of Complex OFDM Signal by Solving Temporal Transport-of-Intensity Equation". In: IEEE Photonics Technology Letters, vol. 33, no. 18, pp. 1006–1009, September 2021.
DOI: 10.1109/lpt.2021.3085403
- [287] Sarkar et al.. "Machine Learning Methods for Discriminating Strain and Temperature Effects on FBG-Based Sensors". In: IEEE Photonics Technology Letters, vol. 33, no. 16, pp. 876–879, August 2021.
DOI: 10.1109/lpt.2021.3055216
- [288] Termos et al.. "OFDM signal down frequency conversion based on a SOA-MZI sampling mixer using differential modulation and switching architectures". In: Optik, vol. 245, pp. 167761, August 2021.
DOI: 10.1016/j.ijleo.2021.167761
- [289] Mahajan et al.. "Impact of Multi-Vendor Transponders Performance on Design Margin in Optical Networks". In: IEEE Access, vol. 9, pp. 118927–118940, August 2021.
DOI: 10.1109/access.2021.3107296
- [290] Chen et al.. "Geometric shaping optimization of 64-APSK constellation in discrete nonlinear frequency division multiplexing systems". In: Optics Letters, vol. 46, no. 14, pp. 3368, July 2021.
DOI: 10.1364/ol.430391
- [291] Zhang et al.. "Probability-Aware Stokes Space Blind Polarization Demultiplexing for Probabilistically Shaped Signals". In: Journal of Lightwave Technology, pp. 1–1, July 2021.
DOI: 10.1109/jlt.2021.3098449
- [292] Sulikhah et al.. "Demonstration of Photon-Photon Resonance Improved Direct Modulation Bandwidth of Partially Corrugated Grating with Passive Feedback". In: 26th Optoelectronics and Communications Conference, July 2021.
DOI: 10.1364/oecc.2021.w2f.3
- [293] Gonem et al.. "DSP-based Reduction of the Impact of White ADC Timing Jitter on Hybrid OFDM-DFMA PONs". In: OSA Advanced Photonics Congress 2021, July 2021.
DOI: 10.1364/sppcom.2021.spth1d.2
- [294] Belkin et al.. "Computer-Aided Design of an Integrated-Photonic Butler Matrix for a True-Time Delay Millimeter-Wave Antenna Feeder Network". In: 2021 Radiation and Scattering of Electromagnetic Waves (RSEMW), June 2021.
DOI: 10.1109/rsemw52378.2021.9494125

- [295] Chen et al.. "Artificial Neural Network Equalizer for Discrete B-coefficients Modulated NFDM System". In: 2021 13th International Conference on Communication Software and Networks (ICCSN), June 2021.
DOI: 10.1109/iccsn52437.2021.9463616
- [296] Liao et al.. "Channel Estimation Method for Discrete Spectrum Modulated NFDM Systems". In: 2021 13th International Conference on Communication Software and Networks (ICCSN), June 2021.
DOI: 10.1109/iccsn52437.2021.9463650
- [297] Chen et al.. "Equalization of Polarization-Division-Multiplexed NFDM System Based on Advanced K-Means". In: 2021 13th International Conference on Communication Software and Networks (ICCSN), June 2021.
DOI: 10.1109/iccsn52437.2021.9463636
- [298] Kurbatska et al.. "Evaluation of the Performance-Affecting Factors in the Converged PON". In: 2021 25th International Conference Electronics, June 2021.
DOI: 10.1109/ieeconf52705.2021.9467482
- [299] Gong et al.. "Security Issues and Possible Solutions of Future-Oriented Optical Access Networks for 5G and Beyond". In: IEEE Communications Magazine, vol. 59, no. 6, pp. 112–118, June 2021.
DOI: 10.1109/mcom.011.2100044
- [300] Khomchenko et al.. "Transmission-Aware Bandwidth Variable Transceiver Allocation in DWDM Optical Networks". In: 2021 International Conference on Optical Network Design and Modeling (ONDM), June 2021.
DOI: 10.23919/ondm51796.2021.9492501
- [301] Mahajan et al.. "Adaptive and Iterative QoT Estimator Retraining for Launch Power Optimization". In: Optical Fiber Communication Conference (OFC) 2021, pp. M3E.7, June 2021.
- [302] Wu et al.. "Quantization Noise-Aware Partial Pre-Emphasis Model and Experimental Validation in High-Speed IM-DD System". In: 2021 Optical Fiber Communications Conference and Exhibition (OFC), pp. 1-3, June 2021.
DOI: 10.1364/OFC.2021.W7F.7
- [303] Fu et al.. "Simple and precise characterization of differential modal group delay arising in few-mode fiber". In: Optics Letters, vol. 46, no. 12, pp. 2856, June 2021.
DOI: 10.1364/ol.423950
- [304] Paula et al.. "Mitigation of Nonlinear Phase Noise in Single-channel Coherent 16-QAM Systems Employing Logistic Regression". In: na, June 2021.
DOI: 10.21203/rs.3.rs-499944/v1
- [305] Tshibangu-Mbuebue et al.. "Numerical Study of a Reconfigurable Multiband Microwave Photonic Filter Using a Tunable Fabry-Perot Filter". In: Electronics, vol. 10, no. 12, pp. 1473, June 2021.
DOI: 10.3390/electronics10121473
- [306] Taengnoi et al.. "4-Level Alternate-Mark-Inversion for Reach Extension in the O-Band Spectral Region". In: Journal of Lightwave Technology, vol. 39, no. 9, pp. 2847–2853, May 2021.
DOI: 10.1109/jlt.2021.3062446
- [307] Lowery et al.. "Analog Low-Latency Kramers-Kronig optical Single-Sideband Receiver". In: Journal of Lightwave Technology, vol. 39, no. 10, pp. 3130–3136, May 2021.
DOI: 10.1109/jlt.2021.3060062
- [308] Chen et al.. "Neural Network-based Noise Suppression method for NFT-based Multi-eigenvalue Transmission". In: IEEE Communications Letters, pp. 1–1, May 2021.
DOI: 10.1109/lcomm.2021.3081632

- [309] Silva et al.. "Nonlinear phase noise compensation in single-span digital coherent optical systems employing artificial neural networks". In: 2021 SBFoton International Optics and Photonics Conference SBFoton IOPC, May 2021.
DOI: 10.1109/sbfotoniopc50774.2021.9461958
- [310] Abdelli et al.. "Convolutional Neural Networks for Reflective Event Detection and Characterization in Fiber Optical Links Given Noisy OTDR Signals". In: Photonic Networks; 22th ITG Symposium, pp. 1-5, May 2021.
- [311] Amari et al.. "Multi-dimensional Short Blocklength Probabilistic Shaping for Digital Subcarrier Multiplexing Systems". In: OSA Advanced Photonics Congress, May 2021.
- [312] Li et al.. "Fast Self-adaptive Generic Digital Linearization for Analog Microwave Photonic Systems". In: Journal of Lightwave Technology, pp. 1-1, April 2021.
DOI: 10.1109/jlt.2021.3076821
- [313] Wei et al.. "Low Complexity DSP for High Speed Optical Access Networking". In: Applied Sciences, vol. 11, no. 8, pp. 3406, April 2021.
DOI: 10.3390/app11083406
- [314] Jiang et al.. "Blind Equalization Algorithms Applied to Dispersion Compensation in POLMUX Coherent Optical Communication System". In: 2021 IEEE 6th International Conference on Computer and Communication Systems (ICCCS), April 2021.
DOI: 10.1109/icccs52626.2021.9449271
- [315] Lyu et al.. "Digital Linearization for WDM-RoF System". In: 2021 IEEE 93rd Vehicular Technology Conference VTC2021-Spring, April 2021.
DOI: 10.1109/vtc2021-spring51267.2021.9448651
- [316] Chen et al.. "Experimental demonstration of pseudo-pilots-aided Gaussian basis expansion-based phase noise suppression scheme for CO-OFDM". In: Optics Express, vol. 29, no. 8, pp. 11750, March 2021.
DOI: 10.1364/oe.416153
- [317] Deynu et al.. "Low-Overhead Low-Complexity Carrier Phase Recovery Technique for Coherent Multi-Band OFDM-Based Superchannel Systems Enabled by Optical Frequency Combs". In: Journal of Microwaves, Optoelectronics and Electromagnetic Applications, vol. 20, no. 1, pp. 173-194, March 2021.
DOI: 10.1590/2179-10742021v20i1965
- [318] Fu et al.. "Analog-digital hybrid chaos-based long-haul coherent optical secure communication". In: Optics Letters, vol. 46, no. 6, pp. 1506, March 2021.
DOI: 10.1364/ol.421770
- [319] Chen et al.. "Two-stage artificial neural network-based burst-subcarrier joint equalization in nonlinear frequency division multiplexing systems". In: Optics Letters, vol. 46, no. 7, pp. 1700, March 2021.
DOI: 10.1364/ol.422195
- [320] Esmail et al.. "Free space optic channel monitoring using machine learning". In: Optics Express, vol. 29, no. 7, pp. 10967, March 2021.
DOI: 10.1364/oe.416777
- [321] Granot et al.. "PAM-N - Fundamental Limits in Chromatic Dispersive-Uncompensated Channels". In: Applied Sciences, vol. 11, no. 6, pp. 2542, March 2021.
DOI: 10.3390/app11062542
- [322] Li et al.. "Compensation for In-Phase/Quadrature Phase Mismatch in Coherent Free-Space Optical QPSK Communication Systems". In: Applied Sciences, vol. 11, no. 6, pp. 2543, March 2021.
DOI: 10.3390/app11062543

- [323] Richter et al.. "Schematic-driven PIC design process considering manufacturing tolerances". In: Smart Photonic and Optoelectronic Integrated Circuits XXIII, March 2021.
DOI: 10.1117/12.2577209
- [324] Salgals et al.. "Demonstration of a fiber optical communication system employing a silica microsphere-based OFC source". In: Optics Express, vol. 29, no. 7, pp. 10903, March 2021.
DOI: 10.1364/oe.419546
- [325] Cheng et al.. "A Robust Sparse RLS-Volterra Nonlinear Equalizer Using l0-Regularization for 4 x 150 Gbit/s IMDD-Based Optical Interconnect". In: IEEE Access, vol. 9, pp. 30881–30892, February 2021.
DOI: 10.1109/access.2021.3059522
- [326] Li et al.. "Reservoir Computing Based Equalization for Radio over Fiber System". In: 2021 23rd International Conference on Advanced Communication Technology (ICACT), February 2021.
DOI: 10.23919/icact51234.2021.9370401
- [327] Sang et al.. "Real-time all-optical random numbers based on optical Boolean chaos". In: Optics Express, vol. 29, no. 5, pp. 7100, February 2021.
DOI: 10.1364/oe.420010
- [328] Supe et al.. "Cladding-Pumped Erbium/Ytterbium Co-Doped Fiber Amplifier for C-Band Operation in Optical Networks". In: Applied Sciences, vol. 11, no. 4, pp. 1702, February 2021.
DOI: 10.3390/app11041702
- [329] Ba et al.. "Joint Estimation of Symbol Rate and Chromatic Dispersion Using Delayed Multiplier for Optical Performance Monitoring". In: Photonics, vol. 8, no. 2, pp. 58, February 2021.
DOI: 10.3390/photonics8020058
- [330] Udvary et al.. "Performance optimization of RSOA based mm-wave radio-over-fibre access network". In: Optical and Quantum Electronics, vol. 53, no. 10, February 2021.
DOI: 10.1007/s11082-021-03225-y
- [331] Belkin et al.. "Microwave photonics approach as a novel smart fabrication technique of a radio communication jammers". In: Procedia Computer Science, vol. 180, pp. 950–957, January 2021.
DOI: 10.1016/j.procs.2021.01.346
- [332] Farooq et al.. "Channel Equalization for converged OFDM-Based 5G mm-wave A-RoF System at 60 GHz". In: 2021 IEEE 11th Annual Computing and Communication Workshop and Conference (CCWC), January 2021.
DOI: 10.1109/ccwc51732.2021.9375831
- [333] Chai et al.. "Cost-effective OSNR monitoring with large chromatic dispersion tolerance using random forest for intermediate nodes". In: Optics Communications, vol. 479, pp. 126469, January 2021.
DOI: 10.1016/j.optcom.2020.126469
- [334] Lv et al.. "Joint OSNR monitoring and modulation format identification on signal amplitude histograms using convolutional neural network". In: Optical Fiber Technology, vol. 61, pp. 102455, January 2021.
DOI: 10.1016/j.yofte.2021.102455

2020

- [335] Gutiérrez-Castrejón et al.. "Performance analysis of a directly modulated semiconductor optical amplifiers using non-return-to-zero, duobinary and quaternary pulse amplitude modulation signalling". In: IET Optoelectronics, vol. 15, no. 1, pp. 8–19, December 2020.
DOI: 10.1049/ote2.12007
- [336] Muñoz et al.. "Self-starting VCSEL-based optical frequency comb generator". In: Optics Express, vol. 28, no. 23, pp. 34860, November 2020.
DOI: 10.1364/oe.400970
- [337] Xiang et al.. "Machine Learning Assisted Modulation-Format Transparent and Nonlinearity Tolerant Carrier Recovery Scheme for Intelligent Receiver". In: Journal of Lightwave Technology, vol. 38, no. 21, pp. 6007–6014, November 2020.
DOI: 10.1109/jlt.2020.3007797
- [338] Hasan et al.. "Ultra-High Resolution Wideband on-Chip Spectrometer". In: IEEE Photonics Journal, vol. 12, no. 5, pp. 1–17, October 2020.
DOI: 10.1109/jphot.2020.3021676
- [339] Li et al.. "Full-Duplex Self-Recovery Optical Fibre Transport System Based on a Passive Single-Line Bidirectional Optical Add/Drop Multiplexer". In: IEEE Photonics Journal, vol. 12, no. 5, pp. 1–10, October 2020.
DOI: 10.1109/jphot.2020.3022703
- [340] Liu et al.. "Binary sequence matching system based on cross-phase modulation and four-wave mixing in highly nonlinear fibers". In: Optical Engineering, vol. 59, no. 10, October 2020.
DOI: 10.1117/1.oe.59.10.105103
- [341] Zhou et al.. "Design of the Real-Time Single-Photodiode Digital Coherent Receiver Suitable for Free Space Optical Communication". In: IEEE Photonics Journal, vol. 12, no. 5, pp. 1–12, October 2020.
DOI: 10.1109/jphot.2020.3022768
- [342] Morozko et al.. "Modal Purcell factor in PT-symmetric waveguides". In: Physical Review B, vol. 102, no. 15, pp. 155303, October 2020.
DOI: 10.1103/physrevb.102.155303
- [343] Correa et al.. "SNR-Based Pre-Emphasis for Transmission of Frequency-Multiplexed Radio Signals in Fronthaul". In: IEEE Communications Letters, vol. 24, no. 9, pp. 2034–2037, September 2020.
DOI: 10.1109/lcomm.2020.2994767
- [344] Rosa et al.. "Low Complexity Blind Carrier Phase Recovery for Probabilistically Shaped QAM". In: IEEE Photonics Technology Letters, vol. 32, no. 17, pp. 1109–1112, September 2020.
DOI: 10.1109/lpt.2020.3012970
- [345] Sang et al.. "Optical Boolean chaos". In: Optics Express, vol. 28, no. 20, pp. 29296, September 2020.
DOI: 10.1364/oe.404879
- [346] Wang et al.. "Data-driven Optical Fiber Channel Modeling: A Deep Learning Approach". In: Journal of Lightwave Technology, vol. 38, no. 17, pp. 4730–4743, September 2020.
DOI: 10.1109/jlt.2020.2993271
- [347] Zhao et al.. "Low-Complexity Fiber Nonlinearity Impairments Compensation Enabled by Simple Recurrent Neural Network With Time Memory". In: IEEE Access, vol. 8, pp. 160995–161004, September 2020.
DOI: 10.1109/access.2020.3021146

- [348] Fallahpour et al.. "16-QAM probabilistic constellation shaping by adaptively modifying the distribution of transmitted symbols based on errors at the receiver". In: Optics Letters, vol. 45, no. 18, pp. 5283, September 2020.
DOI: 10.1364/ol.401642
- [349] Wang et al.. "Dual-Drive Mach-Zehnder Modulator-Based Single Side-Band Modulation Direct Detection System Without Signal-to-Signal Beating Interference". In: Journal of Lightwave Technology, vol. 38, no. 16, pp. 4341–4351, August 2020.
DOI: 10.1109/jlt.2020.2992046
- [350] Amari et al.. "Probabilistic Shaping for PAM-8 Optical Ethernet Systems". In: 2020 22nd International Conference on Transparent Optical Networks (ICTON), July 2020.
DOI: 10.1109/icton51198.2020.9203547
- [351] Liang et al.. "Modulation nonlinearity characterization for rate-equation-based diode lasers using cross-correlation-calculation-enabled behavioral modeling". In: Optics Letters, vol. 45, no. 15, pp. 4284, July 2020.
DOI: 10.1364/ol.399740
- [352] Pitris et al.. "400 Gb/s Silicon Photonic Transmitter and Routing WDM Technologies for Glueless 8-Socket Chip-to-Chip Interconnects". In: Journal of Lightwave Technology, vol. 38, no. 13, pp. 3366–3375, July 2020.
DOI: 10.1109/jlt.2020.2977369
- [353] Rosa et al.. "Achievable Mitigation of Nonlinear Phase Noise through Optimized Blind Carrier Phase Recovery". In: 2020 22nd International Conference on Transparent Optical Networks (ICTON), July 2020.
DOI: 10.1109/icton51198.2020.9203148
- [354] Shi et al.. "Matrix Multiplication Unit Scalability Investigation for InP SOA-based Photonic Deep Neural Network". In: 2020 IEEE Photonics Society Summer Topicals Meeting Series (SUM), July 2020.
DOI: 10.1109/sum48678.2020.9161056
- [355] Fu et al.. "One Design of Pseudo Pilot to Suppress the Nonlinear Interference in Optical OFDM/OQAM System". In: 2020 12th International Conference on Communication Software and Networks (ICCSN), June 2020.
DOI: 10.1109/iccsn49894.2020.9139103
- [356] Fu et al.. "Volterra Based Nonlinear Equalization Method for Optical High-order OFDM/OQAM". In: 2020 12th International Conference on Communication Software and Networks (ICCSN), June 2020.
DOI: 10.1109/iccsn49894.2020.9139106
- [357] Fu et al.. "Analysis of the Pseudo Pilot in Optical OFDM/OQAM System". In: 2020 12th International Conference on Communication Software and Networks (ICCSN), June 2020.
DOI: 10.1109/iccsn49894.2020.9139109
- [358] Mao et al.. "Analysis of Nonlinear Interference in CO-OFDM/OQAM Systems Based Volterra Series". In: 2020 12th International Conference on Communication Software and Networks (ICCSN), June 2020.
DOI: 10.1109/iccsn49894.2020.9139071
- [359] Mao et al.. "Comparison of OFDM and OFDM/OQAM Systems in Nonlinear Interference". In: 2020 12th International Conference on Communication Software and Networks (ICCSN), June 2020.
DOI: 10.1109/iccsn49894.2020.9139107
- [360] Vassilieva et al.. "On the Fairness of the Performance Evaluation of Probabilistically Shaped QAM Signals". In: Journal of Lightwave Technology, vol. 38, no. 11, pp. 3067–3073, June 2020.
DOI: 10.1109/jlt.2020.2986140
- [361] Xiao et al.. "Chaotic Multiplication Encryption Method for Security-Enhanced COOFDM/OQAM Systems". In: 2020 12th International Conference on Communication Software and Networks (ICCSN), June 2020.
DOI: 10.1109/iccsn49894.2020.9139052

- [362] Yu et al.. "Chaotic Constellation Scrambling Method for Security-Enhanced CO-OFDM/OQAM Systems". In: 2020 12th International Conference on Communication Software and Networks (ICCSN), June 2020.
DOI: 10.1109/iccsn49894.2020.9139111
- [363] Zhang et al.. "SSB Pruned DFT-Spread FBMC Signal With Low PAPR in Direct-Detection PONs". In: IEEE Photonics Journal, vol. 12, no. 3, pp. 1–13, June 2020.
DOI: 10.1109/jphot.2020.2993075
- [364] Zhong et al.. "A Robust Reference Optical Spectrum Based in-Band OSNR Monitoring Method Suitable for Flexible Optical Networks". In: IEEE Photonics Journal, vol. 12, no. 3, pp. 1–10, June 2020.
DOI: 10.1109/jphot.2020.2983058
- [365] Cardea et al.. "Theoretical and numerical study of the time-bandwidth product in resonant cavities with nonreciprocal coupling". In: Conference on Lasers and Electro-Optics, May 2020.
DOI: 10.1364/cleoi.2020.sth4j.4
- [366] Cugini et al.. "Single-Fiber Bidirectional Filterless Metro Network". In: 2020 International Conference on Optical Network Design and Modeling (ONDM), May 2020.
DOI: 10.23919/ondm48393.2020.9132996
- [367] Kreinberg et al.. "Adding Artificial Noise for Dynamic Code Rate Matching in Continuous-Variable Quantum Key Distribution". In: Conference on Lasers and Electro-Optics, May 2020.
DOI: 10.1364/cleoi.2020.ath1i.6
- [368] Kreinberg et al.. "Modelling Weak-Coherent QKD Systems Using a Classical Simulation Framework". In: Conference on Lasers and Electro-Optics, May 2020.
DOI: 10.1364/cleoi.2020.ath1i.4
- [369] Liu et al.. "Photonic Firewall Oriented Fast All-Optical Binary Pattern Recognition". In: 2020 International Conference on Optical Network Design and Modeling (ONDM), May 2020.
DOI: 10.23919/ondm48393.2020.9133033
- [370] Mahajan et al.. "Modeling EDFA Gain Ripple and Filter Penalties With Machine Learning for Accurate QoT Estimation". In: Journal of Lightwave Technology, vol. 38, no. 9, pp. 2616–2629, May 2020.
DOI: 10.1109/jlt.2020.2975081
- [371] Rosa et al.. "Prediction of Performance Penalty due to Pump-Signal Overlap in Raman-amplified Systems". In: Conference on Lasers and Electro-Optics, May 2020.
DOI: 10.1364/cleoi.2020.sf2l.6
- [372] Shu et al.. "Application analysis of clipping and digital resolution enhancer in high-speed direct-detection PAM4 transmission". In: Optics Express, vol. 28, no. 12, pp. 17841, May 2020.
DOI: 10.1364/oe.394412
- [373] Belkin et al.. "Designing WDM-RoF Concept-Based Full-Duplex MMW Fiber Fronthaul Microcell Network". In: 2020 26th Conference of Open Innovations Association (FRUCT), April 2020.
DOI: 10.23919/fruct48808.2020.9087454
- [374] Li et al.. "D-Band mm-Wave SSB Vector Signal Generation Based on Cascaded Intensity Modulators". In: IEEE Photonics Journal, vol. 12, no. 2, pp. 1–11, April 2020.
DOI: 10.1109/jphot.2020.2974256
- [375] Shu et al.. "Low-complexity storage-reduced digital spectrum-based soft-failure management with Welch's method". In: Optics Express, vol. 28, no. 9, pp. 12529, April 2020.
DOI: 10.1364/oe.387384

- [376] Tan et al.. "Blind Frequency Offset Estimation Based on Phase Rotation For Coherent Transceiver". In: IEEE Photonics Journal, vol. 12, no. 2, pp. 1–12, April 2020.
DOI: 10.1109/jphot.2020.2983086
- [377] Yang et al.. "A Novel Nonlinear Noise Power Estimation Method Based on Error Vector Correlation Function Using Artificial Neural Networks For Coherent Optical Fiber Transmission Systems". In: IEEE Access, vol. 8, pp. 75256–75263, April 2020.
DOI: 10.1109/access.2020.2989081
- [378] Fallahpour et al.. "16-QAM Probabilistic Constellation Shaping by Learning the Distribution of Transmitted Symbols from the Training Sequence". In: Optical Fiber Communication Conference (OFC) 2020, March 2020.
DOI: 10.1364/ofc.2020.m1g.3
- [379] Li et al.. "Low Power All-Digital Radio-over-Fiber Transmission for 28-GHz Band using Parallel Electro-Absorption Modulators". In: Optical Fiber Communication Conference (OFC) 2020, March 2020.
DOI: 10.1364/ofc.2020.m2f.6
- [380] Li et al.. "Deep neural network based OSNR and availability predictions for multicast light-trees in optical WDM networks". In: Optics Express, vol. 28, no. 7, pp. 10648, March 2020.
DOI: 10.1364/oe.388337
- [381] Liang et al.. "Nonlinear Pre-Distortion Based on Indirect Learning Architecture and Cross-Correlation-Enabled Behavioral Modeling for 120-Gbps Multimode Optical Interconnects". In: Optical Fiber Communication Conference (OFC) 2020, March 2020.
DOI: 10.1364/ofc.2020.w2a.31
- [382] Mahajan et al.. "Modeling Filtering Penalties in ROADMs-based Networks with Machine Learning for QoT Estimation". In: Optical Fiber Communication Conference (OFC) 2020, March 2020.
DOI: 10.1364/ofc.2020.th3d.4
- [383] Yang et al.. "Nonlinearity estimation method based on error vector correlation function in coherent optical fiber transmission systems". In: 2019 International Conference on Optical Instruments and Technology: Optical Communication and Optical Signal Processing, March 2020.
DOI: 10.1117/12.2543460
- [384] Zhu et al.. "Performance Comparison of Coherent and Direct Detection Schemes for 50G PON". In: Optical Fiber Communication Conference (OFC) 2020, March 2020.
DOI: 10.1364/ofc.2020.w1e.3
- [385] Huang et al.. "Tunable ultra-flat optical-comb-enabled, reconfigurable, and efficient coherent channelized receiver". In: Optics Letters, vol. 45, no. 4, pp. 848, February 2020.
DOI: 10.1364/ol.385458
- [386] Kamran et al.. "Demonstration of a low-power, local-oscillator-less, and DSP-free coherent receiver for data center interconnects". In: Applied Optics, vol. 59, no. 7, pp. 2031, February 2020.
DOI: 10.1364/ao.383185
- [387] Moralis-Pegios et al.. "4-channel 200 Gb/s WDM O-band silicon photonic transceiver sub-assembly". In: Optics Express, vol. 28, no. 4, pp. 5706, February 2020.
DOI: 10.1364/oe.373454
- [388] Mourgias-Alexandris et al.. "Neuromorphic Photonics With Coherent Linear Neurons Using Dual-IQ Modulation Cells". In: Journal of Lightwave Technology, vol. 38, no. 4, pp. 811–819, February 2020.
DOI: 10.1109/jlt.2019.2949133

- [389] Noor et al.. "Comparison of digital signal processing approaches for subcarrier multiplexed 5G and beyond analog fronthaul". In: Journal of Optical Communications and Networking, vol. 12, no. 3, pp. 62, February 2020.
DOI: 10.1364/jocn.381341
- [390] Rosa et al.. "Statistical quantification of nonlinear interference noise components in coherent systems". In: Optics Express, vol. 28, no. 4, pp. 5436, February 2020.
DOI: 10.1364/oe.386579
- [391] Zhang et al.. "Transmission Impairment Mitigation for Single-Sideband Signals by Optical Phase Conjugation". In: IEEE Photonics Technology Letters, vol. 32, no. 3, pp. 150–153, February 2020.
DOI: 10.1109/1pt.2019.2962712
- [392] Zhou et al.. "A Method to Reduce the Algorithm Complexity of the Single-Photodiode-per-Polarization Coherent Receiver". In: IEEE Photonics Journal, vol. 12, no. 1, pp. 1–10, February 2020.
DOI: 10.1109/jphot.2019.2961108
- [393] Abbade et al.. "DSP-Based Multi-Channel Spectral Shuffling Applied to Optical Networks". In: IEEE Photonics Technology Letters, vol. 32, no. 3, pp. 154–157, February 2020.
DOI: 10.1109/1pt.2019.2962837
- [394] Jiang et al.. "Blind optical modulation format identification assisted by signal intensity fluctuation for autonomous digital coherent receivers". In: Optics Express, vol. 28, no. 1, pp. 302, January 2020.
DOI: 10.1364/oe.372406
- [395] Li et al.. "180 Gb/s PAM8 Signal Transmission in Bandwidth-Limited IMDD System Enabled by Tap Coefficient Decision Directed Volterra Equalizer". In: IEEE Access, vol. 8, pp. 19890–19899, January 2020.
DOI: 10.1109/access.2020.2968128
- [396] Li et al.. "Optical comb generator with flat-topped spectral response using one electroabsorption-modulated laser and one phase modulator". In: Optical Engineering, vol. 59, no. 01, pp. 1, January 2020.
DOI: 10.1117/1.oe.59.1.016112
- [397] Shi et al.. "Numerical Simulation of an InP Photonic Integrated Cross-Connect for Deep Neural Networks on Chip". In: Applied Sciences, vol. 10, no. 2, pp. 474, January 2020.
DOI: 10.3390/app10020474

2019

- [398] Boller et al.. "Hybrid Integrated Semiconductor Lasers with Silicon Nitride Feedback Circuits". In: Photonics, vol. 7, no. 1, pp. 4, December 2019.
DOI: 10.3390/photonics7010004
- [399] Chakravartula et al.. "Sensitivity enhancement analysis due to different coating materials of Fibre Bragg Grating-based depth sensor for underwater applications". In: Optical and Quantum Electronics, vol. 52, no. 1, December 2019.
DOI: 10.1007/s11082-019-2144-x
- [400] Chen et al.. "Adaptive Uniform Entropy Loading for SSB-DMT Systems". In: Journal of Lightwave Technology, vol. 37, no. 23, pp. 5961–5970, December 2019.
DOI: 10.1109/jlt.2019.2944480
- [401] Hao et al.. "OSNR Monitoring Using Support Vector Ordinal Regression for Digital Coherent Receivers". In: IEEE Photonics Journal, vol. 11, no. 5, pp. 1–11, December 2019.
DOI: 10.1109/jphot.2019.2941984
- [402] Wang et al.. "Comprehensive Eye Diagram Analysis: A Transfer Learning Approach". In: IEEE Photonics Journal, vol. 11, no. 6, pp. 1–19, December 2019.
DOI: 10.1109/jphot.2019.2947705
- [403] Xu et al.. "Computational complexity comparison of feedforward/radial basis function/recurrent neural network-based equalizer for a 50-Gb/s PAM4 direct-detection optical link". In: Optics Express, vol. 27, no. 25, pp. 36953, December 2019.
DOI: 10.1364/oe.27.036953
- [404] Yan et al.. "Blind Carrier Frequency Offset Estimation in Coherent Optical Communication Systems With Probabilistically Shaped M-QAM". In: Journal of Lightwave Technology, vol. 37, no. 23, pp. 5856–5866, December 2019.
DOI: 10.1109/jlt.2019.2940770
- [405] Yu et al.. "Loss weight adaptive multi-task learning based optical performance monitor for multiple parameters estimation". In: Optics Express, vol. 27, no. 25, pp. 37041, December 2019.
DOI: 10.1364/oe.27.037041
- [406] Belkin et al.. "Design Principles of 5G NR RoF-Based Fiber-Wireless Access Network". In: Recent Trends in Communication Networks [Working Title], November 2019.
DOI: 10.5772/intechopen.90074
- [407] Verplaetse et al.. "Electronic Dispersion Precompensation of Direct-Detected NRZ Using Analog Filtering". In: IEEE Photonics Technology Letters, vol. 31, no. 22, pp. 1771–1774, November 2019.
DOI: 10.1109/lpt.2019.2946497
- [408] Zhou et al.. "Four-Channel WDM 640 Gb/s 256 QAM Transmission Utilizing Kramers-Kronig Receiver". In: Journal of Lightwave Technology, vol. 37, no. 21, pp. 5466–5473, November 2019.
DOI: 10.1109/jlt.2019.2943122
- [409] Chorchoch et al.. "O-Band 8x100G Data Transmission With 240 GHz Channel Spacing". In: IEEE Communications Letters, pp. 1–1, October 2019.
DOI: 10.1109/lcomm.2019.2944819
- [410] Ju et al.. "In-Service Blind Transceiver IQ Imbalance and Skew Monitoring in Long-Haul Non-Dispersion Managed Coherent Optical Systems". In: IEEE Access, vol. 7, pp. 150051–150059, October 2019.
DOI: 10.1109/access.2019.2947467

- [411] Li et al.. "Low-Complexity Adaptive Chromatic Dispersion Estimation Scheme Using Machine Learning for Coherent Long-Reach Passive Optical Networks". In: IEEE Photonics Journal, vol. 11, no. 5, pp. 1–11, October 2019.
DOI: 10.1109/jphot.2019.2936426
- [412] Locatelli et al.. "Machine Learning-Based in-band OSNR Estimation from Optical Spectra". In: IEEE Photonics Technology Letters, pp. 1–1, October 2019.
DOI: 10.1109/1pt.2019.2950058
- [413] Santos et al.. "All-optical Spectral Shuffling Applied to 16-QAM Signals". In: 2019 SBFoton International Optics and Photonics Conference (SBFoton IOPC), October 2019.
DOI: 10.1109/sbfoton-iopc.2019.8910255
- [414] Shao et al.. "An Image Encryption Scheme Based on Hybrid Electro-Optic Chaotic Sources and Compressive Sensing". In: IEEE Access, vol. 7, pp. 156582–156591, October 2019.
DOI: 10.1109/access.2019.2949704
- [415] Shu et al.. "Dual-Stage Soft Failure Detection and Identification for Low-Margin Elastic Optical Network by Exploiting Digital Spectrum Information". In: Journal of Lightwave Technology, pp. 1–1, October 2019.
DOI: 10.1109/jlt.2019.2947562
- [416] Sun et al.. "Intelligent 2-dimensional soft decision enabled by k-means clustering for VCSEL-based 112-Gbps PAM-4 and PAM-8 optical interconnection". In: Journal of Lightwave Technology, pp. 1–1, October 2019.
DOI: 10.1109/jlt.2019.2946920
- [417] Vagionas et al.. "Optical memory architectures for fast routing address look-up (AL) table operation". In: Journal of Physics: Photonics, vol. 1, no. 4, pp. 044005, October 2019.
DOI: 10.1088/2515-7647/ab4368
- [418] Vazquez et al.. "Multicore Fiber Scenarios Supporting Power Over Fiber in Radio Over Fiber Systems". In: IEEE Access, vol. 7, pp. 158409–158418, October 2019.
DOI: 10.1109/access.2019.2950599
- [419] Bakhvalova et al.. "Radio-Beam DOA Estimation Using All-Optical Ultra-Wideband Processing". In: 2019 International Conference on Electromagnetics in Advanced Applications (ICEAA), September 2019.
DOI: 10.1109/iceaa.2019.8879092
- [420] Chen et al.. "Hybrid constellation entropy loading for adaptively partitioned SSB-DMT systems". In: Optics Express, vol. 27, no. 19, pp. 26295, September 2019.
DOI: 10.1364/oe.27.026295
- [421] Munoz et al.. "Foundry Developments Toward Silicon Nitride Photonics From Visible to the Mid-Infrared". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 25, no. 5, pp. 1–13, September 2019.
DOI: 10.1109/jstqe.2019.2902903
- [422] Pitris et al.. "Crosstalk-Aware Wavelength-Switched All-to-All Optical Interconnect Using Sub-Optimal AWGRs". In: IEEE Photonics Technology Letters, vol. 31, no. 18, pp. 1507–1510, September 2019.
DOI: 10.1109/1pt.2019.2935497
- [423] Rahim et al.. "Open-Access Silicon Photonics Platforms in Europe". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 25, no. 5, pp. 1–18, September 2019.
DOI: 10.1109/jstqe.2019.2915949
- [424] Alrubeaan et al.. "An Investigation of LPI Radar Waveforms Classification in RoF Channels". In: IEEE Access, pp. 1–1, August 2019.
DOI: 10.1109/access.2019.2938317

- [425] Chen et al.. "Photonic Microwave Up-Conversion Link With Compensation of Chromatic Dispersion-Induced Power Fading". In: IEEE Photonics Journal, vol. 11, no. 4, pp. 1–10, August 2019.
DOI: 10.1109/jphot.2019.2928031
- [426] Fang et al.. "Phase Offset Based Channel Estimation Method for Optical OFDM/OQAM Systems". In: IEEE Photonics Technology Letters, vol. 31, no. 15, pp. 1281–1284, August 2019.
DOI: 10.1109/1pt.2019.2925662
- [427] Geng et al.. "Optical sampling to enhance Nyquist-shaped signal detection under limited receiver bandwidth". In: Optics Express, vol. 27, no. 17, pp. 24007, August 2019.
DOI: 10.1364/oe.27.024007
- [428] Lambrecht et al.. "Low-Power (1.5 pJ/b) Silicon Integrated 106 Gb/s PAM-4 Optical Transmitter". In: Journal of Lightwave Technology, pp. 1–1, August 2019.
DOI: 10.1109/jlt.2019.2933286
- [429] Li et al.. "Optical spectrum feature analysis and recognition for optical network security with machine learning". In: Optics Express, vol. 27, no. 17, pp. 24808, August 2019.
DOI: 10.1364/oe.27.024808
- [430] Sun et al.. "Enabling Equalization and Soft Decision by k-Means for VCSEL-Based PAM-4 Optical Interconnection". In: IEEE Photonics Journal, vol. 11, no. 4, pp. 1–11, August 2019.
DOI: 10.1109/jphot.2019.2926999
- [431] Zhang et al.. "A WDM Network Controller With Real-Time Upyears of the Physical Layer Abstraction". In: Journal of Lightwave Technology, vol. 37, no. 16, pp. 4073–4080, August 2019.
DOI: 10.1109/jlt.2019.2924397
- [432] Alharbi et al.. "Automatic Modulation Classification: Investigation for Millimeter Wave Over Fiber Channels". In: IEEE Photonics Technology Letters, vol. 31, no. 13, pp. 1092–1095, July 2019.
DOI: 10.1109/1pt.2019.2918924
- [433] Altabas et al.. "Advanced Technologies for Coherent Access Networks". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840371
- [434] Bakhvalova et al.. "Fiber Distribution Networks with Direct and External Modulation of Digital QAM-Signals". In: 2019 42nd International Conference on Telecommunications and Signal Processing (TSP), July 2019.
DOI: 10.1109/tsp.2019.8768838
- [435] Barzegar et al.. "Adaptation of the Residual Signal for Filter Failure Detection in Scenarios with Multiple Filter Types". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840016
- [436] Bragagnolle et al.. "All-Optical Spectral Shuffling of Signals Traveling through Different Optical Routes". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840243
- [437] Ferreira et al.. "Optimization of OFDM Parameters for 10-Gbps Long Reach Coherent PONs". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840028
- [438] Guo et al.. "An All-Optical Binary Pattern Recognition System Applied in Photonic Firewall based on VPI Simulation". In: 2019 24th OptoElectronics and Communications Conference (OECC) and 2019 International Conference on Photonics in Switching and Computing (PSC), July 2019.
DOI: 10.23919/ps.2019.8817663

- [439] Hasan et al.. "Optical frequency multiplication technique using cascaded modulator to achieve RF power advantage". In: 2019 International Conference on Numerical Simulation of Optoelectronic Devices (NUSOD), July 2019.
DOI: 10.1109/nusod.2019.8806895
- [440] Hasan et al.. "Vector Modulation Scheme using Three Phase Modulator". In: 2019 International Conference on Numerical Simulation of Optoelectronic Devices (NUSOD), July 2019.
DOI: 10.1109/nusod.2019.8806843
- [441] Jiang et al.. "An effective modulation format identification based on intensity profile features for digital coherent receivers". In: Journal of Lightwave Technology, pp. 1–1, July 2019.
DOI: 10.1109/jlt.2019.2927748
- [442] Kreinberg et al.. "Modelling Weak-Coherent CV-QKD Systems Using a Classical Simulation Framework". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840253
- [443] Latkowski et al.. "Open Standard Test Framework for Photonic Integrated Circuits". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840336
- [444] Mondragón et al.. "Experimental Evaluation of Transmission between Two XBee Modules Using Radio-over-Fiber Technique". In: Advances in Science, Technology and Engineering Systems Journal, vol. 4, no. 4, July 2019.
DOI: 10.25046/aj040415
- [445] Noor et al.. "A Flexible Subcarrier Multiplexing System With Analog Transport and Digital Processing for 5G (and Beyond) Fronthaul". In: Journal of Lightwave Technology, vol. 37, no. 14, pp. 3689–3700, July 2019.
DOI: 10.1109/jlt.2019.2918215
- [446] Presi et al.. "A Coherent Receiver for Analog-over-Fiber Systems Based on Feed-Forward Carrier-Recovery". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840193
- [447] Shariati et al.. "Feature-Based Optical Spectrum Monitoring for Failure Detection and Identification". In: ICTON, July 2019.
- [448] Vassilieva et al.. "Optimization of Probabilistically Shaped MQAM for Maximized System Gains". In: 2019 24th OptoElectronics and Communications Conference (OECC) and 2019 International Conference on Photonics in Switching and Computing (PSC), July 2019.
DOI: 10.23919/ps.2019.8817729
- [449] Vela et al.. "Autonomous Operations in Optical Networks". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840177
- [450] Ziarko et al.. "Erbium-Doped Polymer Waveguide Amplifiers for Board-Level Optical Interconnects". In: 2019 21st International Conference on Transparent Optical Networks (ICTON), July 2019.
DOI: 10.1109/icton.2019.8840529
- [451] Cheng et al.. "Multi-task deep neural network (MT-DNN) enabled optical performance monitoring from directly detected PDM-QAM signals". In: Optics Express, vol. 27, no. 13, pp. 19062, June 2019.
DOI: 10.1364/oe.27.019062
- [452] Guo et al.. "Deep Neural Network Based Chromatic Dispersion Estimation With Ultra-Low Sampling Rate for Optical Fiber Communication Systems". In: IEEE Access, vol. 7, pp. 84155–84162, June 2019.
DOI: 10.1109/access.2019.2923232

- [453] Hadi et al.. "Experimental characterization of Sigma Delta Radio over fiber system for 5G C-RAN downlink". In: ICT Express, June 2019.
DOI: 10.1016/j.ictex.2019.06.002
- [454] Li et al.. "Projection Histogram-Assisted Estimation of Common Phase Error in Coherent Optical OFDM Systems". In: IEEE Photonics Journal, vol. 11, no. 3, pp. 1–9, June 2019.
DOI: 10.1109/jphot.2019.2921410
- [455] Mitsolidou et al.. "A 5G C-RAN Architecture for Hot-Spots: OFDM based Analog IFoF PHY and MAC Layer Design". In: 2019 European Conference on Networks and Communications (EuCNC), June 2019.
DOI: 10.1109/eucnc.2019.8802037
- [456] Saif et al.. "Separability of Histogram Based Features for Optical Performance Monitoring: An Investigation Using t-SNE Technique". In: IEEE Photonics Journal, vol. 11, no. 3, pp. 1–12, June 2019.
DOI: 10.1109/jphot.2019.2913687
- [457] Zhao et al.. "Low-Complexity and Nonlinearity-Tolerant Modulation Format Identification Using Random Forest". In: IEEE Photonics Technology Letters, vol. 31, no. 11, pp. 853–856, June 2019.
DOI: 10.1109/1pt.2019.2910288
- [458] Zhu et al.. "Influence of EEPN and P2A noise with CD pre- and post-compensation in optical SSB transmission and Kramers-Kronig receiver system". In: Optics Express, vol. 27, no. 14, pp. 19664, June 2019.
DOI: 10.1364/oe.27.019664
- [459] Autenrieth et al.. "ONF core information model extension and its application and verification in photonic layer SDN API". In: Photonic Networks; 20th ITG-Symposium, May 2019.
- [460] Katumba et al.. "A Neuromorphic Silicon Photonics Nonlinear Equalizer For Optical Communications With Intensity Modulation and Direct Detection". In: Journal of Lightwave Technology, vol. 37, no. 10, pp. 2232–2239, May 2019.
DOI: 10.1109/jlt.2019.2900568
- [461] Zhai et al.. "Photonic Generation and Transmission of Frequency-Doubled Triangular and Square Waveforms Based on Two Mach-Zehnder Modulators and a Sagnac Loop". In: Journal of Lightwave Technology, vol. 37, no. 9, pp. 1937–1945, May 2019.
DOI: 10.1109/jlt.2019.2895844
- [462] Li et al.. "Performance Investigation of a Cost- and Power-Effective High Nonlinearity Tolerance OFDMA-PON Scheme Based on Sub-Nyquist Sampling Rate and DFT-Spread". In: IEEE Access, vol. 7, pp. 43137–43142, April 2019.
DOI: 10.1109/access.2019.2908634
- [463] Mak et al.. "Linewidth narrowing via low-loss dielectric waveguide feedback circuits in hybrid integrated frequency comb lasers". In: Optics Express, vol. 27, no. 9, pp. 13307, April 2019.
DOI: 10.1364/oe.27.013307
- [464] Tong et al.. "Integrated Silicon Photonics Remote Radio Frontend (RRF) for Single-Sideband (SSB) Millimeter-Wave Radio-Over-Fiber (ROF) Systems". In: IEEE Photonics Journal, vol. 11, no. 2, pp. 1–8, April 2019.
DOI: 10.1109/jphot.2019.2898938
- [465] Waqar et al.. "A Performance Analysis of 5G Fronthaul Networks for Long-Distance Communications". In: 2019 Wireless Days (WD), April 2019.
DOI: 10.1109/wd.2019.8734202
- [466] Dris et al.. "Blind Polarization Demultiplexing and Equalization of Probabilistically Shaped QAM". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.w1d.2

- [467] Huang et al.. "Multi Scrolls Chaotic Encryption for Physical Layer Security in CO-OFDM". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.th1j.8
- [468] Ji et al.. "In-Band OSNR Monitoring From Stokes Parameters Using Support Vector Regression". In: IEEE Photonics Technology Letters, vol. 31, no. 5, pp. 385–388, March 2019.
DOI: 10.1109/1pt.2019.2896033
- [469] Jiang et al.. "Physical Encryption Secure Optical Communications based on Distributed Private Chaos Synchronization". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.th1j.6
- [470] Kim et al.. "Probabilistic Shaping of Set-Partition mQAM". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.w1d.6
- [471] Lowery et al.. "Clipping-Enhanced Kramers-Kronig Receivers". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.m1h.2
- [472] Richter et al.. "On the analysis and emulation of nonlinear component characteristics". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.th1d.1
- [473] Shariati et al.. "Out-of-field Generic ML Training with In-field Specific Adaptation to Facilitate ML Deployments". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.tu2e.3
- [474] Sun et al.. "K-means assisted soft decision of PAM4 to mitigate level nonlinearity and level-dependent noise for VCSEL-based 100-Gbps 100-m MMF optical interconnection". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.m1f.5
- [475] Wang et al.. "Cost-effective and data size-adaptive OPM at intermediated node using convolutional neural network-based image processor". In: Optics Express, vol. 27, no. 7, pp. 9403, March 2019.
DOI: 10.1364/oe.27.009403
- [476] Wang et al.. "Research on optical security based on simulated noise induced encryption scheme". In: Journal of Physics: Conference Series, vol. 1176, pp. 062059, March 2019.
DOI: 10.1088/1742-6596/1176/6/062059
- [477] Zhang et al.. "Optical Signal-to-Noise Ratio Prediction using Neural Networks for Multicast Light-Trees in Optical Networks". In: Optical Fiber Communication Conference (OFC) 2019, March 2019.
DOI: 10.1364/ofc.2019.w2a.20
- [478] Al-Rayif et al.. "A Novel Iterative-SLM Algorithm for PAPR Reduction in 5G Mobile Fronthaul Architecture". In: IEEE Photonics Journal, vol. 11, no. 1, pp. 1–12, February 2019.
DOI: 10.1109/jphot.2019.2894986
- [479] Ban et al.. "A Novel Optical Frequency-Hopping Scheme Based on a Flexible Structure for Secure Optical Communications". In: IEEE Photonics Journal, vol. 11, no. 1, pp. 1–7, February 2019.
DOI: 10.1109/jphot.2019.2895353
- [480] Gao et al.. "Multi-Twin-SSB Modulation with Direct Detection Based on Kramers-Kronig Scheme for Long-Reach PON Downstream". In: Applied Sciences, vol. 9, no. 4, pp. 748, February 2019.
DOI: 10.3390/app9040748

- [481] Halabi et al.. "Subcarrier index-power modulated optical OFDM with dual superposition multiplexing for IMDD PON systems". In: Optics Communications, vol. 433, pp. 190–194, February 2019.
DOI: 10.1016/j.optcom.2018.10.017
- [482] Katz et al.. "Level Optimization of PAM-4 Transmission With Signal-Dependent Noise". In: IEEE Photonics Journal, vol. 11, no. 1, pp. 1–6, February 2019.
DOI: 10.1109/jphot.2018.2887112
- [483] Li et al.. "Performance Investigation of DFT-Spread OFDM Signal for Short Reach Communication Systems Beyond NG-PON2". In: IEEE Access, vol. 7, pp. 27426–27431, February 2019.
DOI: 10.1109/access.2019.2901526
- [484] Tshibangu-Mbuebue et al.. "Experimental demonstration of transmission of High Definition Television signal using a microwave photonic notch filter". In: 2019 International Conference on Electronics, Communications and Computers (CONIELECOMP), February 2019.
DOI: 10.1109/conielecomp.2019.8673199
- [485] Zhao et al.. "A Modulation Format Identification Method Based on Amplitude Deviation Analysis of Received Optical Communication Signal". In: IEEE Photonics Journal, vol. 11, no. 1, pp. 1–7, February 2019.
DOI: 10.1109/jphot.2019.2893658
- [486] Zheng et al.. "Linearized Single Sideband Modulation Link With High SFDR Performance". In: IEEE Photonics Technology Letters, vol. 31, no. 4, pp. 299–302, February 2019.
DOI: 10.1109/1pt.2019.2892653
- [487] Zheng et al.. "Broadband high dynamic range fiber optic link based on a dual-polarization modulator". In: Optics Express, vol. 27, no. 4, pp. 4734, February 2019.
DOI: 10.1364/oe.27.004734
- [488] Anghan et al.. "Adaptive Polarization Control for Coherent Optical Links with Polarization Multiplexed Carrier". In: 2019 National Conference on Communications (NCC), February 2019.
DOI: 10.1109/ncc.2019.8732190
- [489] Babir et al.. "Efficient M-QAM Digital Radio over Fiber System for Vehicular ad-hoc Network". In: 2019 International Conference on Robotics, Electrical and Signal Processing Techniques (ICREST), January 2019.
DOI: 10.1109/icrest.2019.8644099
- [490] Eghbal et al.. "Expandable high-capacity wavelength division multiplex-over-optical code division multiple access millimeter wave radio-over-fiber system". In: Optical Engineering, vol. 58, no. 01, pp. 1, January 2019.
DOI: 10.1117/1.oe.58.1.016118
- [491] Mandalawi et al.. "Laser phase noise effect and reduction in self-homodyne optical OFDM transmission system". In: Optics Letters, vol. 44, no. 2, pp. 307, January 2019.
DOI: 10.1364/ol.44.000307
- [492] Wang et al.. "Machine Learning-Based Multifunctional Optical Spectrum Analysis Technique". In: IEEE Access, vol. 7, pp. 19726–19737, January 2019.
DOI: 10.1109/access.2019.2895409

2018

- [493] AL-Hashemi et al.. "An Effective Combining Transformer to Relieve Fiber Nonlinearity in CO-OFDM System". In: 2018 Third Scientific Conference of Electrical Engineering (SCEE), December 2018.
DOI: 10.1109/scee.2018.8684035
- [494] Dong et al.. "Hybrid OFDM-Digital Filter Multiple Access PONs". In: Journal of Lightwave Technology, vol. 36, no. 23, pp. 5640–5649, December 2018.
DOI: 10.1109/jlt.2018.2877840
- [495] Eghbal et al.. "Photonic generation and detection of W-band OCDMA signals". In: Journal of Advanced Optics and Photonics, vol. 1, no. 3, pp. 173–201, December 2018.
DOI: 10.32604/jaop.2018.04323
- [496] Han et al.. "Cross Phase Modulation Model Based on Volterra Series Transfer Function in Hybrid Coherent QPSK/OOK Systems". In: IEICE Electronics Express, December 2018.
DOI: 10.1587/elex.15.20180453
- [497] Kim et al.. "Enhanced Spectral Inversion for Fiber Nonlinearity Mitigation". In: IEEE Photonics Technology Letters, vol. 30, no. 23, pp. 2040–2043, December 2018.
DOI: 10.1109/lpt.2018.2875595
- [498] Ma et al.. "Training Sequence-Based Chromatic Dispersion Estimation With Ultra-Low Sampling Rate for Optical Fiber Communication Systems". In: IEEE Photonics Journal, vol. 10, no. 6, pp. 1–9, December 2018.
DOI: 10.1109/jphot.2018.2880832
- [499] Zhang et al.. "A Novel Microwave Photonic Mixer with Tunable Phase Shift Based on External Modulators". In: 2018 IEEE 3rd International Conference on Communication and Information Systems (ICCIS), December 2018.
DOI: 10.1109/icomis.2018.8644892
- [500] Abbade et al.. "All-Optical Encryption Using Multi-Channel Spectral Shuffling". In: IEEE Photonics Technology Letters, pp. 1–1, November 2018.
DOI: 10.1109/lpt.2018.2884477
- [501] Chen et al.. "Investigation of Four-Wave-Mixing Crosstalk in Phase-Sensitive Fiber Optical Parametric Amplifier". In: Journal of Lightwave Technology, vol. 36, no. 22, pp. 5113–5120, November 2018.
DOI: 10.1109/jlt.2018.2869788
- [502] Xia et al.. "Ripple Suppression in Broadband Microwave Photonic Phase Shifter Frequency Response". In: Applied Sciences, vol. 8, no. 12, pp. 2433, November 2018.
DOI: 10.3390/app8122433
- [503] Zhang et al.. "Multimode optical interconnects based on VCSEL and MMF for more than 100-Gb/s/lane and 100m transmission". In: Semiconductor Lasers and Applications VIII, November 2018.
DOI: 10.1117/12.2500306
- [504] AL-Hashemi et al.. "An ICI Reduction Based on PAPR Clipping in Coherent Optical OFDM System". In: 2018 International Conference on Advanced Science and Engineering (ICOASE), October 2018.
DOI: 10.1109/icoase.2018.8548855
- [505] Ayala et al.. "Comparative Analysis of Optical Filters for NG Optical Networks". In: 2018 IEEE Third Ecuador Technical Chapters Meeting (ETCM), October 2018.
DOI: 10.1109/etcm.2018.8580334
- [506] Cai et al.. "Mitigation of SSBI based on Kramers–Kronig receiver in SSB-OFDM-RoF system". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018.
DOI: 10.1109/acp.2018.8596078

- [507] Chen et al.. "Multi-impairment Compensation by Machine-Learning based Clustering for Optical 16QAM-SCFDE Transmission". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8595760
- [508] Fan et al.. "Joint Optical Performance Monitoring and Modulation Format/Bit-Rate Identification by CNN-Based Multi-Task Learning". In: IEEE Photonics Journal, vol. 10, no. 5, pp. 1–12, October 2018. DOI: 10.1109/jphot.2018.2869972
- [509] Fang et al.. "Analysis of the Designing of the Pilot Preambles Based on the Using of Different Prototype Filter for CO-OFDM/OQAM Systems". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8595858
- [510] Fang et al.. "Pesudo Pilot Power Optimization Based Pilot Design Criterion for Optical OFDM/OQAM". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8595936
- [511] Fang et al.. "Poly Phase Network for Polarization-Division-Multiplexed Optical OFDM/OQAM". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8596152
- [512] Fang et al.. "Five Loaded Preambles Based Channel Estimation Method for CO-OFDM/OQAM Systems". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8596188
- [513] Freire et al.. "Predicting Optical Power Excursions in Erbium Doped Fiber Amplifiers using Neural Networks". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8596233
- [514] Gao et al.. "Frequency-Shifted Modulation using a Single DDMZM and Kramers–Kronig Scheme based Direct Detection Receiver in Long-Reach PON". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8595988
- [515] Huang et al.. "Gaussian Wavelet Basis Expansion-Based Phase Noise Suppression Method for CO-OFDM Systems". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8595749
- [516] Jiang et al.. "Comparison of Coherent and Direct Detection Schemes for 400G Data Center Interconnection and Metro Networks". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8596312
- [517] Liang et al.. "Mode partition noise mitigation for VCSEL-MMF links by using wavefront shaping technique". In: Optics Express, vol. 26, no. 22, pp. 28641, October 2018. DOI: 10.1364/oe.26.028641
- [518] Liu et al.. "Non-Orthogonal Basis Expansion Based Phase Noise Suppression Method for CO-OFDM System". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8596225
- [519] Ma et al.. "Analytical Analysis of Residual Chromatic Dispersion and Self-Phase Modulation Optimal Compensation in the Fractional Domain". In: IEEE Access, vol. 6, pp. 61529–61534, October 2018. DOI: 10.1109/access.2018.2875831
- [520] Qin et al.. "Eigenvector Basis Expansion-Based Phase Noise Suppression Method for Coherent Nyquist-WDM-PON". In: 2018 Asia Communications and Photonics Conference (ACP), October 2018. DOI: 10.1109/acp.2018.8595874

- [521] Sutuli et al.. "Computational Model and Parameter Extraction of High Speed Semiconductor Optical Amplifier Space Switches". In: *Journal of Microwaves, Optoelectronics and Electromagnetic Applications*, vol. 17, no. 4, pp. 646–660, October 2018.
DOI: 10.1590/2179-10742018v17i41404
- [522] Wang et al.. "CNN based OSNR estimation method for long haul optical fiber communication systems". In: *2018 Asia Communications and Photonics Conference (ACP)*, October 2018.
DOI: 10.1109/acp.2018.8596136
- [523] Xia et al.. "Physical Layer Abstraction Utilizing OSNR Monitoring Based on Deep Neural Network". In: *2018 Asia Communications and Photonics Conference (ACP)*, October 2018.
DOI: 10.1109/acp.2018.8596119
- [524] Xiang et al.. "A Joint OSNR and Nonlinear Distortions Estimation Method for Optical Fiber Transmission System". In: *IEEE Photonics Journal*, vol. 10, no. 5, pp. 1–11, October 2018.
DOI: 10.1109/jphot.2018.2873778
- [525] Xu et al.. "A Novel Timing Synchronization Algorithm for CO-OFDM systems". In: *2018 Asia Communications and Photonics Conference (ACP)*, October 2018.
DOI: 10.1109/acp.2018.8596209
- [526] Zhan et al.. "All-Optical Physical-Layer Network Coding based on Four Wave Mixing in Semiconductor Optical Amplifier". In: *2018 Asia Communications and Photonics Conference (ACP)*, October 2018.
DOI: 10.1109/acp.2018.8596021
- [527] Zhang et al.. "A Modified Timing Synchronization Method for OFDM Systems". In: *2018 Asia Communications and Photonics Conference (ACP)*, October 2018.
DOI: 10.1109/acp.2018.8595758
- [528] Zhang et al.. "A Novel Photonic Phase Shifter Based on Polarization Controller and Dual-parallel Mach-Zehnder Modulator". In: *2018 Asia Communications and Photonics Conference (ACP)*, October 2018.
DOI: 10.1109/acp.2018.8595890
- [529] Chen et al.. "Machine Learning Adaptive Receiver for PAM-4 Modulated Optical Interconnection Based on Silicon Microring Modulator". In: *Journal of Lightwave Technology*, vol. 36, no. 18, pp. 4106–4113, September 2018.
DOI: 10.1109/jlt.2018.2861710
- [530] Giacomidis et al.. "Chip-based Brillouin processing for carrier recovery in self-coherent optical communications". In: *Optica*, vol. 5, no. 10, pp. 1191, September 2018.
DOI: 10.1364/optica.5.001191
- [531] He et al.. "A Broadband Microwave Photonic Mixer with the Capability of Phase Shifting". In: *2018 IEEE 3rd Optoelectronics Global Conference (OGC)*, September 2018.
DOI: 10.1109/ogc.2018.8529946
- [532] Jiang et al.. "A Multi-Carrier Signals Generation Based on DPMZM In Parallel for THz Communication system". In: *2018 43rd International Conference on Infrared, Millimeter, and Terahertz Waves (IRMMW-THz)*, September 2018.
DOI: 10.1109/irmmw-thz.2018.8510213
- [533] Zhang et al.. "Frequency-Quadrupled Microwave Signal Generation with Tunable Phase Shift Employing No Optical Filter". In: *2018 IEEE 3rd Optoelectronics Global Conference (OGC)*, September 2018.
DOI: 10.1109/ogc.2018.8529901
- [534] Zhang et al.. "Photonic Generation of Millimeter-Wave Signals With Frequency-Multiplying and Tunable Phase Shift". In: *2018 4th International Conference on Frontiers of Signal Processing (ICFSP)*, September 2018.
DOI: 10.1109/icfsp.2018.8552069

- [535] Zhao et al.. "Synchronized random bit sequences generation based on analog-digital hybrid electro-optic chaotic sources". In: *Journal of Lightwave Technology*, pp. 1–1, September 2018.
DOI: 10.1109/jlt.2018.2868498
- [536] Al-Khateeb et al.. "Nonlinearity compensation using optical phase conjugation deployed in discretely amplified transmission systems". In: *Optics Express*, vol. 26, no. 18, pp. 23945, August 2018.
DOI: 10.1364/oe.26.023945
- [537] Wang et al.. "OSNR and nonlinear noise power estimation for optical fiber communication systems using LSTM based deep learning technique". In: *Optics Express*, vol. 26, no. 16, pp. 21346, August 2018.
DOI: 10.1364/oe.26.021346
- [538] Wu et al.. "QPSK Training Sequence-Based Both OSNR and Chromatic Dispersion Monitoring in DWDM Systems". In: *IEEE Photonics Journal*, vol. 10, no. 4, pp. 1–10, August 2018.
DOI: 10.1109/jphot.2018.2859428
- [539] Kobor et al.. "Optimization of Power Budget in RSOA Based Mm-wave Radio-over-Fibre Access Network". In: *2018 11th International Symposium on Communication Systems, Networks & Digital Signal Processing (CSNDSP)*, July 2018.
DOI: 10.1109/csndsp.2018.8471816
- [540] Li et al.. "Bidirectional long-reach PON using Kramers-Kronig-based receiver for Rayleigh Backscattering noise and SSBI interference elimination". In: *Optics Express*, vol. 26, no. 15, pp. 19020, July 2018.
DOI: 10.1364/oe.26.019020
- [541] Rahim et al.. "50 Gb/s DMT and 120 Mb/s LTE signal transmission over 5 km of optical fiber using a silicon photonics transceiver". In: *Advanced Photonics 2018 (BGPP, IPR, NP, NOMA, Sensors, Networks, SPPCom, SOF)*, July 2018.
DOI: 10.1364/iprsn.2018.iw1b.4
- [542] Shariati et al.. "Learning from the Optical Spectrum: Failure Detection and Identification [Invited]". In: *Journal of Lightwave Technology*, pp. 1–1, July 2018.
DOI: 10.1109/jlt.2018.2859199
- [543] Wang et al.. "Intelligent Optical Spectrum Analyzer Using Support Vector Machine". In: *2018 IEEE Photonics Society Summer Topical Meeting Series (SUM)*, July 2018.
DOI: 10.1109/phosst.2018.8456793
- [544] Aldaya et al.. "Photonic millimeter-wave bridge for multi-Gbps passive optical networks". In: *Physical Communication*, vol. 28, pp. 138–146, June 2018.
DOI: 10.1016/j.phycom.2018.04.001
- [545] Hao et al.. "Stokes Space Modulation Format Identification for Optical Signals Using Probabilistic Neural Network". In: *IEEE Photonics Journal*, vol. 10, no. 3, pp. 1–13, June 2018.
DOI: 10.1109/jphot.2018.2836151
- [546] Hsu et al.. "2.6 Tbit/s On-Chip Optical Interconnect Supporting Mode-Division-Multiplexing and PAM-4 Signal". In: *IEEE Photonics Technology Letters*, vol. 30, no. 11, pp. 1052–1055, June 2018.
DOI: 10.1109/lpt.2018.2829508
- [547] Liang et al.. "Opto-Electrical Hybrid Equalization for VCSEL-MMF Based Links". In: *2018 IEEE Optical Interconnects Conference (OI)*, pp. 41–42, June 2018.
DOI: 10.1109/oic.2018.8422044
- [548] Wei et al.. "Bidirectional Visible Light Communication System Using a Single VCSEL With Predistortion to Enhance the Upstream Remodulation". In: *IEEE Photonics Journal*, vol. 10, no. 3, pp. 1–7, June 2018.
DOI: 10.1109/jphot.2018.2829516

- [549] Kostalampros et al.. "Carrier Phase Recovery of 64 GBd Optical 16-QAM Using Extensive Parallelization on an FPGA". In: 2018 IEEE International Symposium on Circuits and Systems (ISCAS), May 2018.
DOI: 10.1109/iscas.2018.8351581
- [550] Shariati et al.. "Monitoring and Data Analytics: Analyzing the Optical Spectrum for Soft-Failure Detection and Identification". In: ONDM - Conference on Optical Network Design and Modelling, May 2018.
- [551] Katumba et al.. "Neuromorphic Computing Based on Silicon Photonics and Reservoir Computing". In: IEEE Journal of Selected Topics in Quantum Electronics, vol. 24, no. 6, pp. 1–10, April 2018.
DOI: 10.1109/jstqe.2018.2821843
- [552] Foo et al.. "Distributed Nonlinear Compensation Using Optoelectronic Circuits". In: Journal of Lightwave Technology, vol. 36, no. 6, pp. 1326–1339, March 2018.
DOI: 10.1109/jlt.2017.2779747
- [553] Koltchanov et al.. "Requirements for simulation-aided design of SDM systems". In: Optical Fiber Communication Conference, March 2018.
DOI: 10.1364/ofc.2018.m4b.6
- [554] Kostalampros et al.. "Real-Time Carrier Phase Recovery for 16-QAM Utilizing the Nonlinear Least Squares Algorithm". In: Optical Fiber Communication Conference, March 2018.
DOI: 10.1364/ofc.2018.w2a.49
- [555] Velasco et al.. "Learning from the Optical Spectrum: Soft-Failure Identification and Localization [Invited]". In: Optical Fiber Communication Conference, March 2018.
DOI: 10.1364/ofc.2018.w1g.1
- [556] Zhang et al.. "Kramers-Kronig Detection of Polarization Multiplexing Signals by a Single-Ended Photodiode". In: Optical Fiber Communication Conference, March 2018.
DOI: 10.1364/ofc.2018.w2a.55
- [557] Bakopoulos et al.. "NEPHELE: An End-to-End Scalable and Dynamically Reconfigurable Optical Architecture for Application-Aware SDN Cloud Data Centers". In: IEEE Communications Magazine, vol. 56, no. 2, pp. 178–188, February 2018.
DOI: 10.1109/mcom.2018.1600804
- [558] Chow et al.. "Pre-Distortion Scheme to Enhance the Transmission Performance of Organic Photo-Detector (OPD) Based Visible Light Communication (VLC)". In: IEEE Access, vol. 6, pp. 7625–7630, February 2018.
DOI: 10.1109/access.2018.2805226
- [559] Jignesh et al.. "Inter-channel nonlinear phase noise compensation using optical injection locking". In: Optics Express, vol. 26, no. 5, pp. 5733, February 2018.
DOI: 10.1364/oe.26.005733
- [560] Polatynski et al.. "Virtual prototyping of complex photonic components and integrated circuits for polymer-based integration platform". In: Smart Photonic and Optoelectronic Integrated Circuits XX, February 2018.
DOI: 10.1117/12.2290436
- [561] Al-Khateeb et al.. "Analysis of the nonlinear Kerr effects in optical transmission systems that deploy optical phase conjugation". In: Optics Express, vol. 26, no. 3, pp. 3145, January 2018.
DOI: 10.1364/oe.26.003145
- [562] Augustin et al.. "InP-Based Generic Foundry Platform for Photonic Integrated Circuits". In: Journal of Selected Topics in Quantum Electronics, vol. 24, no. 1, pp. 1–10, January 2018.
DOI: 10.1109/jstqe.2017.2720967

- [563] Eghbal et al.. "W-band radio-over-fiber propagation of two optically encoded wavelength channels". In: Optical Engineering, vol. 57, no. 01, pp. 1, January 2018.
DOI: 10.1117/1.oe.57.1.016104
- [564] Khomchenko et al.. "Automated design of add/drop equipment and effective wavelength assignment in complex DWDM networks". In: Metro and Data Center Optical Networks and Short-Reach Links, January 2018.
DOI: 10.1117/12.2290357
- [565] Paloi et al.. "Microwave Photonic Downconversion With Improved Conversion Efficiency and SFDR". In: IEEE Access, vol. 6, pp. 8089–8097, January 2018.
DOI: 10.1109/access.2018.2797087
- [566] Porto et al.. "Point-to-point overlay of a 100Gb/s DP-QPSK channel in LR-PONs for urban and rural areas". In: Optics Express, vol. 26, no. 3, pp. 3303, January 2018.
DOI: 10.1364/oe.26.003303
- [567] Tang et al.. "40-Gb/s PAM4 with low-complexity equalizers for next-generation PON systems". In: Optical Fiber Technology, vol. 40, pp. 108–113, January 2018.
DOI: 10.1016/j.yofte.2017.11.015
- [568] Quintero-Rodríguez et al.. "Simulation of the Brillouin effect in an optical feedback". In: Frontiers in Optics / Laser Science, January 2018.
DOI: 10.1364/fio.2018.jtu2a.84

2017

- [569] Fan et al.. "Spectral linewidth analysis of semiconductor hybrid lasers with feedback from an external waveguide resonator circuit". In: Optics Express, vol. 25, no. 26, pp. 32767, December 2017.
DOI: 10.1364/oe.25.032767
- [570] Parajuli et al.. "Novel Vestigial Sideband Modulation Scheme to Enhance the SNR in Radio Over Fiber Systems". In: Radioengineering, vol. 26, no. 4, pp. 961–967, December 2017.
DOI: 10.13164/re.2017.0961
- [571] Jiang et al.. "Reproducible optical noise-like signal generation subjected by digital sequences". In: Optics Express, vol. 25, no. 23, pp. 29189, November 2017.
DOI: 10.1364/oe.25.029189
- [572] Lin et al.. "Modulation Classification Using Received Signal's Amplitude Distribution for Coherent Receivers". In: IEEE Photonics Technology Letters, vol. 29, no. 21, pp. 1872–1875, November 2017.
DOI: 10.1109/lpt.2017.2754501
- [573] Spolitis et al.. "Comparison of C-band and L-band WDM-PON systems performance with PAM-4 modulation format". In: 2017 International Workshop on Fiber Optics in Access Network (FOAN), November 2017.
DOI: 10.1109/foan.2017.8215251
- [574] Tian et al.. "Impact and mitigation of XT-induced time-synchronization errors in MDM transmission systems through a minimized residual inter-block-interference (MRI) algorithm". In: Optics Express, vol. 25, no. 23, pp. 28794, November 2017.
DOI: 10.1364/oe.25.028794
- [575] Belkin et al.. "Continuously accessible long-term fiber optic memory of microwave signal". In: 2017 International Topical Meeting on Microwave Photonics (MWP), October 2017.
DOI: 10.1109/mwp.2017.8168695
- [576] Wang et al.. "Modulation Format Recognition and OSNR Estimation Using CNN-Based Deep Learning". In: IEEE Photonics Technology Letters, vol. 29, no. 19, pp. 1667–1670, October 2017.
DOI: 10.1109/lpt.2017.2742553
- [577] Xiao et al.. "Generation of Triangular-Shaped Waveform With Frequency Doubling". In: IEEE Photonics Technology Letters, vol. 29, no. 19, pp. 1599–1602, October 2017.
DOI: 10.1109/lpt.2017.2735481
- [578] Abbood et al.. "Reduction of bandwidth requirement in DRoF systems using optical duobinary modulation". In: 2017 9th Computer Science and Electronic Engineering (CEECE), September 2017.
DOI: 10.1109/ceec.2017.8101610
- [579] Babir et al.. "On the performance of high order QAM signals for analog and digital radio over fiber systems". In: 2017 4th International Conference on Advances in Electrical Engineering (ICAEE), September 2017.
DOI: 10.1109/icaee.2017.8255385
- [580] Rahim et al.. "16x25 GHz Optical OFDM Demultiplexer in a 220nm Silicon Photonics Platform using a Parallel-Serial Filter Approach". In: 2017 European Conference on Optical Communication (ECOC), September 2017.
DOI: 10.1109/ecoc.2017.8346141
- [581] Richter et al.. "Overcoming the Impact of Nonlinear Interference Noise Correlation on FEC Performance". In: ECOC, September 2017.

- [582] Xu et al.. "Reconfigurable broadband microwave photonic intensity differentiator based on an integrated optical frequency comb source". In: APL Photonics, vol. 2, no. 9, pp. 096104, September 2017.
DOI: 10.1063/1.4989871
- [583] Zhang et al.. "200-Gb/s Polarization Multiplexed Doubly Differential QPSK Signal Transmission over 80-km SSMF Using Tandem SSB without Optical Amplification". In: ECOC, September 2017.
- [584] Zhou et al.. "Fractal Dimension Aided Modulation Formats Identification Based on Support Vector Machines". In: ECOC, September 2017.
- [585] Ali et al.. "Four-Wave Mixing in Optical Phase Conjugation System with Pre-Dispersion". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [586] Bilal et al.. "Unrepeated transmission of 28Gbaud PM-16QAM over 420km enabled by digital nonlinear precompensation". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [587] Dris et al.. "Analysis of Nonlinear Interference Noise in Flexible Optical Networks". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [588] Du et al.. "Machine Learning Assisted Optical Interconnection". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [589] Li et al.. "LCoS-based Programmable Spectrum Cutter with Programmable and Reconfigurable Filtering Shape for Software Defined Optical Network". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [590] Lin et al.. "Dual-Polarization OFDM/OQAM-PON with Efficient Channel Equalization Methods". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [591] Lin et al.. "A Novel Method for PAM-4 Signal Quality Estimation Using Asynchronous Eye Diagram Reconstruction". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [592] Mididoddi et al.. "Photonic Time-Stretch Optical Coherence Tomography with Data Compression and Improved Resolution". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [593] Radil et al.. "Sensoric and Data Applications in National Research and Educational Networks". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [594] Rozental et al.. "Cyclic-Spectrum Pulse Shaping for Increased Nonlinear Tolerance". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [595] Sun et al.. "Machine-learning detector based on Support Vector Machine for 122-Gbps Multi-CAP optical communication system". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [596] Xiao et al.. "Numerical Study on Microwave Photonic Mixers Based on Electro-Optical Modulators". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [597] Xu et al.. "Linearly Interpolation-based Almost Blind Phase Noise Suppression Method for CO-OFDM Systems". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [598] Zhang et al.. "100GBaud Optical Transceiver. An Optical Time Division Multiplexing Solution". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [599] Zhang et al.. "An In-Band OSNR Monitoring Technique for PM-Nyquist-WDM Coherent System in Presence of Fiber Nonlinearities". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [600] Zhang et al.. "A cost-effective and concurrent all-optical VPN in digital filter multiple access PON systems". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.

- [601] Zhang et al.. "Mitigation of Kerr-induced Nonlinear Distortion by Superimposing the Sidebands of a Multiband-CAP Signal". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [602] Zhang et al.. "Nonamplified 100Gbps Doubly Differential QPSK Optical Signal Transmission Over 80 km SSMF Without Carrier Recovery". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [603] Zhu et al.. "Hilbert Superposition Based on Direct-Detection for Single Side-Band Optical NPAM-4 Signal". In: OECC, CLEO-PR, Photonics Global Conference, August 2017.
- [604] Eghbal et al.. "Effect of Different Optical Codes on a W-Band WDM-over-OCDMA System". In: ICTON, no. Tu.D2.1, July 2017.
- [605] Goroshko et al.. "Prediction of Accumulated DGD Evolution for PMD-Resistant Digital Back Propagation". In: ICTON, no. Tu.P.8, July 2017.
- [606] Maity et al.. "Impact of Optical Parameters on Nonlinearity Measurement of Bend Insensitive Fiber". In: ICTON, no. We.P.10, July 2017.
- [607] Marconi et al.. "Network Performance of Optical Parametric Amplifiers Based on Tellurite Waveguides". In: ICTON, no. We.C5.3, July 2017.
- [608] Marconi et al.. "Network performance of optical parametric amplifiers based on tellurite waveguides". In: 2017 19th International Conference on Transparent Optical Networks (ICTON), July 2017.
DOI: 10.1109/icton.2017.8025048
- [609] Mitsolidou et al.. "All-Optical Digital Physical-Layer Network Coding for DPSK mm-wave Radio-Over-Fiber Networks". In: ICTON, no. Th.B2.3, July 2017.
- [610] Oliveira et al.. "Coexistence of TWDM-PON and Multi RF/IF Over Fiber System: Experimental Demonstration". In: ICTON, no. We.A2.5, July 2017.
- [611] Ferrera et al.. "Multi-Format 800 - 1600 Gb/s Coherent Transceiver for Inter-Data Centre Interconnects over SMF". In: ICTON, no. Tu.A3.5, July 2017.
- [612] Uvarov et al.. "GPU-Assisted Simulations of SDM Systems". In: ICTON, no. We.D1.6, July 2017.
- [613] Vgenopoulou et al.. "Designing the Next Generation of Intra-and Inter-Datacentres Interconnects". In: ICTON, no. Tu.A3.4, July 2017.
- [614] Zhu et al.. "Dispersion characteristics and compensation in the POLMUX coherent optical communication system". In: Modern Physics Letters B, vol. 31, no. 19-21, pp. 1740054, July 2017.
DOI: 10.1142/s0217984917400541
- [615] Kyritsis et al.. "Performance of Widely Tunable Multi-Quantum-Well and Bulk Laser Diodes and the Main Limiting Factors". In: IEEE Journal of Quantum Electronics, vol. 53, no. 3, pp. 1-16, June 2017.
DOI: 10.1109/jqe.2017.2682700
- [616] Ridzuan et al.. "Comparison of Cap and QAM-DMT Modulation Format for In-Home Network Environment". In: Journal of Telecommunications, Electronic and Computer Engineering, vol. 9, no. 3-2, June 2017.
- [617] Ye et al.. "Simultaneous Suppression of Even-Order and Third-Order Distortions in Directly Modulated Analog Photonic Links". In: IEEE Photonics Journal, vol. 9, no. 3, pp. 1-12, June 2017.
DOI: 10.1109/jphot.2017.2700048
- [618] Zhu et al.. "An Iterative Frequency Offset Estimation Method for Coherent Optical OFDM System". In: IEEE Photonics Technology Letters, vol. 29, no. 11, pp. 877-880, June 2017.
DOI: 10.1109/lpt.2017.2693378

- [619] Hinrichs et al.. "Analog vs. next-generation digital fronthaul: How to minimize optical bandwidth utilization". In: ONDM - International Conference on Optical Network Design and Modeling, pp. 1-6, May 2017.
- [620] Duzgol et al.. "Travelling-wave modelling of the modulation dynamic performance of wavelength-tunable laser diodes using the integrated VPI and PICS3D software". In: IET Optoelectronics, vol. 11, no. 2, pp. 66-72, April 2017.
DOI: 10.1049/iet-opt.2016.0067
- [621] Polatynski et al.. "Novel MxN three-dimensional MMI simulation model". In: ECIO, April 2017.
- [622] Geng et al.. "Mitigation of Electrical Bandwidth Limitations using Optical Pre-Sampling". In: OFC, no. M2J.6, March 2017.
- [623] Jiang et al.. "Reproducible Broadband Optical Noise Generation Based on Phase Modulation to Intensity Modulation Conversion and a Nonlinear Transformation". In: OFC, no. Th2A.49, March 2017.
- [624] Kabonzo et al.. "Impact of radio over fiber technology for integrated 5G front and back-haul applications". In: 2017 IEEE 2nd Advanced Information Technology, Electronic and Automation Control Conference (IAEAC), March 2017.
DOI: 10.1109/iaeac.2017.8054179
- [625] Navarro et al.. "High Performance and Low Complexity Carrier Phase Recovery Schemes for 64-QAM Coherent Optical Systems". In: OFC, no. W2A.53, March 2017.
- [626] Pukhrambam et al.. "Electro-absorption Modulated Lasers with High Immunity to Residual Facet Reflection by Using Lasers with Partially Corrugated Gratings". In: IEEE Photonics Journal, pp. 1-1, March 2017.
DOI: 10.1109/jphot.2017.2669264
- [627] Rahim et al.. "69 Gb/s DMT direct modulation of a Heterogeneously Integrated InP-on-Si DFB Laser". In: OFC, no. Th1B.5, March 2017.
- [628] Bilal et al.. "Nonlinearities tolerant modulation format enabled Tb/s superchannel transmission over 420 km of unrepeated Raman amplified link". In: Optical Fiber Technology, vol. 36, pp. 306-311, February 2017.
- [629] Jain et al.. "EKF for Joint Mitigation of Phase Noise, Frequency Offset and Nonlinearity in 400 Gb/s PM-16-QAM and 200 Gb/s PM-QPSK Systems". In: IEEE Photonics Journal, vol. 9, no. 1, pp. 1-10, February 2017.
DOI: 10.1109/jphot.2017.2649223
- [630] Nanou et al.. "High-Speed, High-Performance DQPSK Optical Links with Reduced Complexity VDFE Equalizers". In: Photonics, vol. 4, no. 4, pp. 13, February 2017.
DOI: 10.3390/photonics4010013
- [631] Betancur-Pérez et al.. "Hexagonal Photonic Crystal Fiber Behaviour as a Chromatic Dispersion Compensator of a 40 Gbps Link". In: International Journal of Electronics and Telecommunications, vol. 63, no. 1, January 2017.
DOI: 10.1515/elete1-2017-0013

2016

- [632] Gonçalves et al.. "Nonlinear compensation with DBP aided by a memory polynomial". In: Optics Express, vol. 24, no. 26, pp. 30309, December 2016.
DOI: 10.1364/oe.24.030309
- [633] Jiang et al.. "Electro-optic chaotic system based on the reverse-time chaos theory and a nonlinear hybrid feedback loop". In: Optics Express, vol. 24, no. 25, pp. 28804-28814, December 2016.
- [634] Zhou et al.. "Joint timing/frequency offset estimation and correction based on FrFT encoded training symbols for PDM CO-OFDM systems". In: Optics Express, vol. 24, no. 25, pp. 28256-28269, December 2016.
- [635] Khateeb et al.. "Mid-Link Optical Phase Conjugation in Lumped Optical Transmission Systems". In: ACP, no. AS2B.5, November 2016.
- [636] Bilal et al.. "Unrepeated Raman-amplified transmission of 28 Gbaud PM-16QAM over 300 km enabled by digital nonlinear pre-compensation". In: ACP, no. AF3D.6, November 2016.
- [637] Chen et al.. "A Flexible and Cost-effective Optical Access Scheme based upon DSP-assisted Block-IFDMA". In: ACP, no. AF2A.152, November 2016.
- [638] Faruk et al.. "Robust Single Polarization Coherent Transceiver Using DGD Pre-distortion for Optical Access Networks". In: ACP, no. AF1C.2, November 2016.
- [639] Lai et al.. "Research on optical performance monitoring (OPM) in coherent transmission system". In: ACP, no. AS2B.2, November 2016.
- [640] Li et al.. "Transmitter IQ Mismatch Compensation Based on Second Order Moment Estimation for Coherent Optical M-QAM System". In: ACP, no. AF4B.1, November 2016.
- [641] Uzunidis et al.. "Optimizing power, capacity, transmission reach and amplifier placement in coherent optical systems using a physical layer model". In: PCI - Pan-Hellenic Conference on Informatics, no. 47, November 2016.
- [642] Uzunidis et al.. "Comparison of simplified FWM expressions for coherent optical systems in both dispersion managed and un-managed fiber links". In: PCI - Pan-Hellenic Conference on Informatics, no. 46, November 2016.
- [643] Uzunidis et al.. "Simplified FWM model for flexible-grid optical systems". In: 2016 24th Telecommunications Forum (TELFOR), November 2016.
DOI: 10.1109/telfor.2016.7818938
- [644] Uzunidis et al.. "Application of a simplified FWM expression in mixed-fiber links". In: 2016 24th Telecommunications Forum (TELFOR), November 2016.
DOI: 10.1109/telfor.2016.7818939
- [645] Xin et al.. "Mode-Interleaving Method with Improved Transmission Reach for MDL-Impaired MDM Systems". In: ACP, no. AF2A.99, November 2016.
- [646] Xu et al.. "Research on performances of coherent Nyquist-WDM-PON and WDM-OFDM-PON using effective phase noise suppression methods". In: ACP, no. AF2A.102, November 2016.
- [647] Yan et al.. "PDM-DD-SSB-OFDM system based on a single-end PD for short reach communications". In: ACP, no. AF2A.96, November 2016.
- [648] Zhang et al.. "Study and Comparison of Low Cost Intensity Modulation Direct Detection Radio Over Fiber Systems". In: ACP, no. AF2A.86, November 2016.

- [649] Zhang et al.. "Investigation of Multiple Impairments Monitor based on RF Spectrum Analysis". In: ACP, no. AF2A.108, November 2016.
- [650] Aboagye et al.. "Performance Analysis of 112 Gb/s*4-Channel WDM PDM-DQPSK Optical Label Switching System With Spectral Amplitude Code Labels". In: Photonic Sensors, October 2016.
- [651] Cseh et al.. "Improvements on broadband signals in radio over fiber systems by mode filtering". In: 2016 46th European Microwave Conference (EuMC), October 2016.
DOI: 10.1109/eumc.2016.7824502
- [652] Faruk et al.. "DSP algorithms for recovering single-carrier Alamouti coded signals for PON applications". In: Optics Express, vol. 24, no. 21, pp. 24083-24091, October 2016.
- [653] Foo et al.. "Distributed Nonlinearity Compensation of Dual-Polarization Signals Using Optoelectronics". In: IEEE Photonics Technology Letters, vol. 28, no. 20, pp. 2141-2144, October 2016.
- [654] Lin et al.. "Efficient frequency-domain channel equalization methods for dual-polarization orthogonal frequency-division multiplexing/offset quadrature amplitude modulation-passive optical network". In: Optical Engineering, vol. 55, no. 10, pp. 106108, October 2016.
- [655] Mitsolidou et al.. "Digital Optical Physical-Layer Network Coding for mm-Wave Radio-Over-Fiber Signals in Fiber-Wireless Networks". In: Journal of Lightwave Technology, vol. 34, no. 20, pp. 4765-4771, October 2016.
- [656] Munster et al.. "Coexistence of Access and Backbone Networks with Sensor Systems". In: FOAN - International Workshop on Fiber Optics in Access Network, October 2016.
- [657] Torres et al.. "Enhanced intercarrier interference mitigation based on encoded bit-sequence distribution inside optical superchannels". In: Optical Engineering, vol. 55, no. 10, pp. 106124, October 2016.
- [658] Xie et al.. "Nyquist pulse shaping using arrayed waveguide grating routers". In: Optics Express, vol. 24, no. 20, pp. 22357-22365, October 2016.
- [659] Xu et al.. "Sliding Window Aided Phase Noise Suppression Method for Coherent Nyquist-WDM-PON". In: IEEE Photonics Technology Letters, vol. 28, no. 20, pp. 2229-2232, October 2016.
- [660] Duzgol et al.. "Enhanced Dynamic Response and Spectral Characteristics Improvement of Optically-Injected Widely-Tunable Laser Diodes". In: ISLC - International Semiconductor Laser Conference, no. WE19, September 2016.
- [661] Huang et al.. "Photonic Generation of Microwave Frequency Shift Keying Signals". In: IEEE Photonics Technology Letters, vol. 28, no. 18, pp. 1928-1931, September 2016.
- [662] Kyritsis et al.. "Power and Wavelength Tuning Performance of Multi-Quantum-Well and Bulk Tunable Laser Diodes and Main Limiting Factors". In: ISLC - International Semiconductor Laser Conference, September 2016.
- [663] Pukhrambam et al.. "Highly Residual Facet Reflection Immune Electro-absorption Modulated Laser with Short Partially Corrugated Gratings". In: ISLC - International Semiconductor Laser Conference, no. WE21, September 2016.
- [664] Xie et al.. "Sidelobe Suppression using Cancellation Sub-Carriers for OFDM Superchannels". In: ECOC, no. 773, September 2016.
- [665] Fernandez et al.. "Linear Carrier Predistortion for Inter-Carrier Interference Mitigation in SCM-RoF Systems". In: LAOP - OSA Latin America Optics & Photonics Conference, no. LW4C.4, August 2016.
- [666] Hasan et al.. "Towards a universal RF photonic integrated circuit architecture for microwave applications". In: 2016 Progress in Electromagnetic Research Symposium (PIERS), August 2016.
DOI: 10.1109/piers.2016.7734251

- [667] Li et al.. "All-optical analog comparator". In: Scientific Reports, vol. 6, no. 31903, August 2016.
- [668] Marconi et al.. "Broadband two-pump parametric amplifier in engineered dispersion tellurite waveguides". In: LAOP - OSA Latin America Optics & Photonics Conference, no. LTu4A.11, August 2016.
- [669] Martinez et al.. "Inter-Channel Interference Characterization in a Nyquist-WDM gridless scenario with Nonlinear Impairments Compensation by using Digital Backpropagation". In: LAOP - OSA Latin America Optics & Photonics Conference, no. LTu2C.4, August 2016.
- [670] Tala et al.. "Populating and Exploring the Design Space of Wavelength-Routed Optical Network-on-Chip Topologies by Leveraging the Add-Drop Filtering Primitive". In: NOCS - IEEE/ACM International Symposium on Networks-on-Chip, August 2016.
- [671] Tian et al.. "Quantification of MDL-induced signal degradation in MIMO-OFDM mode-division multiplexing systems". In: Optics Express, vol. 24, no. 17, pp. 18948-18959, August 2016.
- [672] Torres et al.. "Inter-Carrier Interference Mitigation based on FEC-encoded sequence distribution". In: LAOP - OSA Latin America Optics & Photonics Conference, no. LTu2C.2, August 2016.
- [673] Charalambous et al.. "Optoelectronic Oscillator Based on Class AB Photonic Link". In: ICTON, no. Mo.B5.4, July 2016.
- [674] Eghbal et al.. "Tandem-Modulator Generated W-Band OCDMA Radio-over-Fiber System". In: ICTON, no. We.D2.3, July 2016.
- [675] Feris et al.. "Pulse Amplitude Modulation Applied to Extended Passive Optical Pod Interconnect, for Small Energy-Aware Data Centers". In: ICTON, no. Th.B5.6, July 2016.
- [676] Gaiarin et al.. "Tolerance of Continuous NFT Spectrum to Optical Fiber Channel Impairments". In: SPPcom, no. SpM3E.5, July 2016.
- [677] Gong et al.. "Performance investigation for LDPC-coded upstream transmission systems in IM/DD OFDM-PONs". In: OECC/PS - OptoElectronics and Communications Conference & Photonics in Switching, no. ThA3-5, July 2016.
- [678] Goroshko et al.. "Overcoming Performance Limitations of Digital Back Propagation due to Polarization Mode Dispersion". In: ICTON, no. Mo.B1.4, July 2016.
- [679] He et al.. "Mitigation of optical beat interference in N-dimensional CAP-PON uplink transmission". In: OECC/PS - OptoElectronics and Communications Conference & Photonics in Switching, no. 2.2, July 2016.
- [680] Jignesh et al.. "Parallelized unscented Kalman filters for carrier recovery in coherent optical communication". In: Optics Letters, vol. 41, no. 14, pp. 3253-3256, July 2016.
- [681] Latunde et al.. "OQAM-OFDM RoF with IM-DD Remote Heterodyne 28 GHz Upconversion for 5G Millimeter RANs". In: ICTON, no. We.D2.2, July 2016.
- [682] Parajuli et al.. "A Vestigial Sideband Modulation Scheme in Radio Over Fiber System Using Electro-Optic Modulators". In: ICTON, no. Tu.P.6, July 2016.
- [683] Tsiokos et al.. "Converged Optical-Wireless Access Networks Enabling Fixed and 60 GHz Connectivity in WDM-PONs". In: ICTON, no. Th.A3.3, July 2016.
- [684] Zhang et al.. "Hybrid Time-Frequency Domain Chaotic Interleaving for Physical-Layer Security Enhancement in OFDM-PON Systems". In: ICC - IEEE/CIC International Conference on Communications in China, July 2016.
- [685] Zong et al.. "Spectrum Allocation Strategy in Flex-Grid Optical Networks: Signal Transmission Performance Analysis". In: Journal of Optical Communications and Networking, vol. 8, no. 7, pp. A191-A200, July 2016.

- [686] Adjaye et al.. "Performance Analysis of 112 Gb/s PDM-DQPSK Optical System with Frequency Swept Coherent Detected Spectral Amplitude Labels". In: WCE - World Congress on Engineering, June 2016.
- [687] Asif et al.. "Advanced and flexible multi-carrier receiver architecture for high-count multi-core fiber based space division multiplexed applications". In: Scientific Reports, vol. 6, no. 27465, June 2016.
- [688] He et al.. "Experimental investigation of inter-core crosstalk tolerance of MIMO-OFDM/OQAM radio over multicore fiber system". In: Optics Express, vol. 24, no. 12, pp. 13418-13428, June 2016.
- [689] Li et al.. "Performance analysis of the dual-parallel polarization modulator based optical single-sideband modulator / frequency shifter". In: Optical Engineering, vol. 55, no. 6, pp. 066116, June 2016.
- [690] Munster et al.. "Simultaneous transmission of distributed sensors and data signals". In: 2016 39th International Conference on Telecommunications and Signal Processing (TSP), June 2016.
DOI: 10.1109/tsp.2016.7760987
- [691] Navarro et al.. "Two-Stage n-PSK Partitioning Carrier Phase Recovery Scheme for Circular mQAM Coherent Optical Systems". In: Photonics, vol. 3, no. 2, pp. 11, June 2016.
- [692] Navarro et al.. "Carrier Phase Recovery Algorithms for Coherent Optical Circular mQAM Systems". In: Journal of Lightwave Technology, vol. 34, no. 11, June 2016.
- [693] Olmedo et al.. "Effective Linewidth of Semiconductor Lasers for Coherent Optical Data Links". In: Photonics, vol. 3, no. 2, pp. 10, June 2016.
- [694] Sarafraz et al.. "Analysis on optical bistability parameters in photonic switching devices". In: Optical Engineering, vol. 55, no. 6, pp. 066119, June 2016.
- [695] Andre et al.. "OFDM and PAM comparison using a high baudrate low resolution IM/DD interface for 400G Ethernet access". In: Optics Express, vol. 24, no. 11, pp. 11926-11931, May 2016.
- [696] Mingaleev et al.. "Layout-Aware Schematic-Driven Design Methodology for Photonic Integrated Circuits". In: ECIO, May 2016.
- [697] Ratwani et al.. "Analog Domain Decision Feedback Equalizer for Repeater-Less DP-QPSK Coherent Optical Links". In: WOCC - Wireless and Optical Communication Conference, May 2016.
- [698] Tamilarasan et al.. "Impairment assessment of orthogonal frequency division multiplexing over dispersion-managed links in backbone and backhaul networks". In: Optical Engineering, vol. 55, no. 4, pp. 046105, April 2016.
- [699] Abbasi et al.. "PAM-4 and Duobinary Direct Modulation of a Hybrid InP/SOI DFB Laser for 40 Gb/s Transmission over 2 km Single Mode Fiber". In: OFC, no. M2C.6, March 2016.
- [700] Dris et al.. "Scaling single-wavelength optical interconnects to 180 Gb/s with PAM-M and pulse shaping". In: Next-Generation Optical Networks for Data Centers and Short-Reach Links, no. 977506, March 2016.
- [701] Ellis et al.. "Impact of Optical Phase Conjugation on the Nonlinear Shannon Limit". In: OFC, no. Th4F.2, March 2016.
- [702] Jiang et al.. "High-frequency reverse-time chaos generation using an optical matched filter". In: Optics Letters, vol. 41, no. 6, pp. 1157-1160, March 2016.
- [703] Jignesh et al.. "Unscented Kalman Filters for Polarization State Tracking and Phase Noise Mitigation". In: OFC, no. Tu2A.4, March 2016.
- [704] Kakkar et al.. "Design of Coherent Optical Systems Impaired by EEPN". In: OFC, no. Tu2A.2, March 2016.

- [705] Leong et al.. "BCH Codes for Coherent Star DQAM Systems with Laser Phase Noise". In: Journal of Optical Communications, March 2016.
- [706] Louchet et al.. "Performance Estimation of Digital Coherent Systems with FEC under non-AWGN Channel Statistics". In: OFC, no. M2A.1, March 2016.
- [707] Lowery et al.. "Enhanced Asymmetrically Clipped Optical OFDM for High Spectral Efficiency and Sensitivity". In: OFC, no. Th2A.30, March 2016.
- [708] Mitsolidou et al.. "All-Optical Digital Network Coding for Very High-Throughput mm-wave Fiber-Wireless Networks". In: OFC, no. Th2A.14, March 2016.
- [709] Xia et al.. "Fast and Robust Chromatic dispersion Estimation for Digital Optical Coherent Receivers". In: OFC, no. Th2A.52, March 2016.
- [710] Xie et al.. "Nyquist-WDM Channel Generation using an Arrayed Waveguide Grating Router". In: OFC, no. W2A.37, March 2016.
- [711] Al-Bermani et al.. "Improved Pilot-Tone Technique for Inter- and Intra-Channel Nonlinearity Compensation in Long-haul CO-OFDM Systems". In: Photonics West, February 2016.
- [712] Awis et al.. "Empirical Modelling Technique for Physical Layer Impairments Penalty Measurement in Optical WDM Systems". In: International Journal of Applied Engineering Research, vol. 11, no. 20, pp. 10192-10198, January 2016.
- [713] Colina et al.. "Performance Trade-Offs for Wavelength Striping Optical Switching Using a Novel Star Architecture". In: Advances in Optical Technologies, vol. 2016, pp. 12, January 2016.

2015

- [714] Kakkar et al.. "Comprehensive Study of Equalization-Enhanced Phase Noise in Coherent Optical Systems". In: Journal of Lightwave Technology, vol. 33, no. 23, pp. 4834-4841, December 2015.
- [715] Andre et al.. "Experimental 32Gbaud OFDM transmission using a 3-bit DAC". In: ACP, no. ASu1E.1, November 2015.
- [716] Feng et al.. "Training Symbol Assisted Optical Signal-to-Noise Ratio Monitoring Technique for DDO-OFDM Systems". In: ACP, no. ASu2A.84, November 2015.
- [717] Goroshko et al.. "Fundamental Limitations of Digital Back Propagation due to Polarization Mode Dispersion". In: ACP, no. ASu3F.5, November 2015.
- [718] Gui et al.. "The Impact of Receiver IQ Imbalance on Multi-soliton NFDM Transmissions with OOK Modulation". In: ACP, no. ASu3F.3, November 2015.
- [719] Li et al.. "Design and Implementation of Blind Equalization Algorithm for Multiband CAP Modulation in High Speed and High Spectral Efficiency Optical Data Link". In: ACP, no. AM3E.4, November 2015.
- [720] Li et al.. "Demonstration of Optical Signal to Noise Ratio Monitoring Based on Sagnac Interferometer in Polarization Division Multiplexed Systems". In: ACP, no. AS4F.7, November 2015.
- [721] Tian et al.. "An Efficient Equalization Method with Improved Modal Dispersion Tolerance for CO-SCFDE FMF Transmission". In: ACP, no. AS4F.1, November 2015.
- [722] Ferrera et al.. "4x100 Gb/s WDM DD-OFDM using EAM for next generation Ethernet transceivers over SMF". In: Optics Communications, vol. 365, pp. 86-92, November 2015.
- [723] Xian et al.. "PDM PAM-4 with IM-DD using a simple MIMO DSP-based receiver for short reach communications". In: ACP, no. AM3E.3, November 2015.
- [724] Zhang et al.. "An Optimized Full-parallel Variable-length FFT Design for Software-defined Optical OFDM Receivers". In: ACP, no. ASu1E.4, November 2015.
- [725] Navarro et al.. "Adaptive Boundaries Scheme for Cycle-Slip Mitigation in C-mQAM Coherent Systems". In: IEEE Photonics Technology Letters, vol. 27, no. 20, pp. 2154-2157, October 2015.
- [726] Cheng et al.. "The Feasibility of Building a 64x64 Port Count SOA-Based Optical Switch". In: Photonics in Switching, September 2015.
- [727] Kakkar et al.. "A Path to Use Large Linewidth LO in 28 Gbd 16-QAM Metro Links". In: ECOC, no. Tu_3_4_6 - ID: 0071, September 2015.
- [728] Kakkar et al.. "Mitigation of EEPN in Coherent Optical Systems With Low-Speed Digital Coherence Enhancement". In: IEEE Photonics Technology Letters, vol. 27, no. 18, pp. 1942-, September 2015.
- [729] Rezanian et al.. "Impact of Intra- and Inter-subcarrier Nonlinearities on the Information Rate of a 1.206 Tbit/s DP 16-QAM Superchannel". In: ECOC, no. P_5_17 - ID: 0715, September 2015.
- [730] Sajgalikova et al.. "Comparison of Numerical Modelling of Degradation Mechanisms in Single Mode Optical Fibre Using MATLAB and VPIphotonics". In: Optics and Optoelectronics, vol. 13, no. 3, pp. 268-272, September 2015.
- [731] Zhang et al.. "Optical encryption/decryption of 8PSK signal using FWM-based modified XOR". In: Applied Optics, vol. 54, pp. 7813-7819, September 2015.

- [732] Zhang et al.. "A DSP-Based Control Method For a Nonlinear Mach-Zehnder Interferometer DPSK Regenerator". In: Journal of Lightwave Technology, vol. 33, pp. 3788-3795, September 2015.
- [733] Zhou et al.. "A Fast and Robust Blind Chromatic Dispersion Estimation Based on Fractional Fourier Transformation". In: ECOC, no. Th_1_6_6 - ID: 0453, September 2015.
- [734] Hsu et al.. "Cost-Effective Direct-Detection All-Optical OOK-OFDM System With Analysis of Modulator Bandwidth and Driving Power". In: IEEE Photonics Journal, vol. 7, August 2015.
- [735] Lowery et al.. "Systems performance comparison of three all-optical generation schemes for quasi-Nyquist WDM". In: Optics Express, vol. 23, pp. 21706-21718, August 2015.
- [736] Nambath et al.. "Analog Domain Signal Processing-Based Low-Power 100-Gb/s DP-QPSK Receiver". In: Journal of Lightwave Technology, vol. 33, pp. 3189-3197, August 2015.
- [737] Abbade et al.. "Double All-Optical Encryption of M-QAM Signals Based on Spectrally Sliced Encoding Keys". In: ICTON, no. Tu.A1.3, July 2015.
- [738] Alexoudi et al.. "WDM-Enabled Optical RAM and Optical Cache Memory Architectures for Chip Multiprocessors". In: ICTON, no. Tu.B1.1, July 2015.
- [739] Altabas et al.. "Survey of Faster-Than-Nyquist for Flexible Passive Optical Networks". In: ICTON, no. Mo.D1.3, July 2015.
- [740] Amado et al.. "Assessment of Nonlinear Equalization Algorithms for Coherent Optical Transmission Systems using an FPGA". In: ICTON, no. Mo.C1.4, July 2015.
- [741] Ellis et al.. "Capacity limits of systems employing multiple optical phase conjugators". In: Optics Express, vol. 23, pp. 20381-20393, July 2015.
- [742] Fang et al.. "Frequency-Domain Channel Estimation for Polarization-Division-Multiplexed CO-OFDM/OQAM Systems". In: Journal of Lightwave Technology, vol. 33, pp. 2743-2750, July 2015.
- [743] Fekete et al.. "The Effect of Laser Characteristics on Millimetre Wave Optical Generation Techniques". In: ICTON, no. Mo.C5.1, July 2015.
- [744] Gao et al.. "Photonic Microwave Generation with Frequency Octupling based on a DP-QPSK Modulator". In: IEEE Photonics Technology Letters, vol. 1109, pp. 1041-1135, July 2015.
- [745] Karelin et al.. "Modeling and Design Framework for SDM Transmission Systems". In: ICTON, no. Th.A1.6, July 2015.
- [746] Llorente et al.. "Demonstration of a Spatially Multiplexed Multicore Fibre-Based Next-Generation Radio-Access Cellular Network". In: ICTON, no. Th.A1.4, July 2015.
- [747] Capmany et al.. "Microwave Photonics Beat Filter Monolithically Integrated on an Indium Phosphide Chip". In: ICTON, no. Mo.B5.5, July 2015.
- [748] Niknamfar et al.. "Two Cascaded Mach-Zehnder Modulators' Harmonic Distortion Analysis in Single Side-Band Millimeter Wave Generation System". In: ICTON, no. Tu.D2.2, July 2015.
- [749] Soumplis et al.. "Cross-Layer Optimization: Network Cost vs. Physical Layer Margins". In: ICTON, no. Th.A3.2, July 2015.
- [750] Teipen et al.. "Investigation of PAM-4 for Extending Reach in Data Center Interconnect Applications". In: ICTON, no. Mo.D3.3, July 2015.
- [751] White et al.. "Advanced Photonic Routing Sub-Systems with Efficient Routing Control". In: ICTON, no. Tu.A3.1, July 2015.

- [752] Chow et al.. "A Convergent Wireline and Wireless Time-and-Wavelength-Division-Multiplexed Passive Optical Network". In: IEEE Photonics Journal, vol. 7, pp. 1-7, June 2015.
- [753] Damas et al.. "Printed Circuit Board Intermediate Frequency over Fiber Central Station". In: ISMOT - International Symposium on Microwave and Optical Technology, June 2015.
- [754] Hmood et al.. "Optical frequency comb generation based on chirping of Mach-Zehnder Modulators". In: Optics Communications, vol. 344, pp. 139-146, June 2015.
- [755] Hmood et al.. "Mitigation of phase noise in all-optical OFDM systems based on minimizing interaction time between subcarriers". In: Optics Communications, vol. 355, pp. 313-320, June 2015.
- [756] Hu et al.. "Analysis of SOA Optimization in Spectrum-Sliced WDM Systems for EIN Reduction and Dispersion Effect". In: Advanced Photonics, no. SpS4D.5, June 2015.
- [757] Jiang et al.. "A Linearization Analog Photonic Link With High Third-Order Intermodulation Distortion Suppression Based on Dual-Parallel Mach-Zehnder Modulator". In: IEEE Photonics Journal, vol. 7, June 2015.
- [758] Yao et al.. "Fast and robust chromatic dispersion estimation based on temporal auto-correlation after digital spectrum superposition". In: Optics Express, vol. 23, pp. 15418-15430, June 2015.
- [759] Gong et al.. "System performance analysis of time-division-multiplexing passive optical network using directly modulated lasers or colorless optical network units". In: Optical Engineering, vol. 54, no. 5, pp. 056110, May 2015.
- [760] Sackey et al.. "Kerr Nonlinearity Mitigation: Mid-Link Spectral Inversion Versus Digital Backpropagation in 5x28-GBd PDM 16-QAM Signal Transmission". In: Journal of Lightwave Technology, vol. 33, pp. 1821-1827, May 2015.
- [761] Aldaya et al.. "A Tutorial on Optical Feeding of Millimeter-Wave Phased Array Antennas for Communication Applications". In: International Journal of Antennas and Propagation, vol. 2015, pp. Article ID 264812, 22 pages, April 2015.
- [762] Aleksic et al.. "Perspectives and limitations of QKD integration in metropolitan area networks". In: Optics Express, vol. 23, pp. 10359-10373, April 2015.
- [763] Bakhtiari et al.. "All-optical tunable multilevel amplitude regeneration based on coherent wave mixing using a polarizer". In: Optics Express, vol. 23, pp. 10533-10539, April 2015.
- [764] Kakkar et al.. "Impact of local oscillator frequency noise on coherent optical systems with electronic dispersion compensation". In: Optics Express, vol. 23, pp. 11221-11226, April 2015.
- [765] Leong et al.. "Interleavers and BCH Codes for Coherent DQPSK Systems With Laser Phase Noise". In: IEEE Photonics Technology Letters, vol. 27, no. 7, pp. 685-688, April 2015.
- [766] Zhou et al.. "Polarization-interleave-multiplexed discrete multi-tone modulation with direct detection utilizing MIMO equalization". In: Optics Express, vol. 23, pp. 8409-8421, April 2015.
- [767] Bonjour et al.. "Continuously tunable true-time delays with ultra-low settling time". In: Optics Express, vol. 23, pp. 6952-6964, March 2015.
- [768] Foo et al.. "Optoelectronic method for distributed compensation of XPM in long haul WDM systems". In: OFC, no. Th2A.24, March 2015.
- [769] Guiomar et al.. "Parallel Split-Step Method for Digital Backpropagation". In: OFC, no. Th2A.28, March 2015.
- [770] Koga et al.. "Optical Diversity Transmission with Signal and its Phaseconjugate Lights through Multi-core Fiber". In: OFC, no. Th1D.4, March 2015.

- [771] Noelle et al.. "Investigation of CAZAC Sequences for Data-Aided Channel Estimation Considering Nonlinear Optical Transmission". In: OFC, no. Th3G.2, March 2015.
- [772] Groumas et al.. "Multi-100 GbE and 400 GbE Interfaces for Intra-Data Center Networks Based on Arrayed Transceivers With Serial 100 Gb/s Operation". In: Journal of Lightwave Technology, vol. 33, pp. 943-954, February 2015.
- [773] Hmood et al.. "Performance analysis of an all-optical OFDM system in presence of non-linear phase noise". In: Optics Express, vol. 23, pp. 3886-3900, February 2015.
- [774] Hong et al.. "Linearly interpolated sub-symbol optical phase noise suppression in CO-OFDM system". In: Optics Express, vol. 23, pp. 4691-4702, February 2015.
- [775] Jarajreh et al.. "Artificial Neural Network Nonlinear Equalizer for Coherent Optical OFDM". In: IEEE Photonics Technology Letters, vol. 27, pp. 387-390, February 2015.
- [776] Kibria et al.. "All Optical Signal-Processing Techniques Utilizing Four Wave Mixing". In: Photonics, vol. 2, pp. 200-213, February 2015.
- [777] Medeiros et al.. "Wavelength Shift Tolerance of a Heterodyne Detection Scheme for Cost-Efficient DWDM-PON / 60 GHz Wireless Integration". In: Photonics West, vol. 9387, pp. 93870E-1 - 93870E-6, February 2015.
- [778] Foo et al.. "Optoelectronic method for inline compensation of XPM in long-haul optical links". In: Optics Express, vol. 23, pp. 859-872, January 2015.

2014

- [779] Chow et al.. "Wired and wireless convergent extended-reach optical access network using direct-detection of all-optical OFDM super-channel signal". In: Optics Express, vol. 22, pp. 30719-30724, December 2014.
- [780] Yan et al.. "A Low Complexity Compensation Algorithm Using Crosstalk Weight for Intra-channel Nonlinearity In CO-OFDM System". In: The Scientific World Journal, vol. (provisional), December 2014.
- [781] Yiannopoulos et al.. "Coverage Capabilities of a Multi-Wavelength Passive Optical Network Architecture". In: CAMAD - International Workshop on Computer-Aided Modeling Analysis and Design of Communication Links and Networks, no. pp. 51-55, December 2014.
- [782] Zafra et al.. "Phase noise tolerance study in coherent optical circular QAM transmissions with Viterbi-Viterbi carrier phase estimation". In: Optics Express, vol. 22, pp. 30579 - 30585, December 2014.
- [783] Leong et al.. "Dimensioning RS Codes for Mitigation of Phase Noise Induced Cycle Slips in DQPSK Systems". In: ACP, no. ATH4D.4, November 2014.
- [784] Leong et al.. "Dimensioning BCH Codes for Coherent DQPSK Systems With Laser Phase Noise and Cycle Slips". In: Journal of Lightwave Technology, vol. 32, no. 21, pp. 3446-3450, November 2014.
- [785] Liu et al.. "Rayleigh Crosstalk Mitigation in Channel-Reuse WDM-PON Using RZ-AMI Modulation and Optical Filtering". In: ACP, no. ATH3A.114, November 2014.
- [786] Louchet et al.. "Efficient BER estimation for simulation of coherent transmission systems including digital signal processing and forward-error-correction". In: ACP, no. AF1F.4, November 2014.
- [787] Lowery et al.. "All-optical generation of DFT-S-OFDM superchannels using periodic sinc pulses". In: Optics Express, vol. 22, pp. 27026-27041, November 2014.
- [788] Sackey et al.. "Kerr nonlinearity mitigation in 5 x 28-GBd PDM 16-QAM signal transmission over a dispersion-uncompensated link with backward-pumped distributed Raman amplification". In: Optics Express, vol. 22, pp. 27381 - 27391, November 2014.
- [789] Xiang et al.. "Photonic Generation of Power Efficient Millimeter-wave UWB Signals with Dual-band Operation Consideration". In: ACP, no. ATH3A.145, November 2014.
- [790] Zhang et al.. "ICI cancellation using symmetric subcarrier pairs with opposite weightings in CO-OFDM systems". In: ACP, no. ATH3A.121, November 2014.
- [791] Zhang et al.. "A Novel Cost-Effective WDM Self-Healing Ring for FMC Access Network". In: ACP, no. ATH3A.174, November 2014.
- [792] Zhixin et al.. "Experimental demonstration of a RGB-LED based visible light communication system employing Carrierless Amplitude and Phase modulation". In: ACP, no. ATH3A.133, November 2014.
- [793] Zhu et al.. "Inter-frame Iterative Carrier Frequency Offset Estimation for CO-OFDM System". In: ACP, no. ATH3A.115, November 2014.
- [794] Chow et al.. "OFDM RF power-fading circumvention for longreach WDM-PON". In: Optics Express, vol. 22, pp. 24392-24397, October 2014.
- [795] Larikova et al.. "Quantum Communications with Overlapping Time Modes: Optimal Receiver Capable of Dispersion Compensation". In: FiO/LS - Frontiers in Optics/Laser Science, no. FTu4A.4, October 2014.
- [796] Nguyen et al.. "Photonic Multiple Frequency Measurement Using a Frequency Shifting Recirculating Delay Line Structure". In: Journal of Lightwave Technology, vol. 32, pp. 3831 - 3838, October 2014.

- [797] Wang et al.. "Photonics-Enabled Sub-Nyquist Radio Frequency Sensing based on Temporal Channelization and Compressive Sensing". In: MWP/APMP - Microwave Photonics, International Topical Meeting on & Microwave Photonics Conference, Asia-Pacific, October 2014.
- [798] Andre et al.. "33% Capacity Improvement of a Direct-modulation Direct detection OFDM Link Using Adaptive Volterra Equalization". In: ECOC, no. P.3.12, September 2014.
- [799] Yao et al.. "Spectrum Superposition Based Chromatic Dispersion Estimation for Digital Coherent Receivers". In: ECOC, no. P.3.17, September 2014.
- [800] Fischer et al.. "Bandwidth-Variable Transceivers based on Four-Dimensional Modulation Formats". In: Journal of Lightwave Technology, vol. 32, pp. 2886-2895, August 2014.
- [801] Kaur et al.. "Low cost architecture to integrate multiple PONs to a long reach spectrum sliced WDM network". In: Optik - International Journal for Light and Electron Optics, vol. 125, no. 16, pp. 4513 - 4516, August 2014.
- [802] Vazquez et al.. "Unamplified 10-km transmission using direct-detection optical OFDM superchannel at 100 Gbps". In: LAOP - OSA Latin America Optics & Photonics Conference, no. LM4A.9, August 2014.
- [803] Xu et al.. "Analytical BER performance in differential n-PSK coherent transmission system influenced by equalization enhanced phase noise". In: Optics Communications, vol. 334, pp. 222-227, August 2014.
- [804] Zhang et al.. "Multi-service radio-over-fiber system with multiple base-station groups enabled by scalable generation of multi-frequency MMWs". In: Optics Communications, vol. 324, pp. 120 - 126, August 2014.
- [805] Abbade et al.. "All-Optical Phase and Delay Spectral Encoding of Signals with Advanced Modulation Formats". In: ICTON, no. Tu.B1.4, pp. 1 - 4, July 2014.
- [806] Aldaya et al.. "Simultaneous generation of WDM PON and RoF signals using a hybrid mode-locked laser". In: ICTON, no. We.D4.5, pp. 1 - 4, July 2014.
- [807] Aleksic et al.. "Towards a Smooth Integration of Quantum Key Distribution in Metro Networks". In: ICTON, no. Tu.B1.1, pp. 1 - 4, July 2014.
- [808] Cseh et al.. "Simulations of Air-Gap Mode Filtering Technique for Radio over Multimode Fiber System". In: ICTON, no. Th.A1.4, pp. 1 - 4, July 2014.
- [809] Escayola et al.. "Laser Linewidth Requirements for Remote Heterodyne OFDM Based PON Scenario". In: ICTON, no. Tu.A3.6, pp. 1 - 4, July 2014.
- [810] Giacomidis et al.. "Volterra-Based Reconfigurable Nonlinear Equalizer for Coherent OFDM". In: IEEE Photonics Technology Letters, vol. 26, no. 14, pp. 1383 - 1386, July 2014.
- [811] Glentis et al.. "Cost-Effective Adaptive Optical Network Technologies for Metropolitan Area Networks". In: ICTON, no. We.C1.5, pp. 1 - 4, July 2014.
- [812] Karelin et al.. "Parallel Simulations of Optical Communication Systems". In: ICTON, no. We.D1.4, pp. 1 - 4, July 2014.
- [813] Kaur et al.. "Performance analysis of WDM-PON architecture using different receiver filters". In: Optik - International Journal for Light and Electron Optics, pp. 1 - 3, July 2014.
- [814] Lembrikov et al.. "Transmission of Chaotically Encrypted Signals over an Optical Channel". In: ICTON, no. Tu.C2.4, July 2014.
- [815] Louchet et al.. "Link Emulation and Importance Sampling for Performance Estimation of DSP-based Transmission Systems". In: SPPcom, no. ST4D.2, July 2014.

- [816] Miliou et al.. "Heterogeneous 60 GHz / 5 GHz Broadband Optical Wireless Systems Supporting Dynamic Bandwidth Allocation". In: ICTON, no. Tu.D4.3, pp. 1 - 4, July 2014.
- [817] Niknamfar et al.. "Two Sub-Carriers Multiplexed Millimeter Wave Generation Using Mach-Zehnder Modulators". In: ICTON, no. Tu.D4.4, pp. 1 - 4, July 2014.
- [818] Pinto et al.. "Digital Equalization of Optical Nonlinearities in Very High-Speed Optical Communication Systems". In: ICTON, no. We.D1.1, pp. 1 - 5, July 2014.
- [819] Ribeiro et al.. "Design of an Analogue for Optically Digitised Radio-over-Fibre Signals". In: ICTON, no. We.C4.5, pp. 1 - 4, July 2014.
- [820] Ribeiro et al.. "Numerical Analysis of Sagnac Loop Incorporating a Semiconductor Optical Amplifier to Suppress the Unmodulated Optical Carrier in the Time Domain". In: ICTON, no. We.P.2, pp. 1 - 4, July 2014.
- [821] Ribeiro et al.. "Electrical Modulation of a Semiconductor Optical Amplifier Inserted into a Sagnac Loop by Injecting Microwave Carrier". In: ICTON, July 2014.
- [822] Shariati et al.. "Optimum CSPR Evaluation of Heterodyne Envelope Receivers in OFDM-PONs". In: ICTON, no. Tu.P.28, pp. 1 - 4, July 2014.
- [823] Andre et al.. "Analytical Formulation for SNR Prediction in DMDD OFDM-Based Access Systems". In: IEEE Photonics Technology Letters, vol. 26, no. 12, pp. 1255 - 1258, June 2014.
- [824] Do et al.. "Flexible Tracking Speed Data-Aided Coherent Optical System Using Golay Sequences". In: IEEE Photonics Journal, vol. 6, June 2014.
- [825] Zhu et al.. "Training-Aided Coherent Optical Single-Carrier System With Improved Nonlinearity Tolerance". In: IEEE Photonics Technology Letters, vol. 26, pp. 1211 - 1214, June 2014.
- [826] Arellano et al.. "Modeling and Tolerance Analysis of Monolithic InP-based Dual Polarization QPSK Transmitter". In: Compound Semiconductor Week, May 2014.
- [827] Louchet et al.. "Joint Carrier-Phase and Polarization Rotation Recovery for Arbitrary Signal Constellations". In: IEEE Photonics Technology Letters, vol. 26, pp. 922 - 924, May 2014.
- [828] Sung et al.. "A scalable and continuous-upgradable optical wireless and wired convergent access network". In: Optics Express, vol. 22, no. 11, pp. 12779 - 12784, May 2014.
- [829] Tan et al.. "Simultaneous Optical Performance Monitoring and Modulation Format/Bit-Rate Identification Using Principal Component Analysis". In: Journal of Optical Communications and Networking, vol. 6, pp. 441 - 448, May 2014.
- [830] Xu et al.. "Optical Nyquist filters based on silicon coupled resonator optical waveguides". In: Optics Communications, vol. 329, pp. 23 - 27, May 2014.
- [831] Bi et al.. "A bandwidth-efficient channel allocation scheme for mitigating FWM in ultra-dense WDM-PON". In: Optik - International Journal for Light and Electron Optics, vol. 125, no. 8, pp. 1957 - 1961, April 2014.
- [832] Chan et al.. "All-Optical Frequency Shifter Based on Stimulated Brillouin Scattering in an Optical Fiber". In: IEEE Photonics Journal, vol. 6, no. 2, pp. 6600210 - 6600210, April 2014.
- [833] Deng et al.. "Experimental Demonstration of Nonlinearity and Phase Noise Tolerant 16-QAM OFDM W-Band (75-110 GHz) Signal Over Fiber System". In: Journal of Lightwave Technology, vol. 32, no. 8, pp. 1442 - 1448, April 2014.
- [834] Giacomidis et al.. "Dual-polarization multi-band optical OFDM transmission and transceiver limitations for up to 500 Gb/s uncompensated long-haul links". In: Optics Express, vol. 22, no. 9, pp. 10975 - 10986, April 2014.

- [835] Jensen et al.. "VCSEL Based Coherent PONs". In: Journal of Lightwave Technology, vol. 32, pp. 1423 - 1433, April 2014.
- [836] Silva et al.. "Multiphysics design methodology for photonic-based phased array antennas". In: Microwave and Optical Technology Letters, vol. 56, no. 4, pp. 838 - 843, April 2014.
- [837] Yu et al.. "Widely Tunable Optical Decision Circuit Using a Monolithically Integrated SOA-SGDBR Laser". In: IEEE Photonics Technology Letters, vol. 26, no. 7, pp. 722 - 725, April 2014.
- [838] Aldaya et al.. "Analysis of the modulation impairments in optical sideband injection locking for millimeter-wave signal generation". In: Optics & Laser Technology, vol. 56, pp. 167 - 176, March 2014.
- [839] Cho et al.. "Cost-effective Next Generation Mobile Fronthaul Architecture with Multi-IF Carrier Transmission Scheme". In: OFC/NFOEC, no. Tu2B.6, March 2014.
- [840] Du et al.. "Channelized Chromatic Dispersion Compensation for XPM Suppression and Simplified Digital SPM Compensation". In: OFC/NFOEC, no. W2A.13, March 2014.
- [841] Du et al.. "Digital Fiber Nonlinearity Compensation: Toward 1-Tb/s transport". In: IEEE Signal Processing Magazine, vol. 31, no. 2, pp. 45 - 56, March 2014.
- [842] Li et al.. "Complementary frequency shifter based on polarization modulator used for generation of a high-quality frequency-locked multicarrier". In: Optics Letters, vol. 39, pp. 1513 - 1516, March 2014.
- [843] Maniotis et al.. "A 16GHz Optical Cache Memory Architecture for Set-Associative Mapping in Chip Multiprocessors". In: OFC/NFOEC, no. Th2A.6, March 2014.
- [844] Morshed et al.. "Reducing Nonlinear Distortion in Optical Phase Conjugation using a Midway Phase-Shifting Filter". In: OFC/NFOEC, no. W2A.56, March 2014.
- [845] Qian et al.. "Crosstalk optimization in low extinction-ratio switch fabrics". In: OFC/NFOEC, no. Th11.4, March 2014.
- [846] Rahim et al.. "16-Channel O-OFDM Demultiplexer in Silicon Photonics". In: OFC/NFOEC, no. Th3F.2, March 2014.
- [847] Sahhaf et al.. "All-Optical Tree-based Greedy Router". In: OFC/NFOEC, no. W2A.7, March 2014.
- [848] Tanaka et al.. "Beyond 5dB Nonlinear Raman Crosstalk Reduction via PSD Control of 10Gb/s OOK in RF-Video Coexistence Scenarios for Next-Generation PON". In: OFC/NFOEC, no. M3I.3, March 2014.
- [849] Zhang et al.. "Polarization multiplexed OFDM band interleaving enabled metro-access integrated networks". In: Optical Fiber Technology, vol. 20, no. 2, pp. 130 - 136, March 2014.
- [850] Zhu et al.. "Training-Aided PDM 64-QAM Transmission with Enhanced Fiber Nonlinearity Tolerance". In: OFC/NFOEC, no. M2A.7, March 2014.
- [851] Arellano et al.. "Modeling of Opto-Electronics in Complex Photonic Integrated Circuits". In: Photonics West, no. 89910Z, pp. 1 - 7, February 2014.
- [852] Louchet et al.. "Frequency, phase, and polarization-tracking algorithms for arbitrary four-dimensional signal constellations". In: Photonics West, no. 900907, pp. 1 - 7, February 2014.
- [853] Pleros et al.. "Optical RAM-enabled cache memory and optical routing for Chip Multiprocessors: technologies and architectures". In: Photonics West, no. 89910Z, pp. 1 - 8, February 2014.
- [854] Zuniga et al.. "Study of a mode-locked erbium-doped frequency-shifted-feedback fiber laser incorporating a broad bandpass filter: Numerical results". In: Optics Communications, vol. 322, pp. 54 - 60, February 2014.

- [855] Nguyen et al.. "Photonic Radio Frequency Memory Using Frequency Shifting Recirculating Delay Line Structure". In: Journal of Lightwave Technology, vol. 32, pp. 99 - 106, January 2014.
- [856] Shi et al.. "A novel modulation format of 50% RZ polarization interleaved multiplexing DQPSK with high CD and polarization crosstalk tolerance in high-speed self-homodyne receiving system". In: Optik - International Journal for Light and Electron Optics, vol. 125, pp. 272 - 275, January 2014.

2013

- [857] Alexoudi et al.. "Optical Cache Memory Peripheral Circuitry: Row and Column Address Selectors for Optical Static RAM Banks". In: Journal of Lightwave Technology, vol. 31, no. 24, pp. 4098 - 4110, December 2013.
- [858] Bhatia et al.. "Performance improvement for N x 80-Gb/s WDM transmission link with optimized alternate polarization". In: Optik - International Journal for Light and Electron Optics, vol. 124, no. 23, pp. 6013 - 6016, December 2013.
- [859] Chan et al.. "High conversion efficiency microwave photonic mixer based on stimulated Brillouin scattering carrier suppression technique". In: Optics Letters, vol. 38, no. 24, pp. 5292 - 5295, December 2013.
- [860] Embaye et al.. "Converged optical wireless network featuring active and dynamic routing of radio signals". In: HONET - International Conference on High Capacity Optical Networks and Enabling Technologies, pp. 219 - 222, December 2013.
- [861] Kibria et al.. "(IPC) A Photonic Correlation Scheme Using FWM With Phase Management to Achieve Optical Subtraction". In: IEEE Photonics Journal, vol. 5, no. 6, pp. 5502209, December 2013.
- [862] Maniotis et al.. "Optical Buffering for Chip Multiprocessors: A 16GHz Optical Cache Memory Architecture". In: Journal of Lightwave Technology, vol. 31, no. 24, pp. 4175 - 4191, December 2013.
- [863] Qureshi et al.. "Simulation of Semiconductor Fiber Ring Lasers for C-Band Applications". In: ICETET - International Conference on Emerging Trends in Engineering and Technology, pp. 20 - 21, December 2013.
- [864] Rodrigues et al.. "Plastic Optical Fibers in Access Networks". In: CETC - Conference on Electronics, Telecommunications and Computers, pp. 601 - 607, December 2013.
- [865] Yu et al.. "A Frequency Quadrupling Optical mm-Wave Generation for Hybrid Fiber-Wireless Systems". In: IEEE Journal on Selected Areas in Communications, vol. 31, no. 2, pp. 797 - 803, December 2013.
- [866] Abbasi et al.. "Fast Phase Shifted asymmetrical DFB laser for alloptical flip-flop operation". In: IEEE Photonics Society Benelux - Symposium, pp. 139 - 142, November 2013.
- [867] Do et al.. "Flexible bandwidth DGD estimation for coherent optical OFDM system". In: Optics Express, vol. 21, no. 22, pp. 25788 - 25795, November 2013.
- [868] Fazel et al.. "Extinction Ratio and BER Estimation of a Three Degree ROADM Node with Different WSS Placement". In: ACP, no. AF4E.6, November 2013.
- [869] Huang et al.. "10-Gbps RSOA-Based Transmission in WDM-PON with ESD-VSS based electronic Equalizers". In: ACP, no. AF2F.49, November 2013.
- [870] Li et al.. "Coherent Wavelength Conversion Based on Cascaded SSB Modulator and Semiconductor Optical Amplifier". In: ACP, no. AF3D.4, November 2013.
- [871] Lin et al.. "Novel Optimization Model for Cost-Effective LRPON Infrastructure Deployment". In: ACP, no. ATh4H.2, November 2013.
- [872] Lin et al.. "1 Tb/s WDM-OFDM-PON over 20km SSMF with Polarization Interleaving and Multi-band". In: ACP, no. AW4E.5, November 2013.
- [873] Liu et al.. "A Method of Combining PPC and ACE to Reduce PAPR in CO-OFDM System". In: ACP, no. AF2F.65, November 2013.
- [874] Louchet et al.. "LUT-Based Performance Estimation for Reconfigurable Non-Dispersion Managed WDM Systems". In: ACP, no. AF2F.5, November 2013.

- [875] Qiao et al.. "The Nonlinear Effects in Coherent Optical Transmission System". In: ACP, no. AF3D.1, November 2013.
- [876] Ribeiro et al.. "An Optical Pulse Generator from a Sinusoidal Optical Signal Using Sagnac Loop - Self-Sampling". In: LATINCOM - IEEE Latin-American Conference on Communications, no. hal-00935380, pp. 1 - 6, November 2013.
- [877] Tao et al.. "Advanced modulation formats for short reach optical communication systems". In: IEEE Network, vol. 27, no. 6, pp. 6 - 13, November 2013.
- [878] Xu et al.. "Mitigation of EEPN in Long-Haul n-PSK Coherent Transmission System Using Modified Optical Pilot Carrier". In: ACP, no. AF3E.1, November 2013.
- [879] Zhou et al.. "High resolution optical spectrum characterization using optical channel estimation and optical frequency combs technique". In: ACP, no. AF3F.1, November 2013.
- [880] Zhu et al.. "Mitigation of Noise Spread in CO-SCFDM System using Efficient Channel Estimation". In: ACP, no. AF4C.4, November 2013.
- [881] Zhuo et al.. "Dynamic Subcarrier Assignment for OFDM-PON Network Based on RSOA". In: ACP, no. AF2G.11, November 2013.
- [882] Andre et al.. "Adaptive nonlinear Volterra equalizer for mitigation of chirp-induced distortions in cost effective IMDD OFDM systems". In: Optics Express, vol. 21, no. 22, pp. 26527-26532, October 2013.
- [883] Aziz et al.. "Impact of Amplified Spontaneous Emission on the Travelling Wave Semiconductor Optical Amplifier Performance". In: IWOW - International Workshop on Optical Wireless Communications, pp. 123 - 127, October 2013.
- [884] Sanchez et al.. "Comprehensive Impairment and Performance Description of Directly Modulated/Detected OOFDM Systems". In: Journal of Lightwave Technology, vol. 31, no. 20, pp. 3277 - 3288, October 2013.
- [885] Cheng et al.. "Scalable, Low-Energy Hybrid Photonic Space Switch". In: Journal of Lightwave Technology, vol. 31, no. 18, pp. 3077 - 3084, September 2013.
- [886] Guiomar et al.. "Simplified Volterra Series Nonlinear Equalizer by Intra-Channel Cross-Phase Modulation Oriented Pruning". In: ECOC, no. We.3.C.6, September 2013.
- [887] Hussin et al.. "Fiber nonlinearity Mitigation in CO-OFDM Systems using Dual Compensators". In: IEEE Photonics Conference, no. MG1.2, pp. 117 - 118, September 2013.
- [888] Hussin et al.. "Improvement of RF-Pilot Phase Noise Compensation for Coherent Optical OFDM Systems via CPE Equalizer". In: IEEE Photonics Conference, no. MG1.5, pp. 123 - 124, September 2013.
- [889] Kibria et al.. "Optical Subtraction using Nonlinear Mixing". In: IEEE Photonics Conference, no. WC1.3, pp. 406 - 407, September 2013.
- [890] Schwarz et al.. "Tunable Two-Stage 6th order FIR-Filter for Residual Dispersion Compensation". In: ECOC, no. P.2.12, September 2013.
- [891] Sotiropoulos et al.. "Advanced Differential Modulation Formats for Optical Access Networks". In: Journal of Lightwave Technology, vol. 31, no. 17, pp. 2829 - 2843, September 2013.
- [892] Stampoulidis et al.. "Cost-effective Broadband GaAs IQ Modulator Array for Long-Reach OFDM-PONs". In: ECOC, no. We.1.F.4, September 2013.
- [893] Yang et al.. "Investigation of Polarization-Insensitive Phase Regeneration Using Polarization-Diversity Phase-Sensitive Amplifier". In: ECOC, no. P.3.9, September 2013.

- [894] Zhao et al.. "A CO-OFDM System With Almost Blind Phase Noise Suppression". In: IEEE Photonics Technology Letters, vol. 25, no. 17, pp. 1723 - 1726, September 2013.
- [895] Yu et al.. "Linearized Frequency Doubling for Microwave Photonics Links Using Integrated Parallel Mach-Zehnder Modulator". In: IEEE Photonics Journal, vol. 5, no. 4, pp. 5501108, August 2013.
- [896] Cano et al.. "Optimum Carrier to Signal Power Ratio for Remote Heterodyne DD-OFDM in PONs". In: IEEE Photonics Technology Letters, vol. 25, no. 13, pp. 1242 - 1245, July 2013.
- [897] Corsini et al.. "Blind Adaptive Chromatic Dispersion Compensation and Estimation for DSP-Based Coherent Optical Systems". In: Journal of Lightwave Technology, vol. 31, no. 13, pp. 2131 - 2139, July 2013.
- [898] Cseh et al.. "Improved receiver techniques for Radio over Multimode fiber systems". In: NOC - European Conference on Networks and Optical Communications, pp. 23 - 26, July 2013.
- [899] Fan et al.. "Optimal 16-Ary APSK Encoded Coherent Optical OFDM for Long-Haul Transmission". In: IEEE Photonics Technology Letters, vol. 25, no. 13, pp. 1199 - 1202, July 2013.
- [900] Giuntoni et al.. "Integrated Dispersion Compensator Based on Apodized SOI Bragg Gratings". In: IEEE Photonics Technology Letters, vol. 25, no. 14, pp. 1313 - 1316, July 2013.
- [901] Lin et al.. "Optical power monitoring for O-OFDM superchannel based on Wiener deconvolution". In: ICAIT - Advanced Infocomm Technology, pp. 249 - 250, July 2013.
- [902] Ribeiro et al.. "An all-optical Sampler for digitising Radio-over-Fibre transceivers". In: NOC - European Conference on Networks and Optical Communications, pp. 27 - 34, July 2013.
- [903] Ribeiro et al.. "Proposal and design of an all-optical encoder for digitising radio-over-fibre transceivers". In: NOC - European Conference on Networks and Optical Communications, pp. 35 - 42, July 2013.
- [904] Tremblay et al.. "Passive filterless core networks based on advanced modulation and electrical compensation technologies". In: Telecommunication Systems, vol. 52, July 2013.
- [905] Xu et al.. "Characteristics of XPM in coherent optical OFDM WDM transmission systems". In: Optics Communications, vol. 297, pp. 113-117, July 2013.
- [906] Zhang et al.. "Suppression of pattern dependence in 10 Gbps upstream transmission of WDM-PON with RSOA-based ONUs". In: Optics Communications, vol. 308, pp. 248, July 2013.
- [907] Zhou et al.. "Simple and Robust Chromatic Dispersion Estimation for RGI-CO-OFDM Systems". In: IEEE Photonics Technology Letters, vol. 25, no. 13, pp. 1222 - 1225, July 2013.
- [908] Abbade et al.. "A New All-Optical Cryptography Technique Applied to WDM-Compatible DPSK Signals". In: ICTON, no. We.B1.4, pp. 1-5, June 2013.
- [909] Aldaya et al.. "Novel Cost-Effective PON-to-mm-Wave RoF Photonic Bridge for Multigigabit Access Networks". In: ICTON, no. Th.B3.5, pp. 1-4, June 2013.
- [910] Andre et al.. "Equalization Techniques for High-Speed OFDM-Based Access Systems Using Direct Modulation and Direct Detection". In: ICTON, no. We.C1.3, pp. 1-6, June 2013.
- [911] Chung et al.. "Effects of Carrier Phase Estimation on Front-end IQ Mismatch Compensation in DP-QPSK Coherent Receiver". In: CLEO, OECC, no. TuPR-2, June 2013.
- [912] Cseh et al.. "Distortion Equalization in Multi-Mode Fiber Links Carrying Radio Frequency OFDM Signals". In: ICTON, no. Th.B3.1, pp. 1-4, June 2013.
- [913] Do et al.. "Data-Aided Second-Order Polarization-Mode Dispersion Estimation for QPSK and 16-QAM Coherent Optical Systems". In: CLEO, OECC, no. WR3-3, June 2013.

- [914] Escayola et al.. "OFDM-PON Performance with Limited Quantization". In: ICTON, no. We.A3.2, pp. 1-4, June 2013.
- [915] Fang et al.. "A phase noise estimation and suppression algorithm for PDM CO-OFDM". In: CLEO, OECC, no. TuPR-15, June 2013.
- [916] Gao et al.. "Residual Carrier-Aided Frequency Offset Estimation for Square 16-QAM Systems". In: CLEO, OECC, no. TuPR-8, June 2013.
- [917] Huang et al.. "Joint nonlinear electrical equalization in coherent optical PDM DFT-spread-OFDM systems". In: Chinese Optics Letters, vol. 11, no. 6, pp. 060601-1 - 060601-4, June 2013.
- [918] Hussin et al.. "Efficiency Enhancement of CO-OFDM Systems Using Different Pulse Shapes". In: CLEO, OECC, no. TuR4-4, June 2013.
- [919] Hussin et al.. "Analysis of Partial Pilot Filling Phase Noise Compensation for CO-OFDM Systems". In: IEEE Photonics Technology Letters, vol. 25, no. 12, pp. 1099 - 1102, June 2013.
- [920] Lin et al.. "Pre-compensation of Mach-Zehnder Modulator Nonlinearity for DD-OFDM System". In: CLEO, OECC, no. MP1-3, June 2013.
- [921] Morshed et al.. "Improving the Performance of Optical Phase Conjugator Using a Mid-way Filter". In: CLEO, OECC, no. TuR4-3, June 2013.
- [922] Niknamfar et al.. "OSSB and ODSB Configurations for RoF Transmission over DWDM Link". In: ICTON, no. Mo.D4.4, pp. 1-4, June 2013.
- [923] Pinto et al.. "Equalization of Fiber Impairments Using High-Speed Digital Signal Processing". In: ICTON, no. Tu.B1.2, pp. 1-5, June 2013.
- [924] Walsh et al.. "Demonstrating Doubly-Differential Quadrature Phase Shift Keying in the Optical Domain". In: IEEE Photonics Technology Letters, vol. 25, no. 11, pp. 1054 - 1057, June 2013.
- [925] Wang et al.. "Performance evaluation of (D)APSK modulated coherent optical OFDM system". In: Optical Fiber Technology, vol. 19, no. 3, pp. 242-249, June 2013.
- [926] Xiong et al.. "A Novel Approach to Realizing SSB Modulation With Optimum Optical Carrier to Sideband Ratio". In: IEEE Photonics Technology Letters, vol. 25, no. 12, pp. 1114 - 1117, June 2013.
- [927] Yan et al.. "A Simple Receiving System Design for a 172.8-Gb/s Double-Sided Multiband Direct-Detected O-OFDM System". In: CLEO, OECC, no. TuPR-13, June 2013.
- [928] Zhang et al.. "On the Pragmatic Turbo Equalizer for Optical Communications". In: CLEO, OECC, no. ThR2-4, June 2013.
- [929] Zhou et al.. "Efficient Joint Carrier Frequency Offset and Phase Noise Compensation Scheme for High-Speed Coherent Optical OFDM Systems". In: Journal of Lightwave Technology, vol. 31, no. 11, pp. 1755-1761, June 2013.
- [930] Chow et al.. "Bend and twist insensitive large core multimode fiber (LCMMF) for baseband and ROF in-home data transmission". In: Optics Communications, vol. 294, pp. 78-82, May 2013.
- [931] Jacobsen et al.. "Study of EEPN mitigation using modified RF pilot and Viterbi-Viterbi based phase noise compensation". In: Optics Express, vol. 21, no. 10, pp. 12351 - 12362, May 2013.
- [932] Jazayerifar et al.. "Performance Evaluation of DWDM Communication Systems With Fiber Optical Parametric Amplifiers". In: Journal of Lightwave Technology, vol. 31, no. 9, pp. 1454 - 1461, May 2013.

- [933] Tang et al.. "Novel survivable scheme for OFDM passive optical network". In: *Optik - International Journal for Light and Electron Optics*, May 2013.
- [934] Jun et al.. "The Gordon-Mollenauer Effect in 112 Gbit/s DP-QPSK Systems". In: *Chinese Physics Letters*, vol. 30, no. 8, pp. 084203-1 - 084203-4, May 2013.
- [935] Yu et al.. "Direct detection OFDMA-PON based on optical single sideband modulation and polarisation multiplexing". In: *Transactions on Emerging Telecommunications Technologies*, vol. DOI: 10.1002/ett.2678, pp. 1 - 7s, May 2013.
- [936] Chow et al.. "Using Downstream DPSK and Upstream Wavelength-Shifted ASK for Rayleigh Backscattering Mitigation in TDM-PON to WDM-PON Migration Scheme". In: *IEEE Photonics Journal*, vol. 5, no. 12, pp. 7900407, April 2013.
- [937] Kastro et al.. "Mitigation of Nonlinear Effects Using Uniform Power Transmission in Coherent OOFDM Systems". In: *ICT*, pp. 583 - 588, April 2013.
- [938] Ribeiro et al.. "A Thresholder for All-Optical Digitising Radio-over-Fibre Transceivers". In: *ONDM*, pp. 161 - 166, April 2013.
- [939] Tait et al.. "The DREAM: An Integrated Photonic Thresholder". In: *Journal of Lightwave Technology*, vol. 31, no. 8, pp. 1263 - 1272, April 2013.
- [940] Xu et al.. "Carrier phase estimation methods in coherent transmission systems influenced by equalization enhanced phase noise". In: *Optics Communications*, vol. 293, pp. 54-60, April 2013.
- [941] Yi et al.. "Symmetric 40-Gb/s TWDM-PON With 39-dB Power Budget". In: *IEEE Photonics Technology Letters*, vol. 25, no. 7, pp. 644 - 647, April 2013.
- [942] Hajjar et al.. "Indoor optical wireless Gbps link dimensioning". In: *OFC/NFOEC*, no. NTu3J.3, March 2013.
- [943] Kannan et al.. "Fiber Non-Linearity Mitigation in OFDM based Optical Networks". In: *CSIT - International Conference on Computer Science and Information Technology*, pp. 85 - 90, March 2013.
- [944] Li et al.. "Experimental Demonstration of a Symmetric 40-Gb/s TWDM-PON". In: *OFC/NFOEC*, no. NTh4F.3, March 2013.
- [945] Liu et al.. "Multi-band QPSK signal transmission implemented with remote up-conversion and Schottky RF detectors in a 60-GHz millimeter wave radio-over-fiber system". In: *Optical Fiber Technology*, vol. 19, no. 4, pp. 285-288, March 2013.
- [946] Sun et al.. "Improved all optical chromatic dispersion monitoring method for WDM systems". In: *Optical Fiber Technology*, vol. 19, no. 2, pp. 115 - 120, March 2013.
- [947] Wang et al.. "Chromatic dispersion estimation methods using polynomial fitting in PDM-QPSK or other multilevel-format coherent optical systems". In: *Optical Fiber Technology*, vol. 19, no. 2, pp. 162-168, March 2013.
- [948] Watts et al.. "Detailed experimental phase noise characterization of Y-branch lasers for use in coherent communication systems". In: *OFC/NFOEC*, no. JW2A.32, March 2013.
- [949] Wu et al.. "Green and Agile Petabit Optical Sub-wavelength Switching Prototype for the Future OTN Multi-Chassis Switch Cluster". In: *OFC/NFOEC*, no. OM3A.3, March 2013.
- [950] Ye et al.. "Interplay of Filtering and Nonlinear Transmission in Coherent Uncompensated DWDM System". In: *OFC/NFOEC*, no. OM3B.4, March 2013.
- [951] Yu et al.. "All-Optical Phase Conjugation Using a 90 degree Optical Hybrid and Nested SOA-MZIs". In: *OFC/NFOEC*, no. OW4C.6, March 2013.

- [952] Zong et al.. "40/100/400 Gb/s Mixed Line Rate Transmission Performance in Flexgrid Optical Networks". In: OFC/NFOEC, no. OTu2A.2, March 2013.
- [953] Arellano et al.. "Efficient Design of Photonic Integrated Circuits (PICs) by Combining Device- and Circuit- level Simulation Tools". In: Photonics West, February 2013.
- [954] Chan et al.. "Single sideband suppressed carrier modulator based frequency shifting recirculating delay line microwave photonic filter". In: Optics & Laser Technology, vol. 45, pp. 160-167, February 2013.
- [955] Hall et al.. "Radio-over-Fibre access for sustainable Digital Cities". In: Annals of Telecommunications, vol. 68, no. 1-2, pp. 3-21, February 2013.
- [956] Huang et al.. "High-Capacity Fiber Field Trial Using Terabit/s All-Optical OFDM Superchannels With DP-QPSK and DP-8QAM/DP-QPSK Modulation". In: Journal of Lightwave Technology, vol. 31, no. 4, pp. 546 - 553, February 2013.
- [957] Basilio et al.. "Effect of the degree of phase-correlation of laser sources on the transmission and optical coherent detection in radio-over-fibre systems". In: Proceedings of SPIE, vol. 8645, pp. 86450E 1-10, February 2013.
- [958] Proietti et al.. "An All-Optical Token Technique Enabling a Fully-Distributed Control Plane in AWGR-Based Optical Interconnects". In: Journal of Lightwave Technology, vol. 31, no. 3, pp. 414 - 422, February 2013.
- [959] Wabnitz et al.. "Importance Sampling Analysis of PMD Outages in PDM-QPSK Coherent Nonlinear Transmissions". In: IEEE Photonics Technology Letters, vol. 25, no. 3, pp. 264 - 267, February 2013.
- [960] Khaleghi et al.. "Experimental Validation of Numerical Simulations and Performance Analysis of a Coherent Optical-OFDM Transmission System Employing a Semiconductor Optical Amplifier". In: Journal of Lightwave Technology, vol. 31, no. 1, pp. 161 - 170, January 2013.
- [961] Lecaplain et al.. "Polarization-domain-wall complexes in fiber lasers". In: Journal of the Optical Society of America, vol. 30, no. 1, pp. 211-218, January 2013.
- [962] Morshed et al.. "Mid-Span Spectral Inversion for Coherent Optical OFDM Systems: Fundamental Limits to Performance". In: Journal of Lightwave Technology, vol. 31, no. 1, pp. 58 - 66, January 2013.
- [963] Sui et al.. "Fast and Robust Blind Chromatic Dispersion Estimation Using Auto-Correlation of Signal Power Waveform for Digital Coherent Systems". In: Journal of Lightwave Technology, vol. 31, no. 2, pp. 306 - 312, January 2013.

2012

- [964] Dalky et al.. "Impact of cascaded optical filters on 100 Gb/s PM-QPSK and 400 Gb/s PM-16QAM coherent communication systems". In: ICCSII - International Conference on Computer Systems and Industrial Informatics, pp. 1 - 4, December 2012.
- [965] Chan et al.. "Photonic RF Phase Shifter Based on Optical Carrier and RF Modulation Sidebands Amplitude and Phase Control". In: Journal of Lightwave Technology, vol. 30, no. 23, pp. 3672 - 3678, December 2012.
- [966] Gao et al.. "Assessment of Intrachannel Nonlinear Compensation for 112 Gb/s Dual-Polarization 16QAM Systems". In: Journal of Lightwave Technology, vol. 30, no. 24, pp. 3902 - 3910, December 2012.
- [967] Qiao et al.. "Quadrature imbalance compensation algorithm based on statistical properties of signals in CO-QPSK system". In: Chinese Optics Letters, vol. 10, no. 12, pp. 120601-1 - 120601-4, December 2012.
- [968] Saiki et al.. "Investigation of chromatic dispersion effect on 802.16 WiMax over long haul transmission distances". In: HONET - International Conference on High Capacity Optical Networks and Enabling Technologies, pp. 027 - 031, December 2012.
- [969] Shang et al.. "Study of the all-optical high-speed OFDM transmission system based on MAMSK modulation". In: Optical Fiber Technology, vol. 18, no. 6, pp. 440-446, December 2012.
- [970] Zihui et al.. "A Novel Optical Comb Source Utilizing EAM-based Fiber Loops". In: IMCCC - International Conference on Instrumentation, Measurement, Computer, Communication and Control, pp. 1270 - 1273, December 2012.
- [971] Yu et al.. "Optical signal to noise ratio monitoring using a novel optical notch filtering scheme". In: Photonics Global Conference, pp. 1 - 4, December 2012.
- [972] Cao et al.. "Decision-Aided, Pilot-Aided, Decision-Feedback Phase Estimation for Coherent Optical OFDM Systems". In: IEEE Photonics Technology Letters, vol. 24, no. 22, pp. 2067 - 2069, November 2012.
- [973] Chen et al.. "A Scalable Metro-Access Integrated Network System with Reconfigurable WDM Central Ring and High-quality OFDMA Access Trees". In: ACP, no. AF4A.29, pp. 1-3, November 2012.
- [974] Deng et al.. "Nonlinearity Impact on In-Band Crosstalk Penalties for 112-Gb/s PDM-CO-OFDM Transmission". In: ACP, no. AF4A.42, pp. 1-3, November 2012.
- [975] Fang et al.. "A time-domain channel estimation algorithm for CO-OFDM". In: ACP, no. AS4G.3, pp. 1-3, November 2012.
- [976] Li et al.. "An optical millimeter-wave vector signal generation scheme by frequency quadrupling". In: Optics Communications, vol. 285, no. 24, pp. 5429-5432, November 2012.
- [977] Lin et al.. "100-Gb/s Multi-band OFDM-PON Based on Polarization Interleaving and Direct Detection". In: ACP, no. ATh3D.5, pp. 1-3, November 2012.
- [978] Lin et al.. "Comparison of DSB and SSB transmission for OFDM-PON". In: Journal of Optical Communications and Networking, vol. 4, no. 11, pp. B94 - B100, November 2012.
- [979] Richter et al.. "Modeling challenges for large-scale photonic integrated circuits". In: ACP, no. AW2A.4, November 2012.
- [980] Xu et al.. "Analysis of Carrier Phase Extraction Methods in 112-Gbit/s NRZ-PDM-QPSK Coherent Transmission System". In: ACP, no. AS1C.2, pp. 1-3, November 2012.
- [981] Xu et al.. "Influence of Digital Dispersion Equalization on Phase Noise Enhancement in Coherent Optical System". In: ACP, no. AS1C.3, pp. 1-3, November 2012.

- [982] Xu et al.. "An improved novel joint channel estimation algorithm for the 112 Gbit/s PDM CO-OFDM system". In: *Optik - International Journal for Light and Electron Optics*, vol. 123, no. 21, pp. 1998-2001, November 2012.
- [983] Yu et al.. "Low Cost and CD Insensitive Optical Signal to Noise Ratio Monitoring Method Using Beat Noise". In: *ICCS - IEEE International Conference on Communication Systems*, pp. 41 - 44, November 2012.
- [984] Zeng et al.. "Multi-channel equalization of OFDM signal". In: *ACP*, no. AS4G.4, pp. 1-3, November 2012.
- [985] Chow et al.. "10 Gb/s optical carrier distributed network with W-band (0.1 THz) short-reach wireless communication system". In: *Optics Communications*, vol. 285, no. 21-22, pp. 4307-4311, October 2012.
- [986] Do et al.. "Data-Aided Chromatic Dispersion Estimation for Polarization Multiplexed Optical Systems". In: *IEEE Photonics Journal*, vol. 4, no. 5, pp. 2037 - 2049, October 2012.
- [987] Salleh et al.. "Simulation design for AOPR WDM/TDM PON system architecture using WDM to OTDM XGM". In: *APCC*, pp. 366 - 371, October 2012.
- [988] Do et al.. "Training Sequences in 16-QAM and QPSK Coherent Pol-Mux Single-Carrier Systems". In: *IEEE Photonics Conference*, no. WE1, pp. 449-450, September 2012.
- [989] Louchet et al.. "Generalized Scaling Laws for Kerr-Induced Signal Distortions in Nondispersion-Managed Systems". In: *IEEE Photonics Technology Letters*, vol. 24, no. 18, pp. 1618-1620, September 2012.
- [990] Morshed et al.. "Performance Limitation of Coherent Optical OFDM Systems with non-ideal Optical Phase Conjugation". In: *IEEE Photonics Conference*, no. TuU4, pp. 394-395, September 2012.
- [991] Rafique et al.. "Scaling the Advantages of Intra-channel Nonlinearity Compensation in Future Flexible Optical Networks". In: *ECOC*, no. P4.18, September 2012.
- [992] Tatkeu et al.. "Theoretical and Experimental Performances Evaluation of a New Multiple Access Technique for Optical Fibers". In: *International Journal of Information Engineering*, vol. 2, no. 3, pp. 129-137, September 2012.
- [993] Zhu et al.. "Computationally Efficient Nonlinearity Compensation for Coherent Fiber-Optic Systems". In: *ZTE Communications*, vol. 10, no. 3, pp. 12 - 15, September 2012.
- [994] Belkin et al.. "A Microwave Optoelectronic Oscillator: Mach-Zehnder Modulator or VCSEL Based Layout Comparison". In: *Progress In Electromagnetics Research Symposium*, pp. 1138 - 1142, August 2012.
- [995] Chan et al.. "New equivalent continuously tunable high-resolution microwave photonic bandpass filter". In: *Microwave and Optical Technology Letters*, vol. 54, no. 11, pp. 2584-2587, August 2012.
- [996] Dong et al.. "OSNR monitoring for QPSK and 16-QAM systems in presence of fiber nonlinearities for digital coherent receivers". In: *Optics Express*, vol. 20, no. 17, pp. 19520-19534, August 2012.
- [997] Islam et al.. "Simplified Generation, Transport, and Data Recovery of Millimeter-Wave Signal in a Full-Duplex Bidirectional Fiber-Wireless System". In: *IEEE Photonics Technology Letters*, vol. 24, no. 16, pp. 1428-1430, August 2012.
- [998] Tait et al.. "A dual resonator enhanced asymmetric Mach-Zehnder: Ultrafast passive threshold for silicon-on-insulator". In: *OMN - International Conference on Optical MEMS and Nanophotonics*, pp. 212 - 213, August 2012.
- [999] Vilar et al.. "Silicon-based photonic ring resonators for optical OFDM demultiplexing". In: *GFP - IEEE International Conference on Group IV Photonics*, pp. 108 - 110, August 2012.
- [1000] Wabnitz et al.. "Mitigation of Nonlinear and PMD Impairments by Bit-Synchronous Polarization Scrambling". In: *Journal of Lightwave Technology*, vol. 30, no. 15, pp. 2494-2501, August 2012.

- [1001] Abbade et al.. "An All-Optical OCDMA Encoder with Simultaneous Signal Regeneration based on Cross-Gain Modulation in Semiconductor Optical Amplifiers". In: ICTON, no. Tu.P.15, pp. 1-4, July 2012.
- [1002] Aldaya et al.. "Generation of OFDM Signals in the 60 GHz Band Using the Sideband Injection Locking Technique for Radio over Fiber". In: ICTON, no. Tu.P.18, pp. 1-4, July 2012.
- [1003] Amin et al.. "Performance of Adaptive Optical Transmission by Orthogonal Frequency-Shift Keying". In: IEEE Photonics Technology Letters, vol. 24, no. 13, pp. 1079 - 1081, July 2012.
- [1004] Bento et al.. "Performance Comparison between Single and Dual-Arm MZM in 60 GHz OFDM-RoF System with OSSB Modulation". In: ICTON, no. Tu.P.19, pp. 1-4, July 2012.
- [1005] Cao et al.. "Pre-distortion versus Post-equalization for IQ Mismatch Compensation in CO-OFDM". In: OECC, no. 4B3-2, pp. 160-161, July 2012.
- [1006] Cseh et al.. "Optical Transmission of OFDM m-QAM RF Signals: Comparison of Direct and External Modulations". In: ICTON, no. Tu.D4.3, pp. 1-5, July 2012.
- [1007] Do et al.. "PMD Monitoring in 16-QAM Coherent Optical System using Golay Sequences". In: OECC, no. 6B3-5, pp. 767-768, July 2012.
- [1008] Gao et al.. "Cycle-slip resilient carrier phase estimation for polarization multiplexed 16-QAM systems". In: OECC, no. 4B2-4, pp. 154-155, July 2012.
- [1009] Giacomidis et al.. "100 Gb/s Coherent Optical Polarization Multiplexed Multi-Band-OFDM (MB-OFDM) Transmission for Long-Haul Applications". In: ICTON, no. We.B1.2, pp. 1-4, July 2012.
- [1010] Giacomidis et al.. "Quantitative Comparison of Low-Cost OFDMA-PON Transceiver Implementations". In: ICTON, no. We.D3.4, pp. 1-4, July 2012.
- [1011] Iida et al.. "Optical diversity transmission and maximum ratio combine in multi-core fiber to mitigate fiber non-linear distortion". In: OECC, no. 6B2-5, pp. 757-758, July 2012.
- [1012] Karelin et al.. "Dual-Time-Scale Simulation of Dynamics and Reconfiguration of Fiber Optical Networks". In: ICTON, no. Mo.C1.5, pp. 1-4, July 2012.
- [1013] Kim et al.. "Feed-forward Optical Carrier Phase Noise Compensation in M-QAM Transmitter". In: OECC, no. 4B2-1, pp. 148-149, July 2012.
- [1014] Kuzmin et al.. "Phase Noise Performance of the Multilevel Interferometric Direct Detection Receivers". In: ICTON, no. Tu.C1.4, pp. 1-4, July 2012.
- [1015] Llorente et al.. "Cost and Energy Efficient Multi-Standard OFDM Integrated Optical Access and In-Building Network Architecture". In: ICTON, no. Mo.C3.1, pp. 1-5, July 2012.
- [1016] Medeiros et al.. "Transmission Limitations of WiMax over Fibre Transmission Employing Optical Up-Conversion Schemes". In: ICTON, no. Th.A3.3, pp. 1-4, July 2012.
- [1017] Parmigiani et al.. "Packet Compression of Complex Modulation Formats Based on Coherent Optical Superposition". In: ICTON, no. Mo.B2.3, pp. 1-4, July 2012.
- [1018] Pinto et al.. "Flexible Optical Receivers". In: ICTON, no. Tu.C1.3, pp. 1-4, July 2012.
- [1019] Wang et al.. "APSK Modulated CO-OFDM System With Increased Tolerance Toward Fiber Nonlinearity". In: IEEE Photonics Technology Letters, vol. 24, no. 13, pp. 1085-1087, July 2012.
- [1020] Yang et al.. "A New Nonlinearity Compensation Method for Coherent Optical OFDM Systems". In: OECC, no. P1-9, pp. 325-326, July 2012.

- [1021] Yang et al.. "Optical QPSK Regeneration Using Dual-Pump Degenerate Phase-Sensitive Amplification". In: OECC, no. 6F2-4, pp. 907-908, July 2012.
- [1022] Zhao et al.. "Energy Efficient Spectrum Allocation in Loadadaptive Bandwidth-variable Switching Networks". In: OECC, no. 3A2-4, pp. 24-25, July 2012.
- [1023] Ahmed et al.. "Performance Analysis of Optical CDMA System Using VC Code Family Under Various Optical Parameters". In: Journal of Engineering Science and Technology, vol. 7, no. 3, pp. 303 - 321, June 2012.
- [1024] Cao et al.. "Decision-Aided Joint Compensation of Transmitter IQ Mismatch and Phase Noise for Coherent Optical OFDM". In: IEEE Photonics Technology Letters, vol. 24, no. 12, pp. 1066-1068, June 2012.
- [1025] Guemri et al.. "Radio-over-Fibre Transmission of Multiple Wireless Standards for Digital Cities: Exploiting the New Tramway Infrastructure". In: ACCESS - International Conference on Access Networks, pp. 1 - 6, June 2012.
- [1026] Guiomar et al.. "Receiver-side digital signal processing for 100-GE coherent optical transmission systems". In: NOC - European Conference on Networks and Optical Communications, pp. 1 - 6, June 2012.
- [1027] Khan et al.. "Optical Performance Monitoring Using Artificial Neural Networks Trained With Empirical Moments of Asynchronously Sampled Signal Amplitudes". In: IEEE Photonics Technology Letters, vol. 24, no. 12, pp. 982-984, June 2012.
- [1028] Kozlov et al.. "Multichannel Raman polarizer with suppressed relative intensity noise for wavelength division multiplexing transmission lines". In: Optics Letters, vol. 37, no. 11, pp. 2073-2075, June 2012.
- [1029] Li et al.. "Performance Analysis of a Photonic-Assisted Periodic Triangular-Shaped Pulses Generator". In: Journal of Lightwave Technology, vol. 30, no. 11, pp. 1617 - 1624, June 2012.
- [1030] Marconi et al.. "Experimental Analysis of All-optical 4-ASK Signal Generation through Parametric Amplification". In: Journal of Microwaves, Optoelectronics and Electromagnetic Applications, vol. 11, no. 1, pp. 174-191, June 2012.
- [1031] Vilar et al.. "160-Gb/s optical OFDM demultiplexer based on photonic ring resonators". In: NOC - European Conference on Networks and Optical Communications, pp. 1 - 5, June 2012.
- [1032] Chen et al.. "OCDMA-based 60-GHz radio-over-fiber system for next generation wireless access networks". In: ICMMT - International Conference on Microwave and Millimeter Wave Technology, no. 4, pp. 1 - 4, May 2012.
- [1033] Chow et al.. "Method to improve the spectral efficiency of heterogeneous optical wired and wireless long-reach access network". In: COIN - International Conference on Optical Internet, pp. 42 - 43, May 2012.
- [1034] Cseh et al.. "Optical transmission of OFDM NQAM signals by direct laser modulation". In: MIKON - International Conference on Microwave Radar and Wireless Communications, pp. 523 - 526, May 2012.
- [1035] Dris et al.. "Frequency Offset Estimation in M-QAM coherent optical systems using phase entropy". In: CLEO, pp. 1 - 2, May 2012.
- [1036] Madamopoulos et al.. "A Fully Distributed 10G-EPON-based Converged Fixed-Mobile Networking Transport Infrastructure for Next Generation Broadband Access". In: Journal of Optical Communications and Networking, vol. 4, no. 5, pp. 366-377, May 2012.
- [1037] Molina et al.. "Benefits and drawbacks of SPM in single-channel 10 Gb/s DPSK transmission". In: COLCOM - IEEE Colombian Communications Conference, pp. 1 - 5, May 2012.
- [1038] Rodriguez et al.. "DPSK for optical access networks". In: COLCOM - IEEE Colombian Communications Conference, pp. 1 - 5, May 2012.

- [1039] Xiang et al.. "Photonic generation of frequency-coded microwave signals using a polarization modulator and equivalent-chirped sampled Bragg gratings". In: HSIC - International High Speed Intelligent Communication Forum, pp. 1 - 4, May 2012.
- [1040] Xiang et al.. "A novel approach to photonic generation of high speed PPM coded UWB signals". In: ICMMT - International Conference on Microwave and Millimeter Wave Technology, pp. 1 - 4, May 2012.
- [1041] Hwang et al.. "Design and implementation of an optical OFDM baseband receiver in FPGA". In: VLSI-DAT - International Symposium on VLSI Design, Automation and Test, pp. 1 - 4, April 2012.
- [1042] Jacobsen et al.. "EPPN and CD study for coherent optical nPSK and nQAM systems with RF pilot based phase noise compensation". In: Optics Express, vol. 20, no. 8, pp. 8862-8870, April 2012.
- [1043] Mingaleev et al.. "Towards system-level modeling of large-scale active photonic integrated circuits, Recent advances and remaining challenges". In: ECIO, April 2012.
- [1044] Rahim et al.. "Finite Impulse Response Filter Using 4-Port MMI Couplers for Residual Dispersion Compensation". In: Journal of Lightwave Technology, vol. 30, no. 7, pp. 990-996, April 2012.
- [1045] Sheng et al.. "All-optical in-band optical signal-to-noise monitoring method based on degenerated four-wave mixing". In: IET Optoelectronics, vol. 6, no. 2, pp. 107 - 109, April 2012.
- [1046] Yu et al.. "UWB Monocycle Generation and Bi-Phase Modulation Based on Mach-Zehnder Modulator and Semiconductor Optical Amplifier". In: IEEE Photonics Journal, vol. 4, no. 2, pp. 327 - 339, April 2012.
- [1047] Zhang et al.. "Evaluation of four-dimensional nonbinary LDPC-coded modulation for next-generation long-haul optical transport networks". In: Optics Express, vol. 20, no. 8, pp. 9296-9301, April 2012.
- [1048] Chen et al.. "Self-adaptive diversity reception of ultra-low-power signal for FSO communication system". In: Electronics Letters, vol. 48, no. 7, pp. 385 - 387, March 2012.
- [1049] Chow et al.. "Optical carrier distributed network with 0.1 THz short-reach wireless communication system". In: OFC/NFOEC, pp. 1 - 3, March 2012.
- [1050] Chughtai et al.. "Influence of polarization state, baud rate and PMD on non-linear impairments in WDM systems with mixed PM (D)QPSK and OOK channels". In: Optics Express, vol. 20, no. 7, pp. 8155-8160, March 2012.
- [1051] Do et al.. "Chromatic Dispersion Estimation in 40 Gb/s Coherent Polarization-Multiplexed Single Carrier System using Complementary Golay Sequences". In: OFC/NFOEC, no. OW4G.1, March 2012.
- [1052] Dris et al.. "Phase Entropy-Based Frequency Offset Estimation for Coherent Optical QAM Systems". In: OFC/NFOEC, no. OTu2G.4, March 2012.
- [1053] Fan et al.. "Optically Demultiplexed Orthogonal Wavelength Division Multiplexing for Terabit Networking Systems". In: OFC/NFOEC, no. OW11.1, March 2012.
- [1054] Huynh et al.. "Novel coherent self-heterodyne receiver based on phase modulation detection". In: Optics Express, vol. 20, no. 6, pp. 6610-6615, March 2012.
- [1055] Kroushkov et al.. "A Simple Estimation of XPM and XPolM Induced Penalties in Hybrid OOK-PSK Systems". In: OFC/NFOEC, no. OTu1A.3, March 2012.
- [1056] Li et al.. "Optical Burst-mode Coherent Receiver with a Fast Tunable LO for Receiving Multi-wavelength Burst Signals". In: OFC/NFOEC, no. OTu1G.3, March 2012.
- [1057] Liu et al.. "Baud-Rate Back-propagation for Intra-channel Nonlinear Impairments Compensation". In: OFC/NFOEC, no. OM3A.7, March 2012.

- [1058] Liu et al.. "Design and analysis of an orthogonal frequency division multiplexing millimeter wave signal generation and distribution with dual driver Mach-Zehnder modulator and semiconductor optical amplifier". In: Optical Engineering, vol. 51, no. 3, pp. 035001-1 - 035001-8, March 2012.
- [1059] Lowery et al.. "Sensitivity to Phase Errors of Fourier Transforms using Arrayed Waveguide Grating Routers for Optical OFDM". In: OFC/NFOEC, no. JTh2A.7, March 2012.
- [1060] Ng et al.. "Optimised non-uniform biasing technique for a highspeed optical router to achieve uniform semiconductor optical amplifier gain". In: IET Communications, vol. 6, no. 5, pp. 484 - 491, March 2012.
- [1061] Rafique et al.. "Nonlinearity Compensation via Spectral Inversion and Digital Back-Propagation: A Practical Approach". In: OFC/NFOEC, no. OM3A.1, March 2012.
- [1062] Sui et al.. "Fast and robust chromatic dispersion estimation using auto-correlation of signal power waveform for DSP based-coherent systems". In: OFC/NFOEC, pp. 1 - 3, March 2012.
- [1063] Ye et al.. "A Simple Criterion for Performance Estimation of 112Gb/s PDM-QPSK WDM System over Uncompensated Links". In: OFC/NFOEC, no. JW2A.45, March 2012.
- [1064] Yeh et al.. "Adaptive 6.25-40 Gb/s downstream rate using four-band OFDM channels within 10 GHz bandwidth for long-reach PON access". In: OFC/NFOEC, no. JTh2A.51, March 2012.
- [1065] Zhang et al.. "Rate-Adaptive Four-Dimensional Nonbinary LDPC-Coded Modulation for Long-Haul Optical Transport Networks". In: OFC/NFOEC, no. JW2A.46, March 2012.
- [1066] Kroushkov et al.. "Simple Estimation of the XPM-Induced Phase Error Variance in Hybrid OOK-PSK Systems". In: IEEE Photonics Technology Letters, vol. 24, no. 9, pp. 733 - 735, February 2012.
- [1067] Liu et al.. "Intrachannel Nonlinearity Compensation by Inverse Volterra Series Transfer Function". In: Journal of Lightwave Technology, vol. 30, no. 3, pp. 310-316, February 2012.
- [1068] Sanchez et al.. "OFDM-IDMA for Uplink Transmission in Passive Optical Networks". In: IEEE Photonics Journal, vol. 4, no. 1, pp. 1 - 13, February 2012.
- [1069] Zhang et al.. "Performance Improvement of Optical OFDMA-PON Using Data Clipping and Additional Phases". In: IEEE Photonics Technology Letters, vol. 24, no. 4, pp. 255-257, February 2012.
- [1070] Huang et al.. "Mixed Line-Rate Transmission (112-Gb/s, 450-Gb/s, and 1.15-Tb/s) Over 3560 km of Field-Installed Fiber With Filterless Coherent Receiver". In: Journal of Lightwave Technology, vol. 30, no. 4, pp. 609 - 617, February 2012.
- [1071] Antoniadou et al.. "WDM Systems and Networks - Modeling, Simulation, Design and Engineering". In: OECC, no. 5B1-5, pp. 447-448, January 2012.
- [1072] Arellano et al.. "Time-and-frequency-domain modeling (TFDM) of hybrid photonic integrated circuits". In: Photonics West, no. 8265, 82650K, January 2012.
- [1073] Caballero et al.. "High-Capacity 60 GHz and 75-110 GHz Band Links Employing All-Optical OFDM Generation and Digital Coherent Detection". In: Journal of Lightwave Technology, vol. 30, no. 1, pp. 147-155, January 2012.
- [1074] Chowdhury et al.. "On the Design of Energy-Efficient Mixed-Line-Rate (MLR) Optical Networks". In: Journal of Lightwave Technology, vol. 30, no. 1, pp. 130-139, January 2012.
- [1075] Hong et al.. "Sensitivity improvement and carrier power reduction in direct-detection optical OFDM systems by subcarrier pairing". In: Optics Express, vol. 2, no. 2, pp. 1635-1648, January 2012.
- [1076] Richter et al.. "Detailed Modeling of Integrated IQ-Transmitters for 100G+ Applications". In: Photonics West, no. 8284, 82840L, January 2012.

- [1077] Stamatiadis et al.. "The BOOM Project: Towards 160 Gb/s Packet Switching Using SOI Photonic Integrated Circuits and Hybrid Integrated Optical Flip-Flops". In: Journal of Lightwave Technology, vol. 30, no. 1, pp. 22-30, January 2012.

2011

- [1078] Assimakopoulos et al.. "Multi-channel signal transmission through radio over fiber architecture". In: IEEE Globecom, pp. 152-156, December 2011.
- [1079] Chen et al.. "A Tone Reservation based Optical OFDM System for Short-range IM/DD Transmission". In: Journal of Lightwave Technology, vol. 29, no. 24, pp. 3824 - 3833, December 2011.
- [1080] Huang et al.. "Transmission of Spectral Efficient Super-Channels Using All-Optical OFDM and Digital Coherent Receiver Technologies". In: Journal of Lightwave Technology, vol. 29, pp. 3838-3844, December 2011.
- [1081] Liu et al.. "Transmission of four channels SCM over fiber and nonlinear compensation for RSOA external modulators". In: GC Wkshps - IEEE GLOBECOM Workshops, pp. 147 - 151, December 2011.
- [1082] Pincemin et al.. "40 Gbps WDM Transmission Performance Comparison Between Legacy and Ultra Low Loss G.652 Fibers". In: Journal of Lightwave Technology, vol. 29, pp. 3587 - 3598, December 2011.
- [1083] Rafique et al.. "Various Nonlinearity Mitigation Techniques Employing Optical and Electronic Approaches". In: IEEE Photonics Technology Letters, vol. 23, pp. 1838-1840, December 2011.
- [1084] Yeh et al.. "40 Gb/s on-off keying downstream and 10 Gb/s on-off keying remodulated upstream signals in long-reach access network with multivideo services". In: Optical Engineering, vol. 50, no. 12, pp. 125008-1 - 125008-4, December 2011.
- [1085] Zhang et al.. "Novel Approach for Performance Improvement of Optical OFDMA-based PON Using Data Clipping and Additional Phases". In: IEEE Photonics Technology Letters, vol. 23, December 2011.
- [1086] Bao et al.. "50Gbps DDO-OFDM Transmission After 80km Without DCF Based on An Electro-absorption Modulator". In: ICOCN, pp. 1-2, November 2011.
- [1087] Belkin et al.. "Tunable RF-Band optoelectronic oscillator and optoelectronic computer-added design model for its simulation". In: Microwave and Optical Technology Letters, vol. 53, no. 11, pp. 2474-2477, November 2011.
- [1088] Belkin et al.. "Microwave-band optoelectronic frequency converters based on long wavelength VCSELs". In: COMCAS, pp. 1-5, November 2011.
- [1089] Cui et al.. "All-Optical Highly Sensitive Chromatic Dispersion Monitoring Method Utilizing Phase-Matched Four-Wave Mixing". In: IEEE Photonics Technology Letters, vol. 23, pp. 1724-1726, November 2011.
- [1090] Do et al.. "Chromatic dispersion estimation based on complementary Golay sequences for 80 Gb/s QPSK single-carrier system with frequency domain equalization". In: ATNAC - Australasian Telecommunication Networks and Applications Conference, pp. 1 - 4, November 2011.
- [1091] Guo et al.. "Analysis of Nonlinear Effects in RSOA-Based OFDM-PON". In: ACP, no. 8309_77, November 2011.
- [1092] Huynh et al.. "Coherent Phase Modulation Detection for Self-Heterodyne Phase Noise Measurement". In: ACP, no. 8309_73, November 2011.
- [1093] Jiang et al.. "A novel OFDM-PON architecture based on all-optical waveform and flat frequency comb generation for 100 GB/S optical access". In: CCWMC - IET International Communication Conference on Wireless Mobile and Computing, pp. 164 - 168, November 2011.
- [1094] Karinou et al.. "Influence of Transmission Impairments on the OSMOSIS HPC Optical Interconnect Architecture". In: Journal of Lightwave Technology, vol. 29, pp. 3167-3177, November 2011.

- [1095] Khairi et al.. "Investigation on the Upgrade of Existing 10Gbps Metro DWDM Networks to 40Gbps Based On Measured PMD Data of Deployed Fiber in Malaysia". In: ACP, no. 8309_110, November 2011.
- [1096] Louchet et al.. "Pitfalls when simulating 40/100G upgrade of legacy 10G WDM transmission systems". In: ACP, no. 8309-53, 8309, 83091H, November 2011.
- [1097] Mehedy et al.. "Scalable and Spectrally Efficient Long-Reach Optical Access Networks Employing Frequency Interleaved Directly Detected Optical OFDM". In: Journal of Optical Communications and Networking, vol. 3, no. 11, pp. 881-889, November 2011.
- [1098] Papaioannou et al.. "A 320 Gb/s-Throughput Capable 2x2 Silicon-Plasmonic Router Architecture for Optical Interconnects". In: Journal of Lightwave Technology, vol. 29, pp. 3185-3195, November 2011.
- [1099] Qiu et al.. "OFDM-PON Optical Fiber Access Technologies". In: ACP, no. 8309_74, November 2011.
- [1100] Xu et al.. "Symbol timing synchronization algorithm for 112Gbit/s PDM". In: ACP, no. 8309_17, November 2011.
- [1101] Xu et al.. "Phase noise mitigation in coherent transmission system using a pilot carrier". In: ACP, no. 8309_35, November 2011.
- [1102] Yingxiong et al.. "Optical 16QAM modulation based on DD-MZM in radio-over-fiber system". In: CCWMC - IET International Communication Conference on Wireless Mobile and Computing, pp. 371 - 374, November 2011.
- [1103] Zeng et al.. "Performance Analysis of the LCoS-Based Switching Nodes in Elastic Optical Path Network". In: ACP, no. 8309_108, November 2011.
- [1104] Zhan et al.. "A Scheme of Optical 16-QAM Signal Generation Based on Nest-SOA-MZI". In: ACP, no. 8309_90, November 2011.
- [1105] Zhang et al.. "D-mPSK-PolSK toward cost-effective application of polarization". In: ACP, no. 8309_57, pp. 1 - 6, November 2011.
- [1106] Zhou et al.. "Performance of optical OFDM transmission over RoF system with Mach-Zehnder modulator". In: ACP, no. 8309_40, November 2011.
- [1107] Cao et al.. "Decision-aided joint compensation of channel distortion and transmitter IQ imbalance for coherent optical OFDM". In: MWP/APMP, pp. 312 - 315, October 2011.
- [1108] Fagotto et al.. "Wavelength-Shift-Free All-Optical 2R Regeneration via Four-Wave Mixing". In: Photonics Conference, no. WU1, October 2011.
- [1109] Hajjar et al.. "Fiber-distributed indoor high bitrate optical wireless system". In: WPMC - International Symposium on Wireless Personal Multimedia Communications, pp. 1 - 5, October 2011.
- [1110] Huynh et al.. "Coherent Optical Receiver using Phase Modulation Detection". In: Photonics Conference, no. ThL5, October 2011.
- [1111] Kanai et al.. "Coexistence-type 40G-class WDM/TDM-PON employing short wavelength region (1.1 1.2 um) with direct laser modulation". In: Photonics Conference, pp. 939 - 940, October 2011.
- [1112] Moghaddam et al.. "Physical impairment of monitoring trails in all optical transparent networks". In: ICUMT - International Congress on Ultra Modern Telecommunications and Control Systems and Workshops, pp. 1 - 7, October 2011.
- [1113] Olsson et al.. "112-Gb/s RF-Assisted Multicarrier DP-16-QAM Optical Transmission Over Field Deployed Fiber Link". In: IEEE Photonics Technology Letters, vol. 23, pp. 1367-1369, October 2011.

- [1114] Olsson et al.. "RF-assisted transmitter and receiver for 100G optical transmission". In: MWP/APMP - Microwave Photonics, International Topical Meeting on & Microwave Photonics Conference, Asia-Pacific, pp. 180 - 183, October 2011.
- [1115] Rafique et al.. "Comparative Analysis on the Mitigation of Intra Channel Nonlinearities in WDM Mesh Networks". In: Photonics Conference, no. ThT2, October 2011.
- [1116] Sakib et al.. "Low-Density Parity-Check Coding in Ultra-Wideband-Over-Fiber Systems". In: IEEE Photonics Technology Letters, vol. 23, pp. 1493-1495, October 2011.
- [1117] Stamatiadis et al.. "Silicon-on-Insulator Nanowire Resonators for Compact and Ultra-High Speed All-Optical Wavelength Converters". In: Journal of Lightwave Technology, vol. 29, pp. 3054 - 3060, October 2011.
- [1118] Wang et al.. "Research on indoor visible light communication system employing white LED lightings". In: ICCTA - International Conference on Communication Technology and Application, pp. 934 - 937, October 2011.
- [1119] Almeida et al.. "Distribution of MB-OFDM UWB and millimeter-wave WPAN signals on hybrid FTTH networks". In: ICUWB - International Conference on Ultra-Wideband, pp. 243 - 247, September 2011.
- [1120] Caballero et al.. "Engineering Rules for Optical Generation and Detection of High Speed Wireless Millimeter-wave Band Signals". In: ECOC, no. We.10.P1.115, September 2011.
- [1121] Cao et al.. "A novel scheme of generating multi-frequency spectral amplitude code labels by employing a single laser and a Fabry-Perot tunable filter". In: ICCT - IEEE International Conference on Communication Technology, pp. 531 - 533, September 2011.
- [1122] Chen et al.. "Scalable Passive Optical Network Architecture for Reliable Service Delivery". In: Journal of Optical Communications and Networking, vol. 3, no. 09, pp. 667-673, September 2011.
- [1123] Chung et al.. "Companding Transform based SPM Compensation in Coherent Optical OFDM Transmission". In: ECOC, no. We.9.A.4, September 2011.
- [1124] Fok et al.. "Optical Layer Security in Fiber-Optic Networks". In: IEEE Transactions on Information Forensics and Security, vol. 6, no. 3, pp. 725 - 736, September 2011.
- [1125] Frascella et al.. "A Novel Phase Stabilization Scheme for DPSK CoWDM Signals using High Order Four Wave Mixing". In: ECOC, no. We.8.A.2, September 2011.
- [1126] Hong et al.. "Improving the Sensitivity of Direct-Detection Optical OFDM Systems by Pairing of the Optical Subcarriers". In: ECOC, no. Th.11.B.2, September 2011.
- [1127] Khaleghi et al.. "SOA Modeling for Advanced Optical Modulation Formats". In: NUSOD, pp. 97 - 98, September 2011.
- [1128] Louchet et al.. "Characterization and Mitigation of Nonlinear Impairments in Multi-Span Transmissions using an Equivalent Single-Span Model". In: ECOC, no. We.10.P1.68, September 2011.
- [1129] Louchet et al.. "Capacity Upgrade of Legacy Fiber Plant using Space Division Multiplexing and Multimode/Multicore EDFAs". In: ECOC, no. We.10.P1.74, September 2011.
- [1130] Mingaleev et al.. "Hybrid Time-and-Frequency-Domain Approach for Modeling Photonic Integrated Circuits". In: NUSOD, pp. 183-184, September 2011.
- [1131] Nai et al.. "A Novel Vehicle-to-Infrastructure Communication System Providing Triple Play Services Based on Radio-Over-Fiber Technique". In: WiCOM - International Conference on Wireless Communications, Networking and Mobile Computing, pp. 1 - 4, September 2011.
- [1132] Rafique et al.. "Impact of Longitudinal Power Budget in Coherent Systems Employing Digital Back-Propagation". In: ECOC, no. We.10.P1.54, September 2011.

- [1133] Rafique et al.. "Nonlinear Penalties in Dynamic Optical Networks Employing Autonomous Transponders". In: IEEE Photonics Technology Letters, vol. 23, pp. 1213-1215, September 2011.
- [1134] Beltran et al.. "Experimental Analysis of 60-GHz VCSEL and ECL Photonic Generation and Transmission of Impulse-Radio Ultra-Wideband Signals". In: IEEE Photonics Technology Letters, vol. 23, pp. 1055-1057, August 2011.
- [1135] Chow et al.. "Rayleigh Backscattering Circumvention in Ring-Based Access Network Using RSOA-ONU". In: IEEE Photonics Technology Letters, vol. 23, pp. 1121-1123, August 2011.
- [1136] Kozlov et al.. "Suppression of Relative Intensity Noise in Fiber-Optic Raman Polarizers". In: IEEE Photonics Technology Letters, vol. 23, no. 15, pp. 1088-1090, August 2011.
- [1137] Tait et al.. "Integrated Optical Rectifier Based on Microresonator Enhanced Switching". In: MIRTHER Summer Workshop, August 2011.
- [1138] Cao et al.. "Decision-aided carrier phase estimation for coherent optical OFDM". In: OECC, pp. 425 - 426, July 2011.
- [1139] Cseh et al.. "Cost effective RoF with VCSELs and multimode fiber". In: NOC - European Conference on Networks and Optical Communications, no. BAT - 10, pp. 60 - 63, July 2011.
- [1140] Cui et al.. "Power transfer function-based dispersion monitoring method applicable to signals with different duty cycles and optical signal-to-noise ratio". In: Optical Engineering, vol. 50, no. 7, pp. 075008-1 - 075008-5, July 2011.
- [1141] Fan et al.. "Toward Terabit Optical Access Network Using Spectrally-efficient, Polarization-Interleaved Orthogonal Wavelength-Division-Multiplexing". In: Photonics Society Summer Topicals, no. MC2.2, July 2011.
- [1142] Giacomidis et al.. "Group Delay Ripple Reduction in Cascaded ROADMs by Adaptively Modulated Optical OFDM signals for Metro/Regional Networks". In: NOC - European Conference on Networks and Optical Communications, pp. 88-91, July 2011.
- [1143] Guo et al.. "Demonstration of 1 Gb/s x 15-User CDM Over WDM-PON Using Electrical Spatial Coding and Subcarrier Multiplexing". In: IEEE Photonics Technology Letters, vol. 23, pp. 953-955, July 2011.
- [1144] Jacobsen et al.. "Receiver implemented RF pilot tone phase noise mitigation in coherent optical nPSK and nQAM systems". In: Optics Express, vol. 19, pp. 14487-14494, July 2011.
- [1145] Liu et al.. "Performance analysis and optimization design: photonic millimeter-wave signal generation using nondegenerate four-wave mixing in semiconductor optical amplifier and distribution over fiber". In: Optical Engineering, vol. 50, no. 7, pp. 075005-1 - 075005-9, July 2011.
- [1146] Lowery et al.. "All-optical OFDM transmitter design using AWGRs and low-bandwidth modulators". In: Optics Express, vol. 19, pp. 15696-15704, July 2011.
- [1147] Andrade et al.. "Distribution of OFDM radio signals over optical fiber". In: Electronica e Telecomunicacoes, vol. 5, no. 3, pp. 331 - 338, June 2011.
- [1148] Arellano et al.. "Efficient Design of Photonic Integrated Circuits". In: ICTON, no. Th.A4.1, June 2011.
- [1149] Avo et al.. "Comparative Study of Optical Up-Conversion Schemes". In: ICTON, no. Tu.A5.3, June 2011.
- [1150] Cano et al.. "Physical Layer Evaluation of OFDM-Based Access Networks". In: ICTON, no. Tu.A6.6, June 2011.
- [1151] Chang et al.. "Optimization of Operating Conditions for 112-Gb/s Polarization-Multiplexed 16-QAM Optical Modulation". In: IEEE Photonics Technology Letters, vol. 23, pp. 724-726, June 2011.

- [1152] Chochol et al.. "Frequency Offset Compensation Loop for 16-QAM Optical Coherent Systems". In: ICTON, no. Tu.P.7, June 2011.
- [1153] Chughtai et al.. "Dependence of Non-Linear Impairments on Polarization State and Baud Rate in WDM Systems with Mixed DQPSK and OOK Channels". In: ICTON, no. We.D1.6, June 2011.
- [1154] Giacomidis et al.. "Mitigation Techniques for Peak-to-Average Power Ratio and Optical Beat Interference in OFDMA-PONs". In: ICTON, no. Tu.C6.3, June 2011.
- [1155] Hajjar et al.. "Fibre-fed multipoint indoor optical wireless system". In: GROWAN - International Symposium on Green Radio over Fibre & All Optical technologies for Access Networks, no. C14, pp. 59 - 62, June 2011.
- [1156] Kavatzikidis et al.. "Extensive Study of Intensity Modulated and Direct Detected Electrical OFDM signals for Long Reach and Ultra-High Speed Access Networks". In: IEEE Future Network & Mobile Summit, June 2011.
- [1157] Llorente et al.. "Optical architectures evaluation for triple-play distribution in FIVER project". In: FutureNetw, pp. 1 - 8, June 2011.
- [1158] Llorente et al.. "Evaluation of UHDTV signal transmission in FTTH networks using next generation WiMedia UWB". In: FutureNetw, pp. 1 - 8, June 2011.
- [1159] Louchet et al.. "Comparison of XPM and XpolM-Induced Impairments in Mixed 10G - 100G Transmission". In: ICTON, no. We.B1.1, June 2011.
- [1160] Martinez et al.. "Performance evaluation of a multi-layer reconfigurable optical-wireless network architecture employing digitized RoF". In: FutureNetw, pp. 1-8, June 2011.
- [1161] Milosavljevic et al.. "Next Generation PONs with Wireless Backhauling". In: ICTON, no. Mo.B4.1, June 2011.
- [1162] Milosavljevic et al.. "Wireless Convergence over Next Generation OFDMA-PONs". In: ANIC, no. ATuB3, June 2011.
- [1163] Minh et al.. "Investigation of Imperfect Control Pulse Effect on Performance of the All-Optical Pulse-Position-Modulation Routing Scheme". In: ICTON, no. Tu.B1.4, June 2011.
- [1164] Mishra et al.. "Comb Generator for 100 Gbit/s OFDM and Low-loss Comb-Line Combiner Using the Optical Inverse Fourier Transform (IFFT)". In: ICTON, no. We.A1.4, June 2011.
- [1165] ORiordan et al.. "Variable Optical Frequency Comb Source Using a Dual Parallel Mach-Zehnder Modulator". In: ICTON, no. Tu.B1.5, June 2011.
- [1166] Pei et al.. "Performance of RF Signal Transmission Over Coherence Multiplexing Systems". In: Journal of Lightwave Technology, vol. 29, pp. 1764-1774, June 2011.
- [1167] Rafique et al.. "Modified Split-Step Fourier Method for Compensation of Nonlinear Fibre Impairments". In: ICTON, no. Tu.P.5, June 2011.
- [1168] Rafique et al.. "Fundamental Limitations of Digital Back-Propagation in Coherent Transmission Systems". In: ICTON, no. We.C1.5, June 2011.
- [1169] Tavassoli et al.. "Probability based modeling of cross phase modulation in 16-QAM dispersion compensated coherent systems". In: Optics Express, vol. 19, pp. 13334-13342, June 2011.
- [1170] Villafranca et al.. "Programmable All-Optical Logic Gates Based on Semiconductor Optical Amplifiers". In: ICTON, no. We.B5.6, June 2011.
- [1171] Zhang et al.. "High-Speed Long-Haul Optical Transmission Using Four-Dimensional LDPC-Coded Modulation". In: ICTON, no. Th.B3.2, June 2011.

- [1172] Kuindersma et al.. "Design of Optical Pulse Envelope Ring Oscillator (OPERO) and fabrication in Generic InP technology". In: CLEO, no. JTul83, May 2011.
- [1173] Mehedy et al.. "Single-Channel Directly Detected Optical-OFDM Towards Higher Spectral Efficiency and Simplicity in 100 Gb/s Ethernet and Beyond". In: Journal of Optical Communications and Networking, vol. 3, no. 5, pp. 426-434, May 2011.
- [1174] Mishra et al.. "A novel cost-effective combine generation and cross-talk mitigation in optical OFDM signal using optical iFFT circuits". In: ICT, pp. 107 - 112, May 2011.
- [1175] Wang et al.. "8 x 400-Gbit/s PDM-QPSK with 100 GHz Channel Spacing Over 2000km Transmission Using MAP Detection". In: CLEO, no. CThH3, May 2011.
- [1176] Yang et al.. "Robustness of Coherent SPE-OCDMA to Combined Dispersion Impairments". In: CLEO, no. JWA5, May 2011.
- [1177] Zheng et al.. "Investigation of DWDM over OCDMA System Based on Parallely Combined SSFBG Encoder/Decoders". In: SOPO, pp. 1-3, May 2011.
- [1178] Chan et al.. "Multiple-Tap, Tunable Microwave Photonic Interference Mitigation Filter". In: Journal of Lightwave Technology, vol. 29, pp. 1069-1076, April 2011.
- [1179] ElRazak et al.. "Duobinary modulation format and unequal channel spacing integration to suppress four-wave mixing crosstalk in WDM systems". In: SIEPCPC - Saudi International Electronics, Communications and Photonics Conference, pp. 1 - 5, April 2011.
- [1180] Laurencio et al.. "Transmission performance of 60 GHz signals generated by OSSB upconversion". In: EUROCON - International Conference on Computer as a Tool, pp. 1 - 4, April 2011.
- [1181] Peng et al.. "A baseband receiver for optical OFDM systems". In: VLSI-DAT - International Symposium on VLSI Design, Automation and Test, pp. 1 - 4, April 2011.
- [1182] Xu et al.. "Analytical estimation of phase noise influence in coherent transmission system with digital dispersion equalization". In: Optics Express, vol. 9, no. 8, pp. 7756-7768, April 2011.
- [1183] Zhao et al.. "A 40Gbps SSB-OFDMA-PON Architecture Using Direct-Detection and Source-Free ONUs Supporting Dynamic Bandwidth Allocation". In: CMC - Third International Conference on Communications and Mobile Computing, pp. 223 - 225, April 2011.
- [1184] Caballero et al.. "Distributed MIMO Antenna Architecture for Wireless-over-Fiber Backhaul with Multicarrier Optical Phase Modulation". In: OFC/NFOEC, no. OWT8, March 2011.
- [1185] Chen et al.. "An Optimal Tone Reservation Method for IM/DD Optical OFDM Transmission in Multimode Fiber". In: OFC/NFOEC, no. OMS7, March 2011.
- [1186] Fehratovic et al.. "Power Consumption and Scalability of Optically Switched Interconnects for High-Capacity Network Elements". In: OFC/NFOEC, no. JWA84, March 2011.
- [1187] Gumaste et al.. "OLARP: Open Lambda Assignment and Routing Problem - Bandwidth Multiplier for Metro and Access Networks". In: OFC/NFOEC, no. OTh11, March 2011.
- [1188] Hraimel et al.. "Optical Single-Sideband Modulation With Tunable Optical Carrier to Sideband Ratio in Radio Over Fiber Systems". In: Journal of Lightwave Technology, vol. 29, pp. 775-781, March 2011.
- [1189] Hsueh et al.. "Performance Assessment of Radio Links Using Millimeter-Wave Over Fiber Technology With Carrier Suppression Through Modulation Index Enhancement". In: Journal of Optical Communications and Networking, vol. 3, no. 3, pp. 254-258, March 2011.

- [1190] Rafique et al.. "The Impact of Signal-ASE Four-Wave Mixing in Coherent Transmission Systems". In: OFC/NFOEC, no. OTh02, March 2011.
- [1191] Rafique et al.. "Performance Improvement by Fibre Nonlinearity Compensation in 112 Gb/s PM M-ary QAM". In: OFC/NFOEC, no. OW06, March 2011.
- [1192] Sakib et al.. "Impact of RF Noise on Transmission Performance of Multiband OFDM UWB over Fiber Systems". In: OFC/NFOEC, no. JWA41, pp. 1 - 3, March 2011.
- [1193] Tao et al.. "A Modulation Scheme for 100Gb/s Minimum-Shift Keying Format based on Imbalanced Bias in IQ Components". In: OFC/NFOEC, no. JThA43, March 2011.
- [1194] Wang et al.. "Performance Investigation of Polarization-Multiplexed 16-QAM using All-Optical OFDM Transmission and Digital Coherent Detection". In: OFC/NFOEC, no. OMS5, March 2011.
- [1195] Wang et al.. "Comparison of Two CS-SSB Modulators Used in Bidirectional Carrier Distributed Long-Reach Passive Optical Network". In: OFC/NFOEC, no. JWA77, March 2011.
- [1196] Zhang et al.. "Optimum Signal Constellation Design for Rotationally Symmetric Optical Channel with Coherent Detection". In: OFC/NFOEC, no. OTh03, March 2011.
- [1197] Zhang et al.. "Design and analysis of flexible colorless remote node using RSOA-assisted Michelson interferometer". In: Chinese Optics Letters, vol. 9, no. 2, pp. 020606-1 - 020606-4, February 2011.
- [1198] Milosavljevic et al.. "Multi-Wavelength WiMAX-PONs With Overlapping Cells". In: Journal of Optical Communications and Networking, vol. 3, no. 2, pp. 172-177, February 2011.
- [1199] Neumann et al.. "Dispersion Estimation via Vestigial Sideband Filtering Using an Optical Delay Line Filter". In: Journal of Optical Communications and Networking, vol. 3, pp. 155-161, February 2011.
- [1200] Othman et al.. "Performance evaluation of spectral amplitude codes for OCDMA PON". In: ONDM, pp. 1 - 5, February 2011.
- [1201] Rafique et al.. "Impact of signal-ASE four-wave mixing on the effectiveness of digital back-propagation in 112 Gb/s PM-QPSK systems". In: Optics Express, vol. 19, pp. 3449-3454, February 2011.
- [1202] Silva et al.. "Multiservices and multiband optical signal generation for hybrid access networks". In: ONDM, pp. 1 - 6, February 2011.
- [1203] Arellano et al.. "Design of complex large-scale photonic integrated circuits (PICs) based on ring-resonator structures". In: Photonics West, no. 7933-23, 7933, 79330U, January 2011.
- [1204] Awad et al.. "Adaptation of the Mode Group Diversity Multiplexing Technique for Radio Signal Transmission Over Multimode Fiber". In: Journal of Optical Communications and Networking, vol. 3, no. 1, pp. 1-9, January 2011.
- [1205] Mateo et al.. "Selective Post-Compensation of Nonlinear Impairments in Polarization-Division Multiplexed WDM Systems with Different Channel Granularities". In: IEEE Journal of Quantum Electronics, vol. 47, pp. 109-116, January 2011.
- [1206] Monoyios et al.. "Multiobjective Genetic Algorithms for Solving the Impairment-Aware Routing and Wavelength Assignment Problem". In: Journal of Optical Communications and Networking, vol. 3, no. 1, pp. 40-47, January 2011.
- [1207] Richter et al.. "Multi-layer photonics modeling framework for the design, analysis, and optimization of devices, links, and networks". In: Photonics West, no. 7959-20, 7959, 79590L, January 2011.
- [1208] Khan et al.. "Chromatic dispersion monitoring for multiple modulation formats and data rates using sideband optical filtering and asynchronous amplitude sampling technique". In: Optics Express, vol. 19, no. 2, pp. 1007, January 2011.
DOI: 10.1364/oe.19.001007

2010

- [1209] Chung et al.. "Mitigation of Imperfect Carver-Induced Phase Distortions in a Coherent PM-RZ-QPSK Receiver". In: Journal of Lightwave Technology, vol. 28, pp. 3506-3511, December 2010.
- [1210] Liu et al.. "Numerical Modeling and Experimental Testing of Reflective Semiconductor Optical Amplifier (RSOA) with Modulation Bandwidth Optimization". In: ACP, no. Th13, December 2010.
- [1211] Liu et al.. "Compensating Gordon-Mollenauer Phase Noise by Optical Phase Conjugation for 40Gb/s CO-OFDM system". In: ACP, no. SuA5, December 2010.
- [1212] Liu et al.. "The Phase Compensator for Laser Linewidth of 100Gb/s PDM-CO-OFDM System". In: ACP, no. SuA7, December 2010.
- [1213] Louchet et al.. "Performance Monitoring for Coherent DP-QPSK Systems based on Stokes Vector Analysis". In: ACP, no. FA5, December 2010.
- [1214] Qiao et al.. "Fiber Nonlinearity Post-compensation via Spectral Inversion for 40Gb/s Long-haul CO-OFDM System". In: ACP, no. SuA6, December 2010.
- [1215] Taebi et al.. "Effect of AWG Filtering on Spectrally-Sliced WDM-PONs Deploying RSOAs". In: ACP, no. SB4, December 2010.
- [1216] Tao et al.. "Coherent Detection of 40-Gb/s Optical Minimum-Shift Keying Modulation". In: ACP, no. P3, December 2010.
- [1217] Wang et al.. "Comparison between MZI and single phase-modulator for generating 112-Gbit/s PDM-QPSK signal". In: ACP, no. P16, December 2010.
- [1218] Xie et al.. "The Study of Wavelength Interval between Adjacent ONUs in OFDMA-PON". In: ACP, no. SuB4, December 2010.
- [1219] Xu et al.. "Digital Chromatic Dispersion Compensation in Coherent Transmission System Using a Time-Domain Filter". In: ACP, no. P7, December 2010.
- [1220] YaMei et al.. "Optical Receiver Sensitivity Analysis for Electronic Code Division Multiple Access Over Passive Optical Network". In: ACP, no. FC4, December 2010.
- [1221] Younce et al.. "PDL Impairment on 40 and 100G Pol-Mux Transmission". In: ACP, no. FA4, December 2010.
- [1222] Yu et al.. "A Robust Optical Phase Modulated 60 GHz RoF WDM System". In: ACP, no. SG3, December 2010.
- [1223] Chan et al.. "Microwave Photonic Signal Processing without Coherent Interference Limitations". In: Journal of Microwave and Optical Technology, vol. 5, pp. 445-454, November 2010.
- [1224] Farrell et al.. "Spectral gain control using shaped pump pulses in a counter-pumped cascaded fiber Raman amplifier". In: Optics Express, vol. 18, pp. 24126-24139, November 2010.
- [1225] James et al.. "Nonlinearity and Noise Effects in Multi-Level Signal Millimeter-Wave Over Fiber Transmission Using Single and Dual Wavelength Modulation". In: IEEE Transactions on Microwave Theory and Techniques, vol. 58, no. 11, pp. 3189-3198, November 2010.
- [1226] Mehedy et al.. "Frequency interleaving towards spectrally efficient directly detected optical OFDM for next-generation optical access networks". In: Optics Express, vol. 18, pp. 23161-23172, October 2010.
- [1227] Richter et al.. "Dynamic Events in Optical Networks - Emulation and Performance Impact Analysis". In: Milcom, no. 1083-1087, pp. 1083-1087, October 2010.

- [1228] Sakib et al.. "Impact of Laser Relative Intensity Noise on a Multiband OFDM Ultrawideband Wireless Signal Over Fiber System". In: Journal of Optical Communications and Networking, vol. 2, no. 10, pp. 841-847, October 2010.
- [1229] Freund et al.. "Investigation of DSP Requirements for Coherent Transmission using Experimental 10Gbaud/s 8PSK Data". In: ECOC, no. P3.13, September 2010.
- [1230] Huang et al.. "Analysis of smooth phase modulation formats compared with conventional QPSK and BPSK using coherent detection". In: Chinese Optics Letters, vol. 8, pp. 856-858, September 2010.
- [1231] Moro et al.. "Phase noise in fiber-optic parametric amplifiers and converters and its impact on sensing and communication systems". In: Optics Express, vol. 18, pp. 21449-21460, September 2010.
- [1232] Qiao et al.. "Blind frequency offset estimation based on cyclic prefix and virtual subcarriers in CO-OFDM system". In: Chinese Optics Letters, vol. 8, pp. 888-893, September 2010.
- [1233] Savoie et al.. "Physical Layer Validation of Filterless Optical Networks". In: ECOC, no. P5.08, September 2010.
- [1234] Jiang et al.. "Simple 14-Gb/s Short-Range Radio-Over-Fiber System Employing a Single-Electrode MZM for 60-GHz Wireless Applications". In: Journal of Lightwave Technology, vol. 28, pp. 2238-2246, August 2010.
- [1235] Schueppert et al.. "Origins of Cross-Phase Modulation Impairments in Optical Transmission Systems Without In-Line Dispersion Compensation". In: Journal of Lightwave Technology, vol. 28, pp. 2146-2152, August 2010.
- [1236] Vivero et al.. "Dispersive Optical Bistability in Quantum Wells With Logarithmic Gain". In: IEEE Journal of Quantum Electronics, vol. 46, pp. 1184-1190, August 2010.
- [1237] Guo et al.. "Electrically Processed OCDMA System Based on Spatial Coding and Subcarrier Multiplexing". In: Photonics in Switching, no. JTUB43, July 2010.
- [1238] Jamshidi et al.. "A proposal for a tunable light storage method based on Quasi-Light-Storage and frequency-to-time-conversion". In: Photonics in Switching, no. PWF5, July 2010.
- [1239] Milosavljevic et al.. "Transparent Wireless Transmission over the ACCORDANCE Optical/Wireless Segment". In: CSNDSP, no. BWN3, July 2010.
- [1240] Xu et al.. "Chromatic dispersion compensation in coherent transmission system using digital filters". In: Optics Express, vol. 18, pp. 16243-16257, July 2010.
- [1241] Zsigmond et al.. "Limitation of Spectral Efficient Modulation Formats for Circuit and Packet Switched Networks". In: OECC, no. 8P-16, July 2010.
- [1242] Aleksic et al.. "Requirements and Limitations of Optical Interconnects for High-Capacity Network Elements". In: ICTON, no. We.A1.2, June 2010.
- [1243] Avo et al.. "60 GHz Radio-over-Fiber Transmission Impairments for Broadband Wireless Signals". In: ICTON, no. We.A3.4, June 2010.
- [1244] Chughtai et al.. "Analysis of Non-Linear Impairments in 40 Gbaud PM DQPSK and D8PSK Transmission". In: ICTON, no. We.P.19, June 2010.
- [1245] Laurencio et al.. "Generation and Transmission of Millimeter Wave Signals Employing Optical Frequency Quadrupling". In: ICTON, no. Tu.C1.6, June 2010.
- [1246] Llorente et al.. "Optical Technologies for Multi-Gbit/s Ultra-Wideband Radio: From the Access to the Pico-Cell". In: ICTON, no. We.A3.3, June 2010.
- [1247] Lowery et al.. "Design of arrayed-waveguide grating routers for use as optical OFDM demultiplexers". In: Optics Express, vol. 18, pp. 14129-14143, June 2010.

- [1248] Milosavljevic et al.. "Multi-Wavelength Wireless-PON". In: ICTON, no. Th.B3.2, June 2010.
- [1249] Milosavljevic et al.. "Wireless-PONs with Extended Wavelength Band Overlay". In: ANIC, no. AWC6, June 2010.
- [1250] ODowd et al.. "Investigation of Duobinary Modulation Implementations for Use in Wavelength Switched Networks". In: ICTON, no. We.B1.4, June 2010.
- [1251] Rafique et al.. "Impact of Nonlinear Fibre Impairments in 112 Gb/s PM-QPSK Transmission with 43 Gb/s and 10.7 Gb/s Neighbours". In: ICTON, no. We.D1.6, June 2010.
- [1252] Sotiropoulos et al.. "Bidirectional Incoherent 16QAM Transmission over Hybrid WDM/TDM Passive Optical Network". In: ICTON, no. Th.A2.4, June 2010.
- [1253] Tsekrekos et al.. "The Impact of Receiver Sensitivity in the Convergence of Diverse Services over Future Integrated Optical Access Networks". In: ICTON, no. We.A3.1, June 2010.
- [1254] Wang et al.. "Rayleigh Noise Mitigation Using Single-Sideband Modulation Generated by a Dual-Parallel MZM for Carrier Distributed PON". In: IEEE Photonics Technology Letters, vol. 22, pp. 820-822, June 2010.
- [1255] Xie et al.. "Polarization Demultiplexing by Independent Component Analysis". In: IEEE Photonics Technology Letters, vol. 22, pp. 805-807, June 2010.
- [1256] Xu et al.. "Power Consumption Comparison between Point-to-Point WDM and OTDM Systems". In: ICTON, no. Th.A1.1, June 2010.
- [1257] Zan et al.. "Experimental demonstration of a flexible and stable semiconductor laser linewidth emulator". In: Optics Express, vol. 18, pp. 13880-13885, June 2010.
- [1258] Khaleghi et al.. "System Design Guidelines When Utilizing Chirp-Inducing Wavelength Converters in a Fiber Transmission System". In: CLEO/QELS, no. JThE55, May 2010.
- [1259] Li et al.. "Novel 64 x 2.5 Gb/s all-optical OFDM symbol generator based on triangle waveform driving-LiNbO3 modulators". In: Chinese Optics Letters, vol. 8, pp. 449-453, May 2010.
- [1260] Yeh et al.. "Using OOK Modulation for Symmetric 40-Gb/s Long-Reach Time-Sharing Passive Optical Networks". In: IEEE Photonics Technology Letters, vol. 22, pp. 619-621, May 2010.
- [1261] Domenech et al.. "Microwave photonics beamformer based on ring resonators and arrayed waveguide gratings". In: ECIO, no. WeP17, April 2010.
- [1262] Haas et al.. "Polarisationsmodendispersionskompensation mittels EMTY-Modell und nichtlinearer Optimierung". In: ITG-Fachtagung "Photonische Netze", no. P7, April 2010.
- [1263] Li et al.. "Electrical Dispersion Compensation for Multichip DPSK Detection Utilizing MISO DFE". In: IEEE Photonics Technology Letters, vol. 22, pp. 444-446, April 2010.
- [1264] Mishra et al.. "Time-Resolved Q-factor Measurement and Its Application in Performance Analysis of 42.6 Gbit/s Packets Generated by SGDBR Lasers". In: Journal of Lightwave Technology, vol. 28, pp. 1144-1151, April 2010.
- [1265] Tran et al.. "SPM mitigation in 16-ary amplitude-and-differential-phase shift keying long-haul optical transmission systems". In: Optics Express, vol. 18, pp. 7790-7797, April 2010.
- [1266] Chien et al.. "A Novel Carrier-Eliminated Optical Millimeter-Wave Generation Using a Single Over-Driven Phase Modulator". In: OFC/NFOEC, no. JWA55, March 2010.
- [1267] Chow et al.. "40-Gb/s Upstream Transmitters Using Directly Modulated 1.55-um VCSEL Array for High-Split-Ratio PONs". In: IEEE Photonics Technology Letters, vol. 22, pp. 347-349, March 2010.

- [1268] Chung et al.. "Effect of IQ Mismatch Compensation in an Optical Coherent OFDM Receiver". In: IEEE Photonics Technology Letters, vol. 22, pp. 308-310, March 2010.
- [1269] Du et al.. "Practical XPM Compensation Method for Coherent Optical OFDM Systems". In: IEEE Photonics Technology Letters, vol. 22, pp. 320-322, March 2010.
- [1270] Du et al.. "Compensating XPM for 100 Gbit/s coherent channels with 10 Gbit/s direct-detection NRZ neighbors". In: OFC/NFOEC, no. OTuE7, March 2010.
- [1271] Geyer et al.. "Optimization of the Chromatic Dispersion Equalizer of a 43Gb/s Realtime Coherent Receiver". In: OFC/NFOEC, no. OWV8, March 2010.
- [1272] Ghandour et al.. "Ultra High Performance Media Multicasting Scheme over Wavelength-Routed Networks". In: OFC/NFOEC, no. JThA40, March 2010.
- [1273] Gharaei et al.. "Impact of Crosstalk in Capacity performance of WDM/OCDMA System". In: OFC/NFOEC, no. JThA49, March 2010.
- [1274] Gunning et al.. "High Symbol Rate OFDM Transmission Technologies". In: OFC/NFOEC, no. OThD1, March 2010.
- [1275] Louchet et al.. "FTTx-Plan - Optimierter Aufbau von FTTx Netzen; Teil B: Erweiterbarkeit Bestehender Passiver Optischer Zugangsnetze". In: 4. ITG-Fachkonferenz: Breitbandversorgung in Deutschland (ITG-FB 220), no. 8, March 2010.
- [1276] Shams et al.. "Electro-Optical Generation and Distribution of Ultrawideband Signals Based on the Gain Switching Technique". In: Journal of Optical Communications and Networking, vol. 2, pp. 122-130, March 2010.
- [1277] Zan et al.. "Experimental Demonstration on the Reduction of Linewidth Impact in a Self-Heterodyne Optical OFDM System". In: OFC/NFOEC, no. JthA8, March 2010.
- [1278] Zsigmond et al.. "Investigation of Spectral Efficient Modulation Formats for 400Gbit/s/port Optical Packet Switched System". In: OFC/NFOEC, no. OThP1, March 2010.
- [1279] Areal et al.. "Analysis of a Time-lens based Optical Frame Synchronizer and Retimer for 10G Ethernet Aiming at a Tb/s Optical Router/Switch Design". In: ONDM, no. P-3, February 2010.
- [1280] Bres et al.. "Optical Demultiplexing of 320 Gb/s to 8 40 Gb/s in Single Parametric Gate". In: Journal of Lightwave Technology, vol. 28, pp. 434-442, February 2010.
- [1281] Schmidt et al.. "120 Gbit/s Over 500-km Using Single-Band Polarization-Multiplexed Self-Coherent Optical OFDM". In: Journal of Lightwave Technology, vol. 28, pp. 328-335, February 2010.
- [1282] Stolz et al.. "Dynamics of Optically-Injected Semiconductor Lasers Using the Travelling-Wave Approach". In: IEEE Journal of Quantum Electronics, vol. 46, pp. 220-227, February 2010.
- [1283] Lopez et al.. "Optimization of Rayleigh-Limited WDM-PONs With Reflective ONU by MUX Positioning and Optimal ONU Gain". In: IEEE Photonics Technology Letters, vol. 22, pp. 97-99, January 2010.
- [1284] Yeh et al.. "40-Gb/s Time-Division-Multiplexed Passive Optical Networks Using Downstream OOK and Upstream OFDM Modulations". In: IEEE Photonics Technology Letters, vol. 22, pp. 118-120, January 2010.

2009

- [1285] Freund et al.. "Next generation optical networks based on higher-order modulation formats, coherent receivers and electronic distortion equalization". In: ICTON-MW, no. Th3.1, December 2009.
- [1286] Huybrechts et al.. "All-Optical Flip-Flop Operation in a Standard Tunable DBF Laser Diode". In: IEEE Photonics Technology Letters, vol. 21, no. 24, pp. 1873-1875, December 2009.
- [1287] Zhao et al.. "Chromatic Dispersion Monitoring for DPSK Systems Using RF Power Spectrum". In: Journal of Lightwave Technology, vol. 27, no. 24, pp. 5704-5709, December 2009.
- [1288] Arellano et al.. "Design of Complex Semiconductor Integrated Structures". In: ACP, vol. 7631, no. 7631-106, November 2009.
- [1289] Chen et al.. "Schemes of Generating M-ASK Signals and Remote Local Oscillator at Millimeter-Wave Band in Radio over Fiber System". In: ACP, vol. 7632, no. 7632-59, November 2009.
- [1290] Cheng et al.. "OOFDM System with Multiple Low Bandwidth Receivers". In: ACP, vol. 7632, no. 7632-62, November 2009.
- [1291] Chow et al.. "Mitigation of Signal Distortions Using Reference Signal Distribution With Colorless Remote Antenna Units for Radio-Over-Fiber Applications". In: Journal of Lightwave Technology, vol. 27, no. 21, pp. 4773 - 4780, November 2009.
- [1292] Deng et al.. "Accurate Computation of the BER in DPSK/MZI Receiver with Balanced Detection Thereafter of 40Gbit/s Optical System". In: ACP, vol. 7632, no. 7632-36, November 2009.
- [1293] Hachmeister et al.. "Long Haul WDM Transmission of Optical Minimum Shift Keying Format with Narrow Channel Spacing". In: ACP, no. ThT6, November 2009.
- [1294] Huang et al.. "Investigations of SPM Suppression by PAPR Reduction in Coherent Optical OFDM Systems". In: ACP, vol. 7632, no. 7632-60, November 2009.
- [1295] Li et al.. "Wide-Range and Fast-Convergence Frequency Offset Estimator by BER-Aiding for Optical Coherent Receivers". In: ACP, vol. 7632, no. 7632-45, November 2009.
- [1296] Qiaob et al.. "160 Gb/s OFDM Transmission Utilizing An All-optical Symbol Generator Based on PLC". In: ACP, vol. 7632, no. 7632-11, November 2009.
- [1297] Louchet et al.. "BER Estimation for Multilevel Modulation Formats". In: ACP, vol. 7632, no. 7632-114, November 2009.
- [1298] Shao et al.. "Staggered Differential Phase-Shift Keying Format with RZ or CSRZ Clock for 100Gbit/s Transmission". In: ACP, vol. 7632, no. 7632-75, November 2009.
- [1299] Sotiropoulos et al.. "Multi-level Modulation Formats for Optical Access Networks". In: Symposium IEEE/LEOS Benelux Chapter, pp. 89-92, November 2009.
- [1300] Wen et al.. "Multiple Channels of ADCs for High Bit Rate Coherent Optical OFDM with Low Sampling Rate". In: ACP, vol. 7632, no. 7632-63, November 2009.
- [1301] Wu et al.. "BER performance analysis of radio-over-fiber system with different modulation schemes". In: ACP, vol. 7632, no. 7632-4, November 2009.
- [1302] Xian et al.. "Digital Timing Recovery Combined with adaptive Equalization for Optical Coherent Receivers". In: ACP, vol. 7632, no. 7632-48, November 2009.

- [1303] Xu et al.. "Digital Compensation of Chromatic Dispersion in 112-Gbit/s PDM-QPSK System". In: ACP, vol. 7632, no. 7632-9, November 2009.
- [1304] Zhang et al.. "SPM Suppression by Clipping for Optical Transmission Systems with Electrical Dispersion Predistortion". In: ACP, vol. 7632, no. 7632-90, November 2009.
- [1305] Zhao et al.. "Edge-Triggered Ultra-Wideband Signal Over Fiber System Using Dual-parallel Mach-Zehnder Modulator". In: ACP, vol. 7632, no. 7632-19, November 2009.
- [1306] Zhu et al.. "A Modified CMA for Blind Equalization and Phase Recovery in Optical Coherent Receivers". In: ACP, vol. 7632, no. 7632-43, November 2009.
- [1307] Bakopoulos et al.. "A tunable continuous wave (CW) and short-pulse optical source for THz brain imaging applications". In: Measurement Science and Technology, vol. 20, no. 24, pp. 1-9, October 2009.
- [1308] Chow et al.. "Signal-Remodulated Wired/Wireless Access Using Reflective Semiconductor Optical Amplifier With Wireless Signal Broadcast". In: IEEE Photonics Technology Letters, vol. 21, no. 19, pp. 1459-1461, October 2009.
- [1309] Duthel et al.. "Laser Linewidth Estimation by Means of Coherent Detection". In: IEEE Photonics Technology Letters, vol. 21, pp. 1568 - 1570, October 2009.
- [1310] Bres et al.. "Optical Demultiplexing with Extinction Ratio Enhancement Based on Higher Order Parametric Interaction". In: ECOC, no. 1.1.3, September 2009.
- [1311] Fidler et al.. "Sensitivity of Balanced Receivers for Polarization Shift Keying in Free-Space Optical Communications". In: ECOC, no. 9.6.2, September 2009.
- [1312] Fischer et al.. "Scaling of Nonlinear Threshold in WDM Transmission Systems using Electronic Precompensation of Intrachannel Nonlinearities". In: ECOC, no. P4.05, September 2009.
- [1313] Huybrechts et al.. "Numerical and experimental study of the switching times and energies of DFB-laser based All-optical flip-flops". In: Photonics in Switching, no. 5307761, September 2009.
- [1314] Huybrechts et al.. "All-optical 2R regeneration and wavelength conversion at 10Gb/s using a single bistable DFB laser diode". In: Photonics in Switching, no. 5307839, September 2009.
- [1315] Louchet et al.. "FFT-Based Digital Clock Recovery for Coherent Transmission Systems with Multilevel Modulation Formats". In: ECOC, no. 7.3.5, September 2009.
- [1316] Lowery et al.. "Reducing Cyclic Prefix Overhead in Optical OFDM Systems". In: ECOC, no. 1.3.4, September 2009.
- [1317] Milosavljevic et al.. "Integrated Wireless Optical Networking". In: London Communications Symposium (LCS), no. 16, September 2009.
- [1318] Omella et al.. "Driving Requirements for Wavelength Shifting in Colorless ONU With Dual-Arm Modulator". In: Journal of Lightwave Technology, vol. 27, no. 17, pp. 3912-3918, September 2009.
- [1319] Fischer et al.. "Equivalent Single-Span Model for Dispersion-Managed Fiber-Optic Transmission Systems". In: Journal of Lightwave Technology, vol. 27, pp. 3425-3432, August 2009.
- [1320] Liang et al.. "A simple peak-to-average power ratio reduction scheme for all optical orthogonal frequency division multiplexing systems with intensity modulation and direct detection". In: Optics Express, vol. 17, pp. 15614-15622, August 2009.
- [1321] Masella et al.. "Enhanced Spurious-Free Dynamic Range Using Mixed Polarization in Optical Single Sideband Mach-Zehnder Modulator". In: Journal of Lightwave Technology, vol. 27, no. 15, pp. 3034 - 3041, August 2009.

- [1322] Ming et al.. "Optical Code Label Stripping based on SOA-MZI in Optical Packet Switching Networks". In: Journal of Lightwave Technology, vol. 27, no. 15, pp. 3212 - 3219, August 2009.
- [1323] Tang et al.. "Coherent Optical OFDM Transmission Up to 1 Tb/s per Channel". In: Journal of Lightwave Technology, vol. 27, pp. 3511-3517, August 2009.
- [1324] Tao et al.. "A simplified model for nonlinear cross-phase modulation in hybrid optical coherent system". In: Optics Express, vol. 17, pp. 13860-13868, August 2009.
- [1325] Weber et al.. "Fiber Nonlinearities in Systems Using Electronic Predistortion of Dispersion at 10 and 40 Gbit/s". In: Journal of Lightwave Technology, vol. 27, pp. 3654-3661, August 2009.
- [1326] Arellano et al.. "Important Device Limitations of Transmitter and Receiver Concepts when Designing 100G Transmission Systems". In: ICTON, no. Tu.C2.3, July 2009.
- [1327] Arellano et al.. "Impact of transmitter electronics for high-speed systems applications". In: OECC, no. FU2, July 2009.
- [1328] Avlonitis et al.. "Fast Method for Q Factor Estimation in Delay Line Demodulated DPSK Optical Communications Systems". In: ICTON, no. Th.B2.5, July 2009.
- [1329] Chae et al.. "OSNR-independent chromatic dispersion monitoring on 40Gb/s DPSK signals using two RF filters". In: OECC, no. FW3, July 2009.
- [1330] Coelho et al.. "OFDM Signals in WDM Radio-Over-Fiber Networks with Fiber Bragg Grating Selection". In: ICTON, no. Tu.A5.5, July 2009.
- [1331] Dexter et al.. "Multiple access interference rejection in OCDMA using a two-photon absorption based semiconductor device". In: Optics Communications, vol. 282, pp. 1281-1286, July 2009.
- [1332] Fabrega et al.. "Design of a Wavelength Control for Coherent Detection of High Order Modulation Formats". In: ICTON, no. We.P.21, July 2009.
- [1333] Freund et al.. "80 Gbit/s/lambda Polarization Multiplexed Star-16QAM WDM Transmission over 720 km SSMF with Electronic Distortion Equalization". In: OECC, no. WP2, July 2009.
- [1334] Gao et al.. "An efficient bit error rate estimation method based on Parzen series for coherent detection QPSK transmission systems". In: OECC, no. FW2, July 2009.
- [1335] Gunning et al.. "Recent Developments in 40 Gsymbol/s Coherent WDM". In: ICTON, no. Mo.C2.2, July 2009.
- [1336] Hu et al.. "Low-Power High-Resolution Autocorrelation Technique Based on the Degree-of-Polarization Measurement". In: OECC, no. ThM4, July 2009.
- [1337] Labukhin et al.. "Modified Fabry-Perot and Rate Equation Methods for the Nonlinear Dynamics of an Optically Injected Semiconductor Laser". In: IEEE Journal of Quantum Electronics, vol. 45, pp. 863-871, July 2009.
- [1338] Li et al.. "Electrical Dispersion Compensation for 40-Gbit/s Polarizationmultiplexing DQPSK Utilizing MIMO DFEs". In: OECC, no. TuK3, July 2009.
- [1339] Ma et al.. "Multi-tone Generation using a Recirculating Frequency Shifter and Its Application to 1-Tb/s Coherent Optical OFDM Signal". In: OECC, no. ThLP75, July 2009.
- [1340] Mamud et al.. "Development of an Intelligent Learning Resource using Computer Simulation about Optical Communications". In: ETOP, July 2009.
- [1341] Mehedy et al.. "115.2 Gb/s Optical OFDM Transmission with 4 bit/s/Hz Spectral Efficiency Using IEEE 802.11a OFDM PHY". In: OECC, no. TuE5, July 2009.

- [1342] Milosavljevic et al.. "Advanced PON Topologies with Wireless Connectivity". In: ICTON, no. Tu.A5.4, July 2009.
- [1343] Pavlovic et al.. "Performance Comparison of Spectrally Efficient Intensity Modulated Formats in Remodulated WDM PON". In: ICTON, no. Th.A2.2, July 2009.
- [1344] Pillai et al.. "OSNR And Chromatic Dispersion Monitoring Using Wiener-Hopf Equation". In: OECC, no. FW4, July 2009.
- [1345] Richter et al.. "Photonics Modeling of Components, Systems and Networks". In: OECC, no. ThL1 (Tutorial), July 2009.
- [1346] Sacchieri et al.. "Multi-User Application of Code Scrambling for Enhanced Optical Layer Confidentiality". In: ICTON, no. Th.A3.5, July 2009.
- [1347] Schmidt et al.. "Impact of PMD in Single-Receiver and Polarization-Diverse Direct-Detection Optical OFDM". In: Journal of Lightwave Technology, vol. 27, pp. 2792-2799, July 2009.
- [1348] Urban et al.. "High-Bit-Rate Dynamically Reconfigurable WDM-TDM Access Network". In: Journal of Optical Communications and Networking, vol. 1, no. 2, pp. A143-A158, July 2009.
- [1349] Vargues et al.. "Simulation of mm-Wave over Fiber Systems Employing Up-Conversion Using External Modulators". In: ICTON, no. Mo.D5.4, July 2009.
- [1350] Zuniga et al.. "Temperature Dependence of a High-Power Ytterbium-Doped Fiber Amplifier Operating at 1060 nm and 1080 nm". In: OECC, no. ThLP33, July 2009.
- [1351] Wang et al.. "Analysis of NRZ- and RZ-DQPSK for 112 Gb/s DWDM Transmission". In: ICTON, no. Mo.C2.4, July 2009.
- [1352] Yeh et al.. "Noncoherent Spectral/Spatial Optical CDMA System Using 2-D Diluted Perfect Difference Codes". In: Journal of Lightwave Technology, vol. 27, no. 13, pp. 2420 - 2432, July 2009.
- [1353] Zhang et al.. "XPM Statistics in 100% Pre-compensated WDM Transmission for Different Modulation Formats and Transmission Fibres". In: OECC, no. FQ6, July 2009.
- [1354] Zhao et al.. "Nonlinear effect on residual dispersion monitoring of DPSK signals using delay-tap sampling and Hausdorff distance measure". In: OECC, no. ThLP79, July 2009.
- [1355] Avo et al.. "mm-wave networks over optical access network architectures employing reflective semiconductor optical amplifiers: intermodulation effects". In: NOC - European Conference on Networks and Optical Communications, pp. 249-256, June 2009.
- [1356] Huiszoon et al.. "Hybrid Radio-Over-Fiber and OCDMA Architecture for Fiber to the Personal Area Network". In: Journal of Lightwave Technology, vol. 27, pp. 1904-1911, June 2009.
- [1357] Nellas et al.. "Performance optimization study of a fiber-based all optical multi-wavelength 2R regenerator at 10 Gb/sec". In: NOC - European Conference on Networks and Optical Communications, pp. 369-374, June 2009.
- [1358] Pleros et al.. "A 60 GHz Radio-Over-Fiber Network Architecture for Seamless Communication With High Mobility". In: Journal of Lightwave Technology, vol. 27, pp. 1957-1967, June 2009.
- [1359] Richter et al.. "A Parametric Approach to Optical Systems Design, Optimization and Validation". In: NOC - European Conference on Networks and Optical Communications, pp. 361-367, June 2009.
- [1360] Shi et al.. "SG-DBR tunable laser linewidth and its impact on advanced modulation format transmission". In: CLEO Europe, no. 5192162, June 2009.

- [1361] Tavassoli et al.. "An analytical model for nonlinear crosstalk in hybrid OOK - DQPSK systems". In: NOC - European Conference on Networks and Optical Communications, pp. 375-380, June 2009.
- [1362] Li et al.. "Electrical Postcompensation of SOA Impairments for Fiber-Optic Transmission". In: IEEE Photonics Technology Letters, vol. 21, pp. 581-583, May 2009.
- [1363] Sakib et al.. "Impact of Optical Transmission on Multiband OFDM Ultra-Wideband Wireless System With Fiber Distribution". In: Journal of Lightwave Technology, vol. 27, no. 19, pp. 4112 - 4123, May 2009.
- [1364] Chow et al.. "Time-division-multiplexing using pulse position locking for 100 Gb/s applications". In: Optics Express, vol. 17, pp. 6562-6567, April 2009.
- [1365] Hmood et al.. "Phase Noise Compensation for Coherent Orthogonal Frequency Division Multiplexing in Optical Fiber Communications Systems". In: Iraqi Journal of Applied Physics, vol. 5, no. 2, pp. 3-10, April 2009.
- [1366] Wang et al.. "Generation of linearized optical single sideband signal for broadband radio over fiber systems". In: Chinese Optics Letters, vol. 7, no. 4, pp. 339-343, April 2009.
- [1367] Chow et al.. "Bidirectional ROF Transmission and Signal Remodulation Using Separate Optical Clock Distribution". In: OFC/NFOEC, no. OWP3, March 2009.
- [1368] Du et al.. "Fiber Nonlinearity Compensation for CO-OFDM Systems with Periodic Dispersion Maps". In: OFC/NFOEC, no. OTu01, March 2009.
- [1369] Fischer et al.. "Scaling of Nonlinear Threshold with Fiber Type and Channel Spacing in WDM Transmission Systems". In: OFC/NFOEC, no. JThA41, March 2009.
- [1370] Fritzsche et al.. "Dispersion-Tolerant 40Gb/s Field Trial over an Installed 10 Gb/s WDM 752 km Link Using Multi-Carrier Technique". In: OFC/NFOEC, no. NWD4, March 2009.
- [1371] Gao et al.. "Intra-channel nonlinearities mitigation in pseudo-linear coherent QPSK transmission systems via nonlinear electrical equalizer". In: Optics Communications, vol. 282, pp. 2421-2425, March 2009.
- [1372] Gumaste et al.. "Towards a Transponder for Serial 100 Gigabit Ethernet using a Novel Optical SERDES". In: OFC/NFOEC, no. JWA63, March 2009.
- [1373] Gumaste et al.. "Reach Optimized Architecture for Multi-rate Transport System (ROAMTS): One Size Does Not Fit All". In: OFC/NFOEC, no. OMQ3, March 2009.
- [1374] Huiszoon et al.. "The Influence of Continuous-Wave and Modulated Interference on Incoherent Spectral Codes". In: OFC/NFOEC, no. OWR1, March 2009.
- [1375] Lee et al.. "Extended-Reach Gigabit Passive Optical Network for Rural Areas using Distributed Raman Amplifiers". In: OFC/NFOEC, no. NME3, March 2009.
- [1376] Milosavljevic et al.. "Interoperability of GPON and WiMAX for Network Capacity Enhancement and Resilience". In: Journal of Optical Communications and Networking, vol. 8, pp. 285-294, March 2009.
- [1377] Monfils et al.. "Detailed Theoretical and Experimental Characterization of 10 Gb/s Clock Recovery Using a Q-Switched Self-Pulsating Laser". In: Journal of Lightwave Technology, vol. 27, no. 5, pp. 619-625, March 2009.
- [1378] Noelle et al.. "Comparison of 30 Gbit/s Coherent 8PSK Single Carrier and OFDM Multi Carrier Systems with Respect to Transmission Reach". In: OFC/NFOEC, no. JThA43, March 2009.
- [1379] Schmidt et al.. "Low Sample Rate Transmitter for Direct-Detection Optical OFDM". In: OFC/NFOEC, no. OWM4, March 2009.
- [1380] Song et al.. "Hardware-Accelerated Protection in Long-Reach PON". In: OFC/NFOEC, no. OTHP7, March 2009.

- [1381] Urban et al.. "1.25-Gb/s Transmission Over an Access Network Link With Tunable OADM and a Reflective SOA". In: IEEE Photonics Technology Letters, vol. 21, no. 6, pp. 380-382, March 2009.
- [1382] Weber et al.. "Fibre Nonlinearities in 10 and 40 Gb/s Electronically Dispersion Precompensated WDM Transmission". In: OFC/NFOEC, no. OTuD2, March 2009.
- [1383] Yu et al.. "Simultaneous multiple DWDM channel NRZ-to-RZ regenerative format conversion at 10 and 20 Gb/s". In: Optics Express, vol. 17, pp. 3964-3969, March 2009.
- [1384] Zhu et al.. "Complementary FIR Filter Pair for Distributed Impairment Compensation of WDM Fiber Transmission". In: IEEE Photonics Technology Letters, vol. 21, pp. 292-294, March 2009.
- [1385] Gao et al.. "40-Gb/s star 16-QAM transmitter based on single dual-drive Mach-Zehnder modulator". In: Chinese Optics Letters, vol. 7, no. 2, pp. 109-111, February 2009.
- [1386] Ji et al.. "Effect of PDL-induced coherent crosstalk on polarization-division-multiplexed direct-detection systems". In: Optics Express, vol. 17, pp. 1169-1177, February 2009.
- [1387] Li et al.. "Recent advances in coherent optical communication". In: Advances in Optics and Photonics, vol. 1, pp. 279-307, February 2009.
- [1388] Stolz et al.. "Power fluctuations of a weakly optically-injected semiconductor laser in a period-one state". In: Optics Communications, vol. 282, pp. 2074-2080, February 2009.
- [1389] Tan et al.. "Performance Comparison of Duobinary Formats for 40-Gb/s and Mixed 10/40-Gb/s Long-Haul WDM Transmission on SSMF and LEAF Fibers". In: Journal of Lightwave Technology, vol. 27, pp. 396-408, February 2009.
- [1390] Thakur et al.. "480-Mbps, Bi-Directional, Ultra-Wideband Radio-Over-Fiber Transmission Using a 1308/1564-nm Reflective Electro-Absorption Transducer and Commercially Available VCSELs". In: Journal of Lightwave Technology, vol. 27, pp. 266-272, February 2009.
- [1391] J et al.. "Applications of 40-Gb/s Chirp-Managed Laser in Access and Metro Networks". In: Journal of Lightwave Technology, vol. 27, pp. 253-265, February 2009.
- [1392] Arellano et al.. "Reflections and Multiple Rayleigh Backscattering in WDM Single-Fiber Loopback Access Networks". In: Journal of Lightwave Technology, vol. 27, pp. 12-18, January 2009.
- [1393] Chuang et al.. "Analysis of System Performance for an Optical CDMA System Implemented with Synchronous Receiver". In: Journal of the Chinese Institute of Engineers, vol. 32, no. 6, pp. 861-866, January 2009.
- [1394] Papagiannakis et al.. "Electronic distortion equalisation by using decision-feedback/feed-forward equaliser for transient and adiabatic chirped directly modulated lasers at 2.5 and 10 Gb/s". In: IET Optoelectronics, vol. 3, pp. 18-29, January 2009.
- [1395] Yan et al.. "Simulation and Experimental Characterization of SOA-MZI-Based Multiwavelength Conversion". In: Journal of Lightwave Technology, vol. 27, pp. 117-127, January 2009.

2008

- [1396] Du et al.. "Improved nonlinearity precompensation for long-haul high-data-rate transmission using coherent optical OFDM". In: Optics Express, vol. 16, no. 24, pp. 19920, November 2008.
- [1397] Gao et al.. "Electrical post-compensation of intrachannel nonlinearities in 10GBaud coherent QPSK transmission systems". In: Optics Communications, vol. 282, pp. 992-996, November 2008.
- [1398] Jacobsen et al.. "Practical Design Model of DnPSK Systems using direct BER Counting and Rigorous BER Modeling". In: Journal of Optical Communications, vol. 29, pp. 226-228, November 2008.
- [1399] Chen et al.. "Effect of Laser Frequency Offset on Optical Minimum-shift Keying Transmission System". In: APOC, vol. 7136, no. 713618, October 2008.
- [1400] Gao et al.. "Statistics of Intra-channel Four-Wave Mixing induced phase noise in coherent RZ-DQPSK transmission systems". In: APOC, vol. 7136, no. 71362R, October 2008.
- [1401] Gao et al.. "Performance study of a 100-Gb/s transmitter with high tolerance to chromatic dispersion and PMD". In: APOC, vol. 7136, no. 71361H, October 2008.
- [1402] Han et al.. "A Novel Optical DPSK/PolSK Orthogonal Encoding Method for Alloptical Label Swapping". In: APOC, vol. 7136, no. 71360K, October 2008.
- [1403] Huang et al.. "A Novel Re-modulation Method in a WDM-PON to Enhance Extinction Ratio with Considering Rayleigh and Brillouin Backscattering". In: APOC, vol. 7137, no. 71370Q, October 2008.
- [1404] Li et al.. "The study of optical FSK modulation for 40-Gb/s WDM-PON Network with Centralized Lightwave Source". In: APOC, vol. 7136, no. 71360L, October 2008.
- [1405] Li et al.. "Data-Carried Optical Ultra-Wideband Monocycle Pulses Generation using Two DGD Modules". In: APOC, vol. 7136, no. 71363R, October 2008.
- [1406] Li et al.. "All-optical 40-Gb/s RZ-DPSK to phase-incorporated ASK-Manchester format conversion". In: APOC, vol. 7136, no. 71362Z, October 2008.
- [1407] Louchet et al.. "Modeling of Ultra-High Speed Optical Transmission Systems". In: APOC, vol. 7136, no. 7136-32, October 2008.
- [1408] Peng et al.. "Group-Multicast Capable Optical Virtual Private Ring with Contention Avoidance". In: APOC, vol. 7137, no. 71373S, October 2008.
- [1409] Shuai et al.. "A Method for Optimizing Optical Duobinary Transmission Systems". In: APOC, vol. 7136, no. 71361B, October 2008.
- [1410] Stolz et al.. "Locking bandwidth of optically injected Fabry-Perot semiconductor lasers for high injection strengths". In: IET Optoelectronics, vol. 2, pp. 223-230, October 2008.
- [1411] Wang et al.. "High Speed Modulation Format Transformation from Return-to-Zero ASK To Return-to-Zero FSK Based On Nonlinear Polarization Rotation". In: APOC, vol. 7136, no. 71362W, October 2008.
- [1412] Zhang et al.. "Residual Third-Order Dispersion Compensation in Femtosecond Pulses Transmission Using a Phase Modulator". In: APOC, vol. 7136, no. 713626, October 2008.
- [1413] Zhao et al.. "Chromatic dispersion monitoring of DPSK signals using RF power detection". In: APOC, vol. 7136, no. 71361H, October 2008.
- [1414] Ajmal et al.. "Design of a 10Gbps Optical Burst Mode DPSK Receiver for Data and Clock Recovery". In: ECOC, no. We.2., September 2008.

- [1415] Choi et al.. "All-Optical Five-Functional Logic Generator by Using Semiconductor Optical Amplifiers". In: NUSOD, no. MP8, September 2008.
- [1416] Du et al.. "Improving Nonlinear Precompensation in Direct-Detection Optical OFDM Communications Systems". In: ECOC, no. P.4.08, September 2008.
- [1417] Krongold et al.. "Fiber Nonlinearity Mitigation by PAPR Reduction in Coherent Optical OFDM Systems via Active Constellation Extension". In: ECOC, no. P.4.13, September 2008.
- [1418] Llorente et al.. "Performance comparison of radio-over-fibre UWB distribution in SSMF and MMF optical media". In: ECOC, no. Tu.3.E.2, September 2008.
- [1419] Louchet et al.. "Improved DSP algorithms for coherent 16-QAM transmission". In: ECOC, vol. Tu.1.E.6, September 2008.
- [1420] Mateo et al.. "Impact of XPM and FWM on the digital implementation of impairment compensation for WDM transmission using backward propagation". In: Optics Express, vol. 16, pp. 16124-16137, September 2008.
- [1421] Pizzinat et al.. "Ultra wideband over fibre transparent architecture for high-bit-rate home networks". In: Annals of telecommunications (Springer), vol. 63, September 2008.
- [1422] Spuesens et al.. "Versatile Broadband Service Delivery on PON Employing a Hybrid Optical Code Division Multiple Access/Radio-over-Fiber System". In: ECOC, no. P.6.23, September 2008.
- [1423] Weber et al.. "Impact of Fibre Nonlinearities in Electronic Dispersion Compensation Systems at 40 Gb/s". In: ECOC, no. P.4.10, September 2008.
- [1424] Anas et al.. "Multiple access interference elimination with enhanced chromatic dispersion tolerance in SAC OCDMA". In: IEICE Electronics Express, vol. 5, pp. 617-623, August 2008.
- [1425] Buchta et al.. "Maximum Size and Throughput of SOA-Based Optical Burst Switching Nodes With Limited Tuning-Range Wavelength Converters and FDL Buffers". In: Journal of Lightwave Technology, vol. 26, pp. 2919-2927, August 2008.
- [1426] Buchta et al.. "Analysis of the Physical Impairments on Maximum Size and Throughput of SOA-Based Optical Burst Switching Nodes". In: Journal of Lightwave Technology, vol. 26, pp. 2821-2830, August 2008.
- [1427] Li et al.. "Electrical Joint Equalization for PMD-Induced Performance Degradation in Direct-Detection Polarization-Multiplexed Transmission Systems". In: IEEE Photonics Technology Letters, vol. 20, pp. 1357-1359, August 2008.
- [1428] Lim et al.. "Multifunctional Optical Interface for Fiber-Radio Systems in Heterogeneous Access Networks". In: Journal of Lightwave Technology, vol. 26, pp. 2857-2864, August 2008.
- [1429] Lin et al.. "Impact of Nonlinear Transfer Function and Imperfect Splitting Ratio of MZM on Optical Up-Conversion Employing Double Sideband With Carrier Suppression Modulation". In: Journal of Lightwave Technology, vol. 26, pp. 2449-2459, August 2008.
- [1430] Shen et al.. "The Temporal Drift Due to Polarization Noise in a Photonic Phase Reference Distribution System". In: Journal of Lightwave Technology, vol. 26, pp. 2754-2754, August 2008.
- [1431] Zhang et al.. "Phase-Modulated Microwave-Photonic Link With Optical-Phase-Locked-Loop Enhanced Interferometric Phase Detection". In: Journal of Lightwave Technology, vol. 26, pp. 2549, August 2008.
- [1432] Chang et al.. "Generation of optical carrier suppressed differential phase shift keying (OCS-DPSK) format using one dual-parallel Mach-Zehnder modulator in radio over fiber systems". In: Optics Express, vol. 16, pp. 10421-10426, July 2008.

- [1433] Cornick et al.. "A Framework for Evaluating the System Penalty From Polarization-Mode Dispersion Using Different Performance Monitoring Techniques". In: Journal of Lightwave Technology, vol. 26, pp. 1790-1797, July 2008.
- [1434] Hewitt et al.. "Comparisons between Single and Double Sideband Direct-Detection and Coherent Baseband OFDM Optical Transmission". In: ACOFT, no. 1-2, July 2008.
- [1435] Huiszoon et al.. "Layer 2 and 3 Contention Resolution and Radio-Over-Fiber in OCDMA PON for Transparent Optical Access in Personal Networks". In: Journal of Lightwave Technology, vol. 26, no. 13, pp. 1752-, July 2008.
- [1436] Huybrechts et al.. "Fast all-optical flip-flop based on a single distributed feedback laser diode". In: Optics Express, vol. 16, pp. 11405-11410, July 2008.
- [1437] Li et al.. "Optical impairment outage computation". In: Optics Express, vol. 16, pp. 10529-10534, July 2008.
- [1438] Mohamed et al.. "Frequency sixupler for millimeter-wave over fiber systems". In: Optics Express, vol. 16, pp. 10141-10151, July 2008.
- [1439] Mohamed et al.. "Analysis of frequency quadrupling using a single Mach-Zehnder modulator for millimeter-wave generation and distribution over fiber systems". In: Optics Express, vol. 16, pp. 10786-10802, July 2008.
- [1440] Szabo et al.. "Impact of physical effects onto the optimal signal power in CWDM optical networks". In: CSNDSP, pp. 428-432, July 2008.
- [1441] Augustin et al.. "Method for polarization effect suppression in semiconductor optical amplifiers". In: ECIO, no. ThA5, June 2008.
- [1442] Bakaul et al.. "Low-Cost PMD-Insensitive and Dispersion Tolerant In-Band OSNR Monitor Based on Uncorrelated Beat Noise Measurement". In: IEEE Photonics Technology Letters, vol. 20, pp. 906-908, June 2008.
- [1443] Masella et al.. "Linearized optical single sideband Mach-Zehnder electro-optic modulator for radio over fiber systems". In: Optics Express, vol. 6, pp. 9181-9190, June 2008.
- [1444] Dlubek et al.. "Nonlinear Evolution of Gaussian ASE Noise in ZMNL Fiber". In: Journal of Lightwave Technology, vol. 26, pp. 891-898, April 2008.
- [1445] Du et al.. "Fiber nonlinearity precompensation for longhaul links using direct-detection optical OFDM". In: Optics Express, vol. 16, pp. 6209-6215, April 2008.
- [1446] Tang et al.. "0.75 V micro-power SI memory cell with feedthrough error reduction". In: Electronics Letters, vol. 44, pp. 588-589, April 2008.
- [1447] Tang et al.. "Transmission of 100 Gbit/s WDM systems with coherent optical OFDM". In: Optics Letters, vol. 44, pp. 588-590, April 2008.
- [1448] Ahmed et al.. "Zero Vectors Combinatorial Code Family for Spectral Amplitude Coding (SAC-OCDMA)". In: IJCSNS International Journal of Computer Science and Network Security, vol. 8, pp. 20-26, March 2008.
- [1449] Chow et al.. "Signal Remodulation with High Extinction Ratio 10-Gb/s DPSK signal for DWDM-PONs". In: OFC/NFOEC, no. OThT2, February 2008.
- [1450] Chow et al.. "Rayleigh noise mitigation in DWDM LR-PONs using carrier suppressed subcarrier-amplitude modulated phase shift keying". In: Optics Express, vol. 16, pp. 1860-1866, February 2008.
- [1451] Hewitt et al.. "10 Gb/s Long-Reach Optical Access with Multi-Mode Fiber Distribution Using Baseband Single-Sideband OFDM". In: OFC/NFOEC, no. JThA111, February 2008.

- [1452] Huang et al.. "Virtual I/Q Multiplexing in Optical Code Division for Secure Local Area OFDM Transport". In: OFC/NFOEC, no. OMR1, February 2008.
- [1453] Li et al.. "Free spectral range optimization of return-to-zero differential phase-shift keyed demodulation in 40 Gbit/s nonlinear transmission". In: Optics Express, vol. 16, pp. 2056-2061, February 2008.
- [1454] Lin et al.. "Generation of Carrier Suppressed Optical mm-wave Signals using Frequency Quadrupling and no Optical Filtering". In: OFC/NFOEC, no. JThA73, February 2008.
- [1455] Lowery et al.. "Improving Sensitivity and Spectral Efficiency in Direct-Detection Optical OFDM Systems". In: OFC/NFOEC, no. OMM4, February 2008.
- [1456] Qiu et al.. "Novel optical packet with non-return-to-zero label and duobinary carrier-suppressed return-to-zero payload". In: Chinese Optics Letters, vol. 6, no. 2, pp. 96-99, February 2008.
- [1457] Shachaf et al.. "A Full-duplex Access Network based on CWDM-routed PONs". In: OFC/NFOEC, no. JThA101, February 2008.
- [1458] Zhang et al.. "Intrachannel nonlinearity induced-degree of polarization degradation in high-speed transmission". In: Microwave and Optical Technology Letters, vol. 50, pp. 312-314, February 2008.
- [1459] Boggio et al.. "730-nm optical parametric conversion from near- to short-wave infrared band". In: Optics Express, vol. 16, pp. 5435-5443, January 2008.
- [1460] Huybrechts et al.. "Proposal for an All-Optical Flip-Flop Using a Single Distributed Feedback Laser Diode". In: IEEE Photonics Technology Letters, vol. 20, pp. 18-20, January 2008.
- [1461] Li et al.. "Electronic post-compensation of WDM transmission impairments using coherent detection and digital signal processing". In: Optics Express, vol. 16, pp. 880-888, January 2008.
- [1462] Louchet et al.. "Efficient BER Estimation for Electrical QAM Signal in Radio-Over-Fiber Transmission". In: IEEE Photonics Technology Letters, vol. 20, pp. 144-146, January 2008.
- [1463] Lowery et al.. "Amplified-spontaneous noise limit of optical OFDM lightwave systems". In: Optics Express, vol. 16, pp. 860-865, January 2008.
- [1464] Schmidt et al.. "Experimental Demonstrations of Electronic Dispersion Compensation for Long-Haul Transmission Using Direct-Detection Optical OFDM". In: Journal of Lightwave Technology, vol. 26, pp. 196-203, January 2008.

2007

- [1465] Li et al.. "Suppression of XPM and XPM-induced nonlinear phase noise for RZ-DPSK signals in 40 Gbit/s WDM transmission systems with optimum dispersion mapping". In: Optics Express, vol. 15, pp. 18247-18252, December 2007.
- [1466] Xu et al.. "Frequency upconversion of multiple RF signals using optical carrier suppression for radio over fiber downlinks". In: Optics Express, vol. 15, pp. 16737-16747, December 2007.
- [1467] Ye et al.. "Identifying various impairments of optical channels using amplitude histogram". In: Optical Engineering, vol. 46, no. 12, pp. 125002-1 - 125002-6, December 2007.
- [1468] Zhang et al.. "Phase Shift of Recovered Clock due to Group Delay Ripple in Fiber Bragg Grating and PMD". In: Microwave and Optical Technology Letters, vol. 49, pp. 3066-3068, December 2007.
- [1469] Joindot et al.. "Interplay Between Group-Delay Ripple in Wavelength-Selective Switch and Propagation With or Without Nonlinear Effects". In: Journal of Lightwave Technology, vol. 25, pp. 3202-3209, November 2007.
- [1470] Banky et al.. "Opto-electronic Feedback Loop for Phase Noise Suppression at FET Based RF Oscillators". In: International Topical Meeting on Microwave Photonics, pp. 198 - 201, October 2007.
- [1471] Louchet et al.. "Electrical Equalization in Fiber-optic Transmission Systems". In: Milcom, no. Session ACT 5.4, October 2007.
- [1472] Lowery et al.. "Fiber Nonlinearity Mitigation in Optical Links That Use OFDM for Dispersion Compensation". In: IEEE Photonics Technology Letters, vol. 19, pp. 1556-1558, October 2007.
- [1473] Mo et al.. "Externally Modulated Optical Minimum Shift Keying Format". In: Journal of Lightwave Technology, vol. 25, pp. 3151-3160, October 2007.
- [1474] Toycan et al.. "Graeco-Latin-routed, self-wrapping, FSR-interleaved, AWG-based access network". In: Journal of Optical Networking, vol. 6, pp. 654-662, October 2007.
- [1475] Vazquez et al.. "Ring Resonators with Sagnac Loops for Photonic Processing in DWDM Backbone Networks". In: WISP, pp. 1-5, October 2007.
- [1476] Chen et al.. "Performance Analysis for All-Optical Label Swapping Routers Based on Two-Stage Wavelength Conversion". In: CLEO PR, September 2007.
- [1477] Fischer et al.. "Reduction of intra-channel four-wave mixing through pairwise or pulse-to-pulse alternate polarization of carrier-suppressed RZ signals". In: ECOC, no. 06.2.2, September 2007.
- [1478] Gaudino et al.. "Status and recent results from the POF-ALL EU project: large-core plastic fibers for low cost, high-speed short reach applications". In: ECOC, no. 05.1.2, September 2007.
- [1479] Han et al.. "All-optical wavelength conversion for polarization shift keying signal based on four-wave mixing in a semiconductor optical amplifier". In: Optical Engineering Letters, vol. 46, pp. 090501-1 - 090501-3, September 2007.
- [1480] Healy et al.. "1,200 km SMF (100 km spans) 280 Gbit/s Coherent WDM Transmission using Hybrid Raman/EDFA Amplification". In: ECOC, no. 01.3.5, September 2007.
- [1481] Liu et al.. "Simultaneous differential phase-shift keying payload and subcarrier-multiplexed label generation using a single modulator and its application to dispersion monitoring". In: Optical Engineering, vol. 46, September 2007.
- [1482] Louchet et al.. "Novel Scheme for High-Bit-Rate Coherent-OFDM Transmission without PLL". In: ECOC, no. 087, September 2007.

- [1483] Louchet et al.. "Limitations of MLSE-Viterbi receivers due to clocking errors". In: ECOC, no. 09.1.6, September 2007.
- [1484] Lowery et al.. "Calculation of power limit due to fiber nonlinearity in optical OFDM systems". In: Optics Express, vol. 15, pp. 13282-13287, September 2007.
- [1485] Lowery et al.. "Fiber nonlinearity pre- and post-compensation for long-haul optical links using OFDM". In: Optics Express, vol. 15, pp. 12965-12970, September 2007.
- [1486] Lowery et al.. "Adaptation of Orthogonal Frequency Division Multiplexing (OFDM) to Compensate Impairments in Optical Transmission Systems". In: ECOC, no. 04.2.1, September 2007.
- [1487] Ludwig et al.. "Unrepeated Transmission of 160 Gb/s RZ-DPSK over 240 km Dispersion Managed Fiber". In: ECOC, no. 02.3.2, September 2007.
- [1488] Malach et al.. "Fibre-independent Dispersion-Map Optimization for the Suppression of XPM and SPM in Fibre-Optical Transmission Systems". In: ECOC, no. 090, September 2007.
- [1489] Richter et al.. "The Modeling of High-Speed Optical Transmission Systems". In: SOCN 2007, no. Th4 (Invited), September 2007.
- [1490] Schaich et al.. "Wavelength-Time Coding for Reduction of Linear and Nonlinear Crosstalk in DWDM-Systems". In: Journal of Selected Topics in Quantum Electronics, vol. 13, pp. 1429-1432, September 2007.
- [1491] Shachaf et al.. "An interoperable access network based on CWDM-routed PONs". In: ECOC, no. 127, September 2007.
- [1492] Wang et al.. "A Radio-Over-Fiber Downstream Link Employing Carrier-Suppressed Modulation Scheme to Regenerate and Transmit Vector Signals". In: IEEE Photonics Technology Letters, vol. 19, pp. 1365-1367, September 2007.
- [1493] Cuenot et al.. "WDM signal regeneration using a single alloptical device". In: Optics Express, pp. 11492-11499, August 2007.
- [1494] Kouloumentas et al.. "Packet clock recovery using a bismuth oxide fiber-based optical power limiter". In: Optics Express, vol. 15, pp. 9948-9953, August 2007.
- [1495] Pincemin et al.. "Performance comparison of 40 Gb/s ULH transmissions using CSRZ-ASK or CSRZ-DPSK modulation formats on UltraWave fiber TM fiber". In: Optics Express, vol. 15, pp. 11142-11153, August 2007.
- [1496] Tong et al.. "Study of Interferometric Noise Analysis in Optical CDMA System". In: 8th International Conference on Electronic Measurement and Instruments, 2007. ICEMI '07, August 2007.
- [1497] Chowdhury et al.. "Novel 100Gbps Ethernet Systems for Next-generation Metro Transport and Wide-area Access Networks using Optical carrier suppression and separation Technique". In: LEOS Summer Topicals, no. TuE1.2, pp. 240-241, July 2007.
- [1498] Haris et al.. "Impact of Free Spectral Range Optimization on RZ/NRZ DQPSK Modulation Format with Strong Optical Filtering for Ultra-High Data Rate Systems". In: LEOS Summer Topicals, no. MP2, July 2007.
- [1499] Lim et al.. "Characterization of Multi-Functional Optical Interface for Multi-Channel Fiber-Radio Transmission in Heterogeneous Access Networks". In: LEOS Annual Meeting, no. ME5, pp. 46-47, July 2007.
- [1500] Richter et al.. "Pitfalls when Modeling High-Speed Optical Transmission Systems". In: LEOS Summer Topicals, no. TuE1.1 (Invited), pp. 238-239, July 2007.
- [1501] Anandarajah et al.. "System-Performance Analysis of Optimized Gain-Switched Pulse Source Employed in 40- and 80-Gb/s OTDM Systems". In: Journal of Lightwave Technology, vol. 25, pp. 1495-1502, June 2007.

- [1502] Chow et al.. "Regenerative Properties of Asynchronous Digital Optical Regenerator Using a Single EAM". In: CLEO Europe, June 2007.
- [1503] Chow et al.. "Asynchronous Digital Optical Regenerator for 4 x 40 Gbit/s WDM to 160 Gbit/s OTDM Conversion". In: Optics Express, vol. 15, pp. 8507-8512, June 2007.
- [1504] Lee et al.. "Simple ring-type passive optical network with two-fiber protection scheme and performance analysis". In: Optical Engineering, vol. 46, no. 6, pp. 065002-1 - 065002-6, June 2007.
- [1505] Shachaf et al.. "Multi-PON access network using a coarse AWG for smooth migration from TDM to WDM PON". In: Optics Express, vol. 15, pp. 7840-7844, June 2007.
- [1506] Yiannopoulos et al.. "Multiple-Input-Buffer and Shared-Buffer Architectures for Optical Packet- and Burst-Switching Networks". In: Journal of Lightwave Technology, vol. 25, pp. 1379-1389, June 2007.
- [1507] Oosterlinck et al.. "All-Optical flip-flop operation using a SOA and DFB laser diode optical feedback combination". In: Optics Express, vol. 15, pp. 6190-6199, May 2007.
- [1508] Puente et al.. "Performance Comparison of Multi-wavelength Conversion Using SOA-MZI and DSF for Optical Wavelength Multicast". In: 11th International IFIP TC6 Conference, ONDM, pp. 1-10, May 2007.
- [1509] Ye et al.. "Improved BER monitoring based on amplitude histogram and multi-Gaussian curve fitting". In: Journal of Optical Networking, vol. 6, pp. 584-598, May 2007.
- [1510] Cheng et al.. "Orthogonal labelling scheme using inverted RZ as payload". In: Optics Communications, vol. 272, pp. 44-51, April 2007.
- [1511] LeMinh et al.. "All-optical flip flop based on a symmetric Mach-Zehnder switch with a feedback loop and multiple forward set/reset signals". In: Optical Engineering Letters, vol. 46, pp. 040501-1 - 040501-3, April 2007.
- [1512] Liu et al.. "Dynamic-channel-equalizer using in-line channel power monitor and electronic variable optical attenuator". In: Optics Communications, vol. 272, pp. 87-91, April 2007.
- [1513] Patel et al.. "Dual-soliton dense dispersion-managed system with BL product of 2x10¹⁵ b/s km". In: Optics Express, vol. 15, pp. 3650-3655, April 2007.
- [1514] Provost et al.. "Design scaling rules for 2R-optical self-phase modulation-based regenerators". In: Optics Express, vol. 15, pp. 5100-5113, April 2007.
- [1515] Akhtar et al.. "Impact of Walk-off on FWM in RZ-OOK Transmission". In: OFC/NFOEC, no. JWA41, March 2007.
- [1516] Anderson et al.. "Robust, Low Cost, In-Band Optical Signal to Noise Monitoring Using Polarization Diversity". In: OFC/NFOEC, no. OMM3, March 2007.
- [1517] Chen et al.. "Emerging Network Need for Alien Wavelength Management". In: OFC/NFOEC, no. NTuD5, March 2007.
- [1518] Chow et al.. "Asynchronous Digital Optical Regenerator by an EAM-loop for 4 x 40Gb/s WDM to 160Gb/s OTDM Conversion". In: OFC/NFOEC, no. JThA54, March 2007.
- [1519] Chow et al.. "Rayleigh Noise Reduction in 10-Gb/s DWDM-PONs by Wavelength Detuning and Phase-Modulation-Induced Spectral Broadening". In: IEEE Photonics Technology Letters, vol. 19, pp. 423-425, March 2007.
- [1520] Clarke et al.. "80-Gb/s OTDM System Analysis of a Vertical Microcavity-Based Saturable Absorber for the Enhancement of Pulse Pedestal Suppression". In: IEEE Photonics Technology Letters, vol. 19, pp. 321-323, March 2007.

- [1521] Hinton et al.. "Comparison of Methods for Monitoring PMD-Induced Penalty". In: OFC/NFOEC, no. JThA49, March 2007.
- [1522] Cvijetic et al.. "Adaptive PMD Compensation using OFDM in Long-Haul 10Gb/s DWDM Systems". In: OFC/NFOEC, no. OTuA5, March 2007.
- [1523] Farrell et al.. "Quantifying the Dependence of Degree of Polarization on Polarization Mode Dispersion and the Optical Spectrum". In: OFC/NFOEC, no. OMH5, March 2007.
- [1524] Glatty et al.. "Flexibility in Access Networks : a Novel WDMA/TDMA Scheme for Passive Optical Networks". In: OFC/NFOEC, no. JThA77, March 2007.
- [1525] Haverkamp et al.. "1.1W Four-Wavelength Raman Pump Using BH Lasers". In: OFC/NFOEC, no. OMK7, March 2007.
- [1526] Koonen et al.. "High-Capacity Data Transport via Large-Core Plastic Optical Fiber Links using Quadrature Amplitude Modulation". In: OFC/NFOEC, no. OMR6, March 2007.
- [1527] Liu et al.. "Optical Burst and Transient Equalizer for 10Gb/s Amplified WDM-PON". In: OFC/NFOEC, no. OThU7, March 2007.
- [1528] Mo et al.. "Performance evaluation of externally modulated optical minimum shift keyed data". In: Optical Engineering, vol. 46, March 2007.
- [1529] Sil et al.. "Efficient BER estimation for Radio-over-Fiber systems". In: OFC/NFOEC, no. JThA82, March 2007.
- [1530] Richter et al.. "Design of Optical Access Systems using Computer Modeling". In: Journal of Communications, vol. 2, pp. 39-44, March 2007.
- [1531] Xu et al.. "High-speed WDM-PON using CW injectionlocked Fabry-Perot laser diodes". In: Optics Express, vol. 15, pp. 2953-2962, March 2007.
- [1532] Liu et al.. "New transmitter configuration for subcarrier multiplexed DPSK systems and its applications to chromatic dispersion monitoring". In: Optics Express, vol. 15, pp. 839-844, February 2007.
- [1533] Batshon et al.. "An Improved Technique for Suppression of Intrachannel Four-Wave Mixing in 40-Gb/s Optical Transmission Systems". In: IEEE Photonics Technology Letters, vol. 19, pp. 67 - 69, January 2007.
- [1534] Chen et al.. "New Field Trial Distance Record of 3040 km onWide Reach WDM With 10 and 40 Gb/s Transmission Including OC-768 Traffic Without Regeneration". In: Journal of Lightwave Technology, vol. 25, pp. 28-37, January 2007.
- [1535] Lowery et al.. "Performance of Optical OFDM in Ultralong-Haul WDM Lightwave Systems". In: Journal of Lightwave Technology, vol. 25, pp. 131-138, January 2007.
- [1536] Monroy et al.. "Wavelength shift keying modulation up to 35 Gb/s with wavelength tone reuse to multiplex two 40 Gb/s DPSK signals". In: Optical Fiber Technology, vol. 13, pp. 13-17, January 2007.
- [1537] Mutafungwa et al.. "Comparative analysis of the traffic performance of fiber-impairment limited WDM and hybrid OCDM/WD networks". In: Photonic Network Communications, vol. 13, pp. 53-66, January 2007.
- [1538] Yamazaki et al.. "Compensation of Interchannel Crosstalk Induced by Optical Fiber Nonlinearity in Carrier Phase-Locked WDM System". In: IEEE Photonics Technology Letters, vol. 19, pp. 9-11, January 2007.

2006

- [1539] Chowdhury et al.. "Same Wavelength Packet Switching in Optical Label Switched Networks". In: Journal of Lightwave Technology, vol. 24, pp. 4838-4849, December 2006.
- [1540] He et al.. "Optimisation of cascaded Yb fiber amplifier chains using numerical-modelling". In: Optics Express, vol. 14, pp. 12846-12858, December 2006.
- [1541] Pincemin et al.. "Robustness of 40 Gb/s ASK modulation formats in the practical system infrastructure". In: Optics Express, vol. 14, pp. 12049-12062, December 2006.
- [1542] Akhtar et al.. "Modeling and Analysis of the Contribution of Channel Walk-Off to Nondegenerate and Degenerate Four-Wave-Mixing Noise in RZ-OOK Optical Transmission Systems". In: Journal of Lightwave Technology, vol. 24, pp. 4269-4285, November 2006.
- [1543] Sayeed et al.. "Hybrid Low Loss Architecture for Reconfigurable Optical Add/Drop Multiplexer". In: IEEE GlobeCom, pp. 1-5, November 2006.
- [1544] Laurencio et al.. "Impact of the Combined Effect of RIN and Intermodulation Distortion on OSSB/SCM Systems". In: Journal of Lightwave Technology, vol. 24, pp. 4250-4262, November 2006.
- [1545] Richter et al.. "Photonic Design Automation of Optical Communication Systems (Tutorial)". In: Globecom, Design & Developers Forum, no. Session D5, November 2006.
- [1546] Oosterlinck et al.. "Simulation of the switching of an All-Optical Flip-Flop based on a SOA/DFB-Laser Diode Optical Feedback Scheme". In: Photonics in Switching, no. 01.3, October 2006.
- [1547] Franzl et al.. "E-Learning Laboratories for Optical Circuits: Separation of Imperfections in Technology and Teaching Methodologies". In: IJME-Intertech, no. ENT 103-094, October 2006.
- [1548] Huang et al.. "Simultaneous all-optical 3R regeneration scheme with improved scalability using TOAD". In: Optics Express, vol. 14, pp. 10339-10344, October 2006.
- [1549] Morthier et al.. "Numerical study of ultra-high speed wavelength conversion using a Gain-Clamped SOA in combination with optical filtering laser.". In: Photonics in Switching, no. 03.2, October 2006.
- [1550] Puerto et al.. "Dimensioning of 10 Gbit/s all-optical packet switched networks based on optical label swapping routers with multistage 2R regeneration". In: Optics Express, vol. 14, pp. 10298-10306, October 2006.
- [1551] Richter et al.. "Modeling Optical Transport in Wireless Networks". In: Milcom, no. Session 09H1, October 2006.
- [1552] Batchellor et al.. "Protection in Core Packet Networks: Layer 1 or Layer 3?". In: ECOC, no. Tu3.6.4, September 2006.
- [1553] Diaz et al.. "Monitoring of Mixed PMD and Coherent Crosstalk in a 10 Gb/s NRZ System with an Electrical Spectrum Domain Technique". In: ECOC, no. We3.P.95, September 2006.
- [1554] Fischer et al.. "Equivalent dispersion maps in fibre-optic communication systems". In: ECOC, no. We3.P.134, September 2006.
- [1555] Hewitt et al.. "Performance and Applications of Gigabit OFDM over Optical Fibre Systems in Metro and Access Networks". In: ECOC, no. We3.P.154, September 2006.
- [1556] Khairi et al.. "Performance Improvement on Optical Spectral CDMA System using DCF". In: NUSOD, no. TuP14, September 2006.

- [1557] Kim et al.. "Design and Simulation of All-Optical AND Gate using XGM in Semiconductor Optical Amplifiers without Input Additional Beam". In: NUSOD, no. WA5, September 2006.
- [1558] Koonen et al.. "Quadrature Modulation Techniques for High Capacity Data Transport over Polymer Optical Fibre Links". In: ECOC, no. We4.5.3, September 2006.
- [1559] Lee et al.. "Performance Simulation of Multi Protocol Optical Switch (MPOS) with Multicasting Capability for Optical GRID Networks". In: NUSOD, no. WD2, September 2006.
- [1560] Malach et al.. "Fibre-Independent Optimum Dispersion Mapping for SPM and XPM Suppression in 10 Gbit/s WDM NRZ Optical Transmission Systems". In: ECOC, no. We3.P.130, September 2006.
- [1561] Son et al.. "Design of All-Optical Multi-functional Logic Gate in Single Format by Using Semiconductor Optical Amplifiers". In: NUSOD, no. TuP12, September 2006.
- [1562] Weber et al.. "Electronic Precompensation of Intra-Channel Nonlinearities at 40 Gbit/s". In: ECOC, no. We1.5.4, September 2006.
- [1563] Comellas et al.. "Proposal and Performance Evaluation of a Heterodyne 8-PolSK Optical Transmission System". In: Journal of Optical Communications, vol. 27, pp. 219 - 222, August 2006.
- [1564] Oosterlinck et al.. "Optical Bistability in a Traveling-Wave SOA Connected to a DFB Laser Diode: Theory and Experiment". In: IEEE Journal of Quantum Electronics, vol. 42, pp. 739 - 746, August 2006.
- [1565] Kehayas et al.. "ARTEMIS: 40-Gb/s All-Optical Self-Routing Node and Network Architecture Employing Asynchronous Bit and Packet-Level Optical Signal Processing". In: Journal of Lightwave Technology, vol. 24, pp. 2967-2977, August 2006.
- [1566] Aleksic et al.. "Balanced Optical Phase-Locked Loop Based on Four-Wave Mixing in Semiconductor Optical Amplifiers". In: NOC - European Conference on Networks and Optical Communications, pp. 346-351, July 2006.
- [1567] Aoudeh et al.. "Impact of Residual Dispersion and ASE Noise on the Performance Optimization of All-Optical Regenerators Utilizing Self-Phase Modulation in a Highly Nonlinear Fiber". In: Journal of Selected Topics in Quantum Electronics, vol. 12, pp. 717 - 725, July 2006.
- [1568] Chan et al.. "The optimisation of the AWG filtering of 40 Gbit/s VSB-RZ fro transmission through legacy SMF links". In: ACOFT/AOS, no. 84 TUEP, pp. 54-56, July 2006.
- [1569] Djordjevic et al.. "Low-Density Parity-Check Codes for 40-Gb/s Optical Transmission Systems". In: Journal of Selected Topics in Quantum Electronics, vol. 12, pp. 555 - 562, July 2006.
- [1570] Du et al.. "WDM Channel Spacing in Ultra Long Haul optical OFDM Systems". In: ACOFT/AOS, no. 114 Mon, pp. 7-9, July 2006.
- [1571] Fischer et al.. "Nonlinear diffusion bandwidth and equivalent single-span model: Simple tools for the optimization of dispersion maps". In: NOC - European Conference on Networks and Optical Communications, pp. 97 - 104, July 2006.
- [1572] Louchet et al.. "Design challenges for broadband access systems". In: NOC - European Conference on Networks and Optical Communications, pp. 436-441, July 2006.
- [1573] Lowery et al.. "Comparison of Power-Efficient Optical Orthogonal Frequency Division Multiplexing Transmission Methods". In: ACOFT/AOS, no. 58 Mon, pp. 1-3, July 2006.
- [1574] Minh et al.. "All-Optical Packet Router Based on Multi-Wavelength PPM Header Processing". In: NOC - European Conference on Networks and Optical Communications, pp. 360-367, July 2006.

- [1575] Premaratne et al.. "Semiclassical Analysis of the Impact of Noise in SOA-Based Optical Pulse Delay Discriminator". In: Journal of Selected Topics in Quantum Electronics, vol. 12, pp. 708-716, July 2006.
- [1576] Richter et al.. "Overcoming Challenges in Modeling Optical Components and Systems". In: ACOFT/AOS, no. Invited_Richter, July 2006.
- [1577] Salas et al.. "A Novel Variable Optical-Packet-Buffering Architecture". In: NOC - European Conference on Networks and Optical Communications, pp. 322-326, July 2006.
- [1578] Shachaf et al.. "Multi-PON access/metro network using a coarse-WDM AWG router". In: NOC - European Conference on Networks and Optical Communications, pp. 308 - 313, July 2006.
- [1579] Yi et al.. "Cascadability Study for Optical Label Swapping Using Synchronous Phase Modulation". In: IEEE Photonics Technology Letters, vol. 18, pp. 1445-1447, July 2006.
- [1580] Zhang et al.. "Optimum dispersion mapping of single-channel 40 Gbit/s return-to-zero differential phase-shift keying transmission systems". In: Optics Express, vol. 14, pp. 6613-6618, July 2006.
- [1581] Cuenot et al.. "Optical Regeneration Using Self-Phase Modulation and Quasi-Continuous Filtering". In: IEEE Photonics Technology Letters, vol. 18, pp. 1350 - 1352, June 2006.
- [1582] Farina et al.. "Efficient Design of Optical Access Systems". In: IEE Conference on Access Technologies (ICAT), pp. 65-68, June 2006.
- [1583] Gunning et al.. "Dispersion Tolerance of Coherent WDM". In: IEEE Photonics Technology Letters, vol. 18, pp. 1338 - 1340, June 2006.
- [1584] Koonen et al.. "High Capacity Data Transport over Plastic Optical Fibre links Using Quadrature Modulation". In: IEE Conference on Access Technologies (ICAT), pp. 69-72, June 2006.
- [1585] Maher et al.. "Generation and Characterisation of 40 GHz Picosecond Optical Pulses Generated Using an EAM". In: ICTON, no. Tu.P.32, pp. 201-204, June 2006.
- [1586] Shachaf et al.. "Multiple - PON Access Network Architecture". In: IEE Conference on Access Technologies (ICAT), pp. 53-55, June 2006.
- [1587] Cho et al.. "Optimization of Radio-On-Fiber Systems Employing ODSB Signals by Utilizing a Dual-Electrode Mach-Zehnder Modulator Against IM3". In: IEEE Photonics Technology Letters, vol. 18, pp. 1076 - 1078, May 2006.
- [1588] Cho et al.. "Effect of Third-Order Intermodulation on Radio-Over-Fiber Systems by a Dual-Electrode Mach-Zehnder Modulator With ODSB and OSSB Signals". In: Journal of Lightwave Technology, vol. 24, pp. 2052 - 2058, May 2006.
- [1589] Forzati et al.. "Performance Analysis of Single-MZM APRZ Transmitters". In: Journal of Lightwave Technology, vol. 24, pp. 2006-2014, May 2006.
- [1590] Perez et al.. "Efficient Modulation Formats for High Bit-Rate Fiber Transmission". In: Acta Universitaria, vol. 16, pp. 17-26, May 2006.
- [1591] He et al.. "Optimisation of short pulse multi-stage Yb fiber amplifier systems using commercial gain-modelling software". In: CLEO/QELS, no. CThR6, May 2006.
- [1592] Attygalle et al.. "Extending Optical Transmission Distance in Fiber Wireless Links Using Passive Filtering in Conjunction With Optimized Modulation". In: Journal of Lightwave Technology, vol. 24, pp. 1703 - 1709, April 2006.

- [1593] Moll et al.. "Optimal design parameters research for novel monolithically integrated non-linear all-optical loop mirror for signal regeneration". In: Integrated optics, silicon photonics, and photonic integrated circuits. Conference , FRANCE, vol. 6183, no. 618318, pp. 618318.1-618318.11, April 2006.
- [1594] Nogueira et al.. "Polarization-Assisted OCDMA Using Fiber Bragg Gratings Written in Highly Birefringent Fibers". In: IEEE Photonics Technology Letters, vol. 18, pp. 841-843, April 2006.
- [1595] Afonso et al.. "Dynamic Gain and Channel Equalizers or Wavelength Blocker Using Free Space: Common Elements and Differences". In: Journal of Lightwave Technology, vol. 24, pp. 1534-1542, March 2006.
- [1596] Chi et al.. "Improve the Performance of Orthogonal ASK/DPSK Optical Label Switching by DC-Balanced Line Encoding". In: Journal of Lightwave Technology, vol. 24, no. 3, pp. 1082-1092, March 2006.
- [1597] Dods et al.. "Optical Performance Monitoring Technique Using Delay Tap Asynchronous Waveform Sampling". In: OFC/NFOEC, no. OThP5, March 2006.
- [1598] Ellis et al.. "Receiver-side electronic dispersion compensation using passive optical field detection for low cost 10Gbit/s 600 km reach applications". In: OFC/NFOEC, no. OTuE4, March 2006.
- [1599] Healy et al.. "Phase Stabilisation of Coherent WDM Modulator Array". In: OFC/NFOEC, no. OTuI5, March 2006.
- [1600] Ji et al.. "Optical Tunable Asymmetric Interleaver". In: OFC/NFOEC, no. OTuM7, March 2006.
- [1601] Koltchanov et al.. "Efficient Design and Modeling of Doped-Fiber Amplifiers and Lasers". In: OFC/NFOEC, no. JThB82, March 2006.
- [1602] Lowery et al.. "Orthogonal Frequency Division Multiplexing for Adaptive Dispersion Compensation in Long Haul WDM Systems". In: OFC/NFOEC, no. PDP39, March 2006.
- [1603] Lowery et al.. "Orthogonal-frequency-division multiplexing for dispersion compensation of long-haul optical systems". In: Optics Express, vol. 14, pp. 2079-2084, March 2006.
- [1604] Seimetz et al.. "Options, Feasibility, and Availability of 2 x 4 90deg Hybrids for Coherent Optical Systems". In: Journal of Lightwave Technology, vol. 24, pp. 1317-1322, March 2006.
- [1605] Seimetz et al.. "Performance of Coherent Optical Square-16-QAM-Systems based on IQ-Transmitters and Homodyne Receivers with Digital Phase Estimation". In: OFC/NFOEC, no. NWA4, March 2006.
- [1606] Xu et al.. "Spectral Efficient Transmission of 40Gbps per Channel over 50GHz Spaced DWDM Systems using Optical Carrier Suppression, Separation and Optical Duobinary Modulation". In: OFC/NFOEC, no. NTuC2, March 2006.
- [1607] Djordjevic et al.. "Suppression of Intrachannel Nonlinear Effects Using Pseudoternary Constrained Codes". In: Journal of Lightwave Technology, vol. 24, pp. 769-774, February 2006.
- [1608] Chen et al.. "Improvement of Dispersion Tolerance Using Phase-Modulated NRZ Signals in 40-Gb/s Transmission Systems". In: IEEE Photonics Technology Letters, vol. 18, pp. 37 - 39, January 2006.
- [1609] Mocan et al.. "A novel all-optical routing architecture for optical packet switched networks". In: Photonic Network Communications, vol. 11, pp. 77 - 86, January 2006.

2005

- [1610] Lima et al.. "Comparison of the Crosstalk Characteristics of Optical Add/Drop Multiplexers Based on Mach-Zehnder Interferometers with FBGs". In: Journal of Optical Communications, vol. 26, pp. 287 - 291, December 2005.
- [1611] Lin et al.. "Noncoherent Spatial/Spectral Optical CDMA System With Two-Dimensional Perfect Difference Codes". In: Journal of Lightwave Technology, vol. 23, pp. 3966-3980, December 2005.
- [1612] Lowery et al.. "10 Gbit/s multimode fiber link using power efficient orthogonal-frequency-division multiplexing". In: Optics Express, vol. 13, pp. 10003-10009, December 2005.
- [1613] Rotman et al.. "Analysis of a True Time Delay Photonic Beamformer for Transmission of a Linear Frequency-Modulated Waveform". In: Journal of Lightwave Technology, vol. 23, pp. 4026-4036, December 2005.
- [1614] Djordjevic et al.. "Achievable Information Rates for High-Speed Long-Haul Optical Transmission". In: Journal of Lightwave Technology, vol. 23, pp. 769-774, November 2005.
- [1615] Fischer et al.. "PMD and Chromatic Dispersion in (APol-)DPSK Transmission Systems". In: WOTE (Workshop on Optical Transmission and Equalization), no. A3, pp. 9-10, November 2005.
- [1616] Patent et al.. "Self-Switching in Mach-Zehnder Interferometers With SOA Phase Shifters". In: IEEE Photonics Technology Letters, vol. 17, pp. 2301-2303, November 2005.
- [1617] Peng et al.. "Performance Comparisons of External Modulated Hybrid Analog-Digital Signals in Electrical and Optical Domains". In: IEEE Photonics Technology Letters, vol. 17, pp. 2496-2498, November 2005.
- [1618] Richter et al.. "Bit-Error Rate Estimation for Applications using 40 Gbit/s and Higher". In: WOTE (Workshop on Optical Transmission and Equalization), no. B3, pp. 23-24, November 2005.
- [1619] Seimetz et al.. "Coherent Systems using Multi-Level Modulation Formats and Electronic Distortion Equalisation". In: WOTE (Workshop on Optical Transmission and Equalization), no. B1, pp. 19-20, November 2005.
- [1620] Tsai et al.. "Chromatic-Dispersion Monitoring Using an Optical Delay-and-Add Filter". In: Journal of Lightwave Technology, vol. 23, pp. 3737-3747, November 2005.
- [1621] Yu et al.. "Spectral Efficient DWDM Packet Generation and Transmission". In: WOTE (Workshop on Optical Transmission and Equalization), no. D1, pp. 47-48, November 2005.
- [1622] Afonso et al.. "Wavelength Blocker and DCE design and modeling". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 04_2, October 2005.
- [1623] Clarke et al.. "Pulse Source for 80 Gb/s Systems using a Gain-Switched Laser Diode followed by a Nonlinearly Chirped Grating". In: LEOS Annual Meeting, no. ThBB4, pp. 973 - 974, October 2005.
- [1624] Genay et al.. "Effect of backscattering and backreflections on upstream remote modulation in a bidirectional transmission link for WDM-PON applications". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 03_1, October 2005.
- [1625] Jauffrit et al.. "Performance evaluation of a WDM metropolitan network". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 04_4S, October 2005.
- [1626] Joindot et al.. "Simulation Tools for Research and Education in Optical Networks". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 02_1, October 2005.

- [1627] Khanal et al.. "Optimum Operating Conditions of a WDM Passive Optical Network with Selective Video Broadcasting Capability through a Single Modulator". In: LEOS Annual Meeting, no. TuG2, pp. 220 - 221, October 2005.
- [1628] Bras et al.. "Simulation of optical path degradations for Radio over Fibre link". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 03_5, October 2005.
- [1629] Louchet et al.. "Simple Criterion for the Characterization of Nonlinear Impairments in Dispersion-Managed Optical Transmission Systems". In: IEEE Photonics Technology Letters, vol. 17, pp. 2089-2091, October 2005.
- [1630] Lowery et al.. "Programmed Wavelength-Hopping Semiconductor Laser". In: LEOS Annual Meeting, no. ThK6, pp. 796 - 797, October 2005.
- [1631] Lowery et al.. "Active Photonic Circuits and Biophotonics at Monash University, Australia". In: LEOS Annual Meeting, no. ThK6, pp. 17 - 18, October 2005.
- [1632] Peng et al.. "Encoding ASK Labeled CSRZ-DPSK Payload by Using Only One Dual-Drive Mach-Zehnder Modulator With Enhanced Label Performance". In: IEEE Photonics Technology Letters, vol. 17, pp. 2227-2229, October 2005.
- [1633] Ramos et al.. "IST-LASAGNE: Towards All-Optical Label Swapping Employing Optical Logic Gates and Optical Flip-Flops". In: Journal of Lightwave Technology, vol. 23, pp. 2993-3011, October 2005.
- [1634] Rong et al.. "DOP and OSNR Penalty in First and Second-order PMD Compensation". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 02_4, October 2005.
- [1635] Tan et al.. "Comparison of OSNR Penalties induced by First and Second-Order PMD between NRZ and RZ Systems at 40 Gbit/s". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 02_2, October 2005.
- [1636] Tang et al.. "16x40 Gb/s Transmission Using Optical Phase Conjugation". In: STREON (Simulation Tools for Research and Education in Optical Networks), no. 02_3, October 2005.
- [1637] Berkel et al.. "Influence of Non-optimal Filtering on FSK/IM Modulated Signals". In: ECOC, no. Th3.4.5, September 2005.
- [1638] Clark et al.. "Digital signal processing assisted coherent optical receiver for high dynamic range fiber optic networks". In: IEEE Conference on Avionics Fiber-Optics and Photonics (AVFOP), pp. 69 - 70, September 2005.
- [1639] Fischer et al.. "Optimum Fibre Dispersion for 40 Gbit/s DPSK Transmission". In: ECOC, no. Th1.2.5, September 2005.
- [1640] Forzati et al.. "Performance analysis of single-MZM APRZ transmitter". In: ECOC, no. We4.P.081, September 2005.
- [1641] Kulkarni et al.. "Benefits of Q-factor based Routing in WDM Metro Networks". In: ECOC, no. Th3.5.7, September 2005.
- [1642] Louchet et al.. "Introduction to the Concept of Nonlinear Diffusion Bandwidth". In: ECOC, no. We4.P.011, September 2005.
- [1643] Martinez et al.. "Experimental demonstration of subcarrier multiplexed optical Label Swapping featuring 20GB/s Payload speed and 622Mb/s header conveyed @18.3GHz". In: ECOC, no. Th3.4.3, September 2005.
- [1644] Premaratne et al.. "Analytical Characterization of SOA-Based Optical Pulse Delay Discriminator". In: Journal of Lightwave Technology, vol. 23, pp. 2778-2787, September 2005.
- [1645] Vyrsoinos et al.. "ARTEMIS: A New Architecture for All-Optical Asynchronous Self-Routing Network with Efficient Contention Protection and QoS Differentiation". In: ECOC, no. We4.P.083, September 2005.

- [1646] Chen et al.. "Next-Generation Optical Transmission Fibers". In: MCI Whitepaper WP10602 (<http://www.verizonbusiness.com/resources/whitepapers/pdf/NxtGenOptTran.pdf>), August 2005.
- [1647] Lowery et al.. "Performance Predictions and Topology Improvements for Optical Serrrodyne Comb Generators". In: Journal of Lightwave Technology, vol. 23, pp. 2371-2379, August 2005.
- [1648] Vanderbauwhede et al.. "A Multiexit Recirculating Optical Packet Buffer". In: IEEE Photonics Technology Letters, vol. 17, pp. 1749-1751, August 2005.
- [1649] Berkel et al.. "Effect of non-optimal filtering on the performance of FSK/IM transmission schemes". In: NOC - European Conference on Networks and Optical Communications, July 2005.
- [1650] Joindot et al.. "Dispersion Map Optimization in Hybrid Raman/Erbium-Doped Fiber Amplifier-Based 40-Gb/s Link". In: IEEE Photonics Technology Letters, vol. 17, pp. 1555-1557, July 2005.
- [1651] Junior et al.. "Design and simulation of an in-line optical gain equalizer for application in WDM systems". In: ICTON, vol. 2, pp. 221 - 224, July 2005.
- [1652] Salas et al.. "All-Optical Buffering and Wavelength Conversion/Regeneration based on a Symmetric Mach-Zehnder Interferometer". In: NOC - European Conference on Networks and Optical Communications, pp. 509-514, July 2005.
- [1653] Tsirilakis et al.. "Cost comparison of IP/WDM vs. IP/OTN for European backbone networks". In: ICTON, vol. 2, pp. 46 - 49, July 2005.
- [1654] Yu et al.. "All-Optical XOR Gate Using Polarization Rotation in Single Highly Nonlinear Fiber". In: IEEE Photonics Technology Letters, vol. 17, pp. 1232-1234, June 2005.
- [1655] Dods et al.. "Optical performance monitoring with tunable narrowband optical filtering". In: Optics Express, vol. 13, pp. 8927-8932, May 2005.
- [1656] Lowery et al.. "Design and simulation of a simple laser rangefinder using a semiconductor optical amplifier-detector". In: Optics Express, vol. 13, pp. 3647-3652, May 2005.
- [1657] Richter et al.. "Photonic Design Automation to Help Design Future Optical Networks". In: COIN, no. SC-00, May 2005.
- [1658] Clavero et al.. "All-Optical Flip-Flop Based on a Single SOA-MZI". In: IEEE Photonics Technology Letters, vol. 17, pp. 843-845, April 2005.
- [1659] Lin et al.. "Spectral Amplitude-Coding Optical CDMA System Using Mach-Zehnder Interferometers". In: Journal of Lightwave Technology, vol. 23, pp. 1543-1555, April 2005.
- [1660] Bakaul et al.. "Multifunctional WDM Optical Interface for Millimeter-Wave Fiber-Radio Antenna Base Station". In: Journal of Lightwave Technology, vol. 23, pp. 1210-1218, March 2005.
- [1661] Buchta et al.. "Impact of Modulation Formats and SOA Chirp on the Throughput of SOA Based OBS Nodes". In: OFC/NFOEC, no. OWC7, March 2005.
- [1662] Djordjevic et al.. "A Ternary Modulation Code for Suppression of Intrachannel Nonlinear Effects in High-Speed Optical Transmission". In: OFC/NFOEC, no. OThW2, March 2005.
- [1663] Dods et al.. "A Novel Broadband Asynchronous Histogram Technique for Optical Performance Monitoring". In: OFC/NFOEC, no. OThH2, March 2005.
- [1664] Ellis et al.. "Achievement of 1 bit/s /HZ Information Spectral Density Using Coherent WDM". In: OFC/NFOEC, no. OThR4, March 2005.

- [1665] Forzati et al.. "40-Gb/s field transmission through 540 km SSMF using the APRZ modulation format". In: OFC/NFOEC, no. OFN1, March 2005.
- [1666] Freund et al.. "System Margin and Parameter Tolerances of Optical Transmission Sections in Metro-Networks for 40 Gbit/s-NRZ-ASK Transmission". In: OFC/NFOEC, no. NThB1, March 2005.
- [1667] Koltchanov et al.. "Complete Time and Frequency-dependent Modeling of Electro-Absorption Modulators". In: OFC/NFOEC, no. OME42, March 2005.
- [1668] Lallas et al.. "Coherent Encoding of Optical FSK Header of All Optical Label Swapping Systems". In: Journal of Lightwave Technology, vol. 23, pp. 1199-1209, March 2005.
- [1669] Llorente et al.. "Orthogonal Wavelength-Division-Multiplexing Technique Feasibility Evaluation". In: Journal of Lightwave Technology, vol. 23, pp. 1145-1151, March 2005.
- [1670] Oosterlinck et al.. "Very Steep Optical Thresholding Characteristic Using a DFB Laser Diode and an SOA in an Optical Feedback Scheme". In: IEEE Photonics Technology Letters, vol. 17, pp. 642-644, March 2005.
- [1671] Perez et al.. "Ultralinear Transmission Modulation: A new Amplitude Modulation Coding for High Efficiency Fiber-Optic Transmissions". In: IEEE Photonics Technology Letters, vol. 17, pp. 708-710, March 2005.
- [1672] Richter et al.. "Optimization of Multi-Pump Raman Amplifiers". In: OFC/NFOEC, no. NTuB4, March 2005.
- [1673] Richter et al.. "Issues on Bit-Error Rate Estimation for Fiber-Optic Communication Systems". In: OFC/NFOEC, no. NTuH3, March 2005.
- [1674] Schulze et al.. "40 Gb/s WDM-Transmission with EDFAs in Comparison to Raman Amplified Transmission with Raman Fiber Lasers as First-Order and Second-Order Pump". In: OFC/NFOEC, no. OThF2, March 2005.
- [1675] Zeng et al.. "Transport Performance of an All-Optical Metro WDM Network Based on an All-Optical Switches". In: OFC/NFOEC, no. NTuE3, March 2005.
- [1676] Ellis et al.. "Spectral Density Enhancement Using Coherent WDM". In: IEEE Photonics Technology Letters, vol. 17, pp. 504-506, February 2005.
- [1677] Madsen et al.. "A Novel Optical Vector Spectral Analysis Technique Employing a Limited-Bandwidth Detector". In: EURASIP Journal on Applied Signal Processing, vol. 10, pp. 1566-1573, February 2005.
- [1678] Attygalle et al.. "Dispersion-Tolerant Multiple WDM Channel Millimeter-Wave Signal Generation Using a Single Monolithic Mode-Locked Semiconductor Laser". In: Journal of Lightwave Technology, vol. 23, pp. 295-303, January 2005.
- [1679] Attygalle et al.. "Transmission Improvement in Fiber Wireless Links Using Fiber Bragg Gratings". In: IEEE Photonics Technology Letters, vol. 17, pp. 190-192, January 2005.
- [1680] Louchet et al.. "Analytical Model for the Design of Multispan DWDM Transmission Systems". In: IEEE Photonics Technology Letters, vol. 17, pp. 247-249, January 2005.
- [1681] Lowery et al.. "Reduced component count optical delay discriminator using a semiconductor optical amplifier-detector". In: Optics Express, vol. 13, pp. 290-295, January 2005.
- [1682] Pipek et al.. "Optoelectronic Devices: Advanced Simulation and Analysis". In: OFC/NFOEC, no. OTuH2, January 2005.
- [1683] Premaratne et al.. "The photon transport equation for turbid biological media with spatially varying isotropic refractive index". In: Optics Express, vol. 13, pp. 389-399, January 2005.
- [1684] Tran et al.. "EDFA Transient Control Based on Envelope Detection for Optical Burst Switched Networks". In: IEEE Photonics Technology Letters, vol. 17, pp. 226-228, January 2005.

- [1685] Ward et al.. "Widely Tunable Ds-DBR Laser with Monoplothically Integrated SOA: Desing and Performance". In: Journal of Selected Topics in Quantum Electronics, vol. 11, pp. 149-156, January 2005.
- [1686] Zacharopoulos et al.. "Optimization Study of Advanced Modulation Formats for 10Gb/s Metropolotan Networks". In: Journal of Lightwave Technology, vol. 23, pp. 321-329, January 2005.

2004

- [1687] Berkel et al.. "Influence of laser wavelength detuning and optical filtering on the performance of FSK/IM transmission schemes". In: Symposium IEEE/LEOS Benelux Chapter, pp. 191-194, December 2004.
- [1688] Choi et al.. "Dispersion map optimisation and dispersion slope mismatch effects for 40 channel x 10 Gbit/s transmission over 3000 km using standard SMF and EDFA amplification". In: Optics Communications, vol. 242, pp. 525-532, December 2004.
- [1689] Breuer et al.. "Design analysis of upgrade strategies from single to double and triple-wavelength-band WDM transmission". In: APOC, vol. 5625, pp. 601-613, November 2004.
- [1690] Devellder et al.. "Benchmarking and Viability Assessment of Optical Packet Switching for Metro Networks". In: Journal of Lightwave Technology, vol. 22, pp. 2435-2451, November 2004.
- [1691] Freund et al.. "Design issues of 40-Gbit/s WDM Systems for Metro and Core Network Application". In: APOC, vol. 5625, pp. 532-543, November 2004.
- [1692] Huang et al.. "An enhanced inheritance algorithm for optimization of multiwavelength fiber Raman amplifier". In: APOC, vol. 5623, pp. 727-735, November 2004.
- [1693] Richter et al.. "Photonic design automation of optical communication systems". In: APOC, vol. 5625, pp. 316-327, November 2004.
- [1694] Wen et al.. "RZ/CSRZ-DPSK and Chirped NRZ Signal Generation Using a Single-Stage Dual-Electrode Mach-Zehnder Modulator". In: IEEE Photonics Technology Letters, vol. 16, pp. 2466-2468, November 2004.
- [1695] Yu et al.. "Spectral Efficient DWDM Optical Label/Payload Generation and Transport for Next-Generation Internet". In: Journal of Lightwave Technology, vol. 22, pp. 2469-2482, November 2004.
- [1696] Zhou et al.. "Performance comparison for NRZ, RZ and CSRZ modulation formats in ultra-long haul DWDM system". In: APOC, vol. 5625-167, November 2004.
- [1697] Fatome et al.. "Effectiveness of Fiber Lines with Symmetric Dispersion Swing for 160-Gb/s Terrestrial transmission Systems". In: IEEE Photonics Technology Letters, vol. 16, pp. 2365-2367, October 2004.
- [1698] Forzati et al.. "FWM Suppression Using APRZ With Optimized Phase-Modulation Parameters". In: IEEE Photonics Technology Letters, vol. 16, pp. 2368-2370, October 2004.
- [1699] McAulay et al.. "Optimizing SOA frequency conversation with discriminant filter". In: Active and Passive Optical Components for WDM Communications IV, no. SPIE 5595-44, October 2004.
- [1700] Bao et al.. "Impact of Saturable Absorption of Performance of Optical Clock Recovering Using a Mode-Locked Multisection Semiconductor Laser". In: IEEE Journal of Quantum Electronics, vol. 40, pp. 1177-1185, September 2004.
- [1701] Benhaddou et al.. "Design and scalability analysis of a fast-frequency-hopping optical CDMA switch architecture". In: Journal of Optical Networking, vol. 3, no. 9, pp. 694-706, September 2004.
- [1702] Clavero et al.. "All-optical packet routing scheme for optical label-swapping networks". In: Optics Express, vol. 12, pp. 4326-4332, September 2004.
- [1703] Djordjevic et al.. "Suppression of intrachannel nonlinear effects in highspeed optical transmission using modulation codes". In: ECOC, no. We4P081, September 2004.
- [1704] Freund et al.. "Design issues of 40 Gb/s WDM-systems for metro and core network application". In: ECOC, no. Tu351, September 2004.

- [1705] Klekamp et al.. "Reliability of Simulations at 43Gb/s: Comparison with Experiment at 8 Modulation Formats on Fiber Impairments". In: ECOC, no. We4P094, September 2004.
- [1706] Lee et al.. "Electrically Band-Limited CSRZ-DPSK Signal With a Simple Transmitter Configuration and Reduced Linear Crosstalk in High Spectral Efficiency DWDM Systems". In: IEEE Photonics Technology Letters, vol. 16, pp. 2135-2137, September 2004.
- [1707] Martinez et al.. "All-Optical Header Recognition Scheme for All-Optical Packet Routers in Optical Label-Swapping Networks". In: ECOC, no. We4P129, September 2004.
- [1708] Vervaeke et al.. "Advanced optical fiber communication simulations in Electrotechnical Engineering education". In: SPIE Photonics North, pp. 768-779, September 2004.
- [1709] Vogiatzis et al.. "Impairment Constraint Routing in Metro Optical Networks". In: ECOC, no. We4P134, September 2004.
- [1710] Zeng et al.. "Wavelength-routing fault detection in an AON testbed utilizing concatenated pilot tones". In: SPIE Photonics North, September 2004.
- [1711] Djordjevic et al.. "Chirped NRZ Modulation Format for High-Speed Transmission". In: Journal of Optical Communications, vol. 25, pp. 158-160, August 2004.
- [1712] Djordjevic et al.. "Modified Duobinary RZ Modulation Format for High-Speed Transmission". In: Journal of Optical Communications, vol. 25, pp. 155-157, August 2004.
- [1713] McAulay et al.. "All-optical SOA latch fail-safe alarm system". In: Photonic Devices and Algorithms for Computing VI, SPIE Conference 5556-7, August 2004.
- [1714] Tomkos et al.. "Performance engineering of metropolitan area optical networks through impairment constraint routing". In: IEEE Communications Magazine, vol. 42, pp. 40-47, August 2004.
- [1715] Chen et al.. "Multichannel Single-Sideband SCM/DWDM Transmission Systems". In: Journal of Lightwave Technology, vol. 22, pp. 1679-1693, July 2004.
- [1716] Comellas et al.. "Quaternary Optical Transmission System Combining Phase and Polarization Shift-Keying". In: IEEE Photonics Technology Letters, vol. 16, pp. 1786-1788, July 2004.
- [1717] Dods et al.. "Spectrally resolved performance monitoring using narrow band filters for optical networks". In: OECC/COIN, no. 15C3-6, July 2004.
- [1718] Dods et al.. "Optical performance monitoring combining optical signal processing and histogram techniques". In: ACOFT/AOS, July 2004.
- [1719] Feng et al.. "Quality monitoring of WDM channels with blind signal separation methods". In: Journal of Optical Networking, vol. 3, no. 7, pp. 477-489, July 2004.
- [1720] Gopalakrishnapillai et al.. "Optical Decoder Based on Parallel Configuration of Fibre Bragg Gratings". In: OECC/COIN, July 2004.
- [1721] Hewitt et al.. "10 Gbit/s Vestigial Sideband DWDM Systems using Novel Fibre Bragg Grating Periodic Filters". In: OECC/COIN, no. 13C2-5, July 2004.
- [1722] Lowery et al.. "Improving performance of red shift wavelength converters". In: ACOFT/AOS, July 2004.
- [1723] Tzanakaki et al.. "Performance Study of Modulation Formats for 10 Gb/s WDM Metropolitan Area Networks,". In: IEEE Photonics Technology Letters, vol. 16, pp. 1769-1771, July 2004.
- [1724] Vasic et al.. "Ghost-Pulse Reduction in 40-Gb/s Systems Using Line Coding". In: IEEE Photonics Technology Letters, vol. 16, pp. 1784-1786, July 2004.

- [1725] Wong et al.. "Monitoring of Signal-to-Noise Ratio in Optical Communication Links". In: OECC/COIN, no. 13P-63, July 2004.
- [1726] Zeng et al.. "Optimisation of Physical layer Parameters for an All-Optical Network Testbed". In: 4th IASTED International Conference of Wireless and Optical Communications (WOC'04), pp. 703-708, July 2004.
- [1727] Hanik et al.. "Extension of All-Optical Network-Transparent Domains Based on Normalized Transmission Sections". In: Journal of Lightwave Technology, vol. 22, pp. 1439-1453, June 2004.
- [1728] Oosterlinck et al.. "Ultra-sharp optical decision characteristic from a laser diode integrated with a semiconductor optical amplifier". In: IPR, no. JWB9, pp. 1-3, June 2004.
- [1729] Wu et al.. "Fiber Nonlinearity Limitations in Ultra-Dense WDM Systems". In: Journal of Lightwave Technology, vol. 22, pp. 1483-1498, June 2004.
- [1730] Hewitt et al.. "A Novel High Speed Optical Access Network using Electrical CDMA (E-CDMA over Optical)". In: Broadband World Forum Seoul (IEC), Session A3 Future Directions of Fibre-to-the-Premises, May 2004.
- [1731] Wei et al.. "Simultaneous nonlinearity suppression and wide-band dispersion compensation using optical phase conjugation". In: Optics Express, vol. 12, pp. 1938-1958, May 2004.
- [1732] Zeng et al.. "Optimisation of All-Optical Network Testbed Regarding NRZ and RZ Modulation". In: IEEE Canadian Conference on Electrical and Computer Engineering 2004, pp. 428-432, May 2004.
- [1733] Hu et al.. "Stiffness analysis in the numerical solution of Raman amplifier propagation equations". In: Optics Express, vol. 12, pp. 1656-1664, April 2004.
- [1734] Buchta et al.. "Impact of SOA Gain Saturation and Dynamics on the Throughput of Optical Burst Switching Nodes". In: OFC, no. F03, March 2004.
- [1735] Gene et al.. "Investigation of 10-Gb/s Optical DQPSK Systems in Presence of Chromatic Dispersion, Fiber Nonlinearities, and Phase Noise". In: IEEE Photonics Technology Letters, vol. 16, pp. 924-926, March 2004.
- [1736] Harshavardhana et al.. "Network Planning considerations and techniques for Transport Networks". In: OFC, no. WP4, March 2004.
- [1737] Hodzic et al.. "Analytical model for the design of PSK based single channel and DWDM transmission systems". In: OFC, no. TuN2, March 2004.
- [1738] Moeyersoon et al.. "Degradation of the Mode Suppression in Single-Mode Laser Diodes Due to Integrated Optical Amplifier". In: IEEE Journal of Quantum Electronics, vol. 40, pp. 241-244, March 2004.
- [1739] Yang et al.. "Simultaneous Channel and OSNR Monitoring Using a Polarization-Selective Modulator and an LED". In: IEEE Photonics Technology Letters, vol. 16, pp. 945-947, March 2004.
- [1740] Lakoba et al.. "Effect of a Raman Co-Pump's RIN on the BER for Signal Transmission Using ON-OFF Keying Modulation Format". In: Journal of Lightwave Technology, vol. 22, pp. 382-389, February 2004.
- [1741] Qiang et al.. "Numerical Simulation on 8 x 10 Gbit/s all Optical DWDM System". In: Journal of Optical Communications, vol. 25, pp. 43-46, February 2004.
- [1742] Sorio et al.. "Optical Filter Impact on Eye Opening in Vestigial Sideband Systems". In: Journal of Lightwave Technology, vol. 22, pp. 433-439, February 2004.
- [1743] Wen et al.. "Impact of optical pulse shape on the performance of Long-Haul high capacity DWDM systems". In: Optics Communications, vol. 234, pp. 217-227, February 2004.
- [1744] Gene et al.. "Modified Duobinary Polarisation - Shift Keying Transmission Scheme". In: IEEE Photonics Technology Letters, vol. 16, pp. 311-313, January 2004.

2003

- [1745] Andre et al.. "Raman Gain characterization in Standard Single Mode Optical Fibres for Optical Simulation Purposes". In: *Optica Applicata*, vol. 33, pp. 559 - 573, December 2003.
- [1746] Cao et al.. "Gain-flattened ultra-wideband fiber amplifiers". In: *Optical Engineering*, vol. 42, pp. 3447-3451, December 2003.
- [1747] Wen et al.. "RZ/CSRZ-DPSK and chirped NRZ signal generation with simple configuration". In: *CLEO PR*, pp. 148, December 2003.
- [1748] Bao et al.. "Pulsed Multichannel Source Generation for RZ Based WDM Application". In: *IEEE Photonics Technology Letters*, vol. 15, pp. 1449-1451, October 2003.
- [1749] Bibac et al.. "Gain flattening filter in the DWDM systems using C-band or L-band optical amplifiers". In: *Advanced Topics in Optoelectronics, Microelectronics, and Nanotechnologies*, SPIE Publication, pp. 424-429, October 2003.
- [1750] Hewitt et al.. "Design and Performance of Optical Vestigial Sideband Filters in Digital 40 Gbit/s Systems". In: *LEOS Annual Meeting*, vol. 1, no. TuV3, pp. 360-361, October 2003.
- [1751] Kim et al.. "All-Optical Signal Processing Using Semiconductor Optical Amplifier Based Logic Gates". In: *NUSOD*, no. WP9, October 2003.
- [1752] Lim et al.. "Comparison of Optical Transport Schemes for LMDS with Optical Fiber Backbone". In: *OECC*, pp. 613-614, October 2003.
- [1753] Lim et al.. "On the Merging of Millimeter-Wave Fiber-Radio Backbone With 25-GHz WDM Ring Networks". In: *Journal of Lightwave Technology*, vol. 21, pp. 2203-2210, October 2003.
- [1754] Lowery et al.. "Free Take-Home Virtual Laboratories using Professional Simulation Software". In: *ETOP*, no. EMD2, October 2003.
- [1755] Shake et al.. "Chromatic Dispersion Dependence of Asynchronous Amplitude Histogram Evaluation of NRZ Signal". In: *Journal of Lightwave Technology*, vol. 21, pp. 2154-2165, October 2003.
- [1756] Skoufis et al.. "Data-Centric Networking Using Multiwavelength Headers/Labels in Packet-Over-WDM Networks: A Comparative Study". In: *Journal of Lightwave Technology*, vol. 21, pp. 2110-2122, October 2003.
- [1757] Wen et al.. "Optimization of Generation and Detection of WDM Signals with Advanced Modulation Formats". In: *OECC*, pp. 560-561, October 2003.
- [1758] Wong et al.. "Novel technique for soft failure monitoring in optical links". In: *LEOS Annual Meeting*, vol. 2, pp. 963 - 964, October 2003.
- [1759] Akasaka et al.. "Practical Challenges for Deploying Distributed Raman Amplifiers on a Traditional Fiber Network and their mitigation". In: *NFOEC*, no. C63, September 2003.
- [1760] Esteve et al.. "Optical Delivery of Millimetre-Wave Reference Signal to Remote Sites". In: *London Commission Symposium*, pp. 333-336, September 2003.
- [1761] Hodzic et al.. "Optimum channel data rate for DWDM transmission systems with the spectral efficiency of 0.8 bit/s/Hz". In: *ECOC*, no. We4P106, September 2003.
- [1762] Klekamp et al.. "Comparison of FSK by directly modulated DFB laser with DPSK, NRZ and RZ modulation formats at 10 Gb/s". In: *ECOC*, no. We4P118, September 2003.

- [1763] Konrad et al.. "Optimum fiber chromatic dispersion for Nx40 Gbit/s and Nx160 Gbit/s DWDM systems". In: ECOC, no. We4P120, September 2003.
- [1764] Louchet et al.. "Analytical Model for Nonlinear DWDM Transmissions". In: ECOC, no. We4P116, September 2003.
- [1765] Louchet et al.. "Analytical Model for the Performance Evaluation of DWDM Transmission Systems". In: IEEE Photonics Technology Letters, vol. 15, pp. 1219-1221, September 2003.
- [1766] Lowery et al.. "Efficient Design of Coarse WDM Systems". In: NFOEC, no. P31, September 2003.
- [1767] Mohan et al.. "10 Gbps x 25 GHz versus 40 Gbps x 100 GHz DWDM Optical Transport: Performance Analysis and Comparison". In: NFOEC, no. B94, September 2003.
- [1768] Poloyko et al.. "Photonic Design Automation of Raman Amplified Systems". In: NFOEC, no. P29, September 2003.
- [1769] Randel et al.. "Comparison of Modulation Formats for DWDM Transmission of 160 Gbit/s OTDM-Channels with Spectral Efficiency of 0.8 bit/s/Hz". In: ECOC, no. Mo426, September 2003.
- [1770] Verdurmen et al.. "Chirp properties of SOA-based wavelength converters for FSK/IM combined modulation format". In: ECOC, no. Tu445, September 2003.
- [1771] McAulay et al.. "All optical flip flops using directly coupled semiconductor optical amplifiers". In: Annual Meeting of The International Society for Optical Engineering, SPIE, San Diego, August 2003.
- [1772] Andre et al.. "Measurement of Raman Gain Coefficient in Standard Single Mode Optical Fibres for DWDM Photonic Simulation Purposes". In: Proc Proceedings of SPIE , Prague , Czech Republic, vol. 5036, pp. 507 - 511, July 2003.
- [1773] Hewitt et al.. "Design and Performance of Optical Vestigial Sideband (VSB) Filters for 40 Gbit/s Modulated Systems". In: ACOFT/COIN, July 2003.
- [1774] Hodzic et al.. "Optimized Filtering for 40-Gb/s/Ch-based DWDM Transmission Systems Over Standard Single-Mode Fiber". In: IEEE Photonics Technology Letters, vol. 15, pp. 1002-1004, July 2003.
- [1775] Lee et al.. "Electrically Band-Limited CSRZ Signal With Simple Generation and Large Dispersion Tolerance for 40-Gb/s WDM Transmission Systems". In: IEEE Photonics Technology Letters, vol. 15, pp. 987-989, July 2003.
- [1776] Lee et al.. "Impact of Dispersion Map on Performance Comparison of Advanced Modulation Formats in DWDM Systems". In: ACOFT/COIN, July 2003.
- [1777] Lim et al.. "Towards the Merging of Optical and Wireless Access Technologies - Fiber-Wireless Networks". In: ACOFT/COIN, pp. 679-682, July 2003.
- [1778] Lim et al.. "Capacity analysis and the merging of a WDM ring fiber-radio backbone incorporating wavelength interleaving with a sectorized antenna interface". In: IEICE Transactions on Electronics, vol. E86-C, pp. 1184-1190, July 2003.
- [1779] Wen et al.. "Power Level Optimization of 40 Gbit/s DWDM Systems with Hybrid Raman/EDFA Amplification". In: ACOFT/COIN, July 2003.
- [1780] Wen et al.. "Advanced Modulation Formats for High Capacity DWDM Transmission". In: ACOFT/COIN, July 2003.
- [1781] Chae et al.. "Wavelength Mismatch Tolerance in Wavelength-hopping and Time-spreading Optical CDMA Systems". In: IEICE Letters, vol. E86-B, pp. 2015-2018, June 2003.

- [1782] Cuenot et al.. "Comparison of engineering scenarios for N x 160 Gb/s transmission systems". In: IEEE Photonics Technology Letters, vol. 15, pp. 864-866, June 2003.
- [1783] Lim et al.. "The merging of a WDM fiber-radio backbone with a 25 GHz WDM ring network". In: International Microwave Symposium (IMS), June 2003.
- [1784] Xu et al.. "An investigation of different Raman amplification configurations in 160Gbit/s transmission". In: CLEO Europe, no. CL6-3-FRI, June 2003.
- [1785] Hodzic et al.. "Comparison of 10/40/160 Gb/s/ch based DWDM transmission systems with constant system capacity". In: 4.ITG-Fachtagung "Photonische Netze", pp. 119-124, May 2003.
- [1786] Konrad et al.. "Optimale Faserdispersion in Optischen Nx160 Gb/s WDM-Uebertragungssystemen". In: 4.ITG-Fachtagung "Photonische Netze", pp. 131-136, May 2003.
- [1787] Raja et al.. "Design and Simulations of a dynamic polarization- mode dispersion compensator for long-haul optical networks". In: Optics Express, vol. 11, pp. 1166-1174, May 2003.
- [1788] Tarhuni et al.. "Phase Encoded Orthogonal Codes (PE-OOC) for Optical CDMA". In: Finnish Signal Processing Symposium (FINSIG) 2003, no. 1038, May 2003.
- [1789] Mutafungwa et al.. "Hybrid OCDM/WDM for Broadband Wireless Access Networks". In: 5th Topical Symposium on Millimeter Waves (TSMMW 2003), March 2003.
- [1790] Stavdas et al.. "Architectures, Technology and Strategies for a Gracefully Evolving Optical Packet Switching Networks". In: SPIE Optical Networks Magazine, vol. 4, pp. 92-107, March 2003.
- [1791] Xu et al.. "Improved transmission performance by hybrid optical amplification in DWDM systems". In: Optical Engineering, vol. 42, no. 3, pp. 882-885, March 2003.
- [1792] Lach et al.. "Towards Ultra-high Channel Bitrate". In: CIT COST 266 & IST OPTIMIST workshop in conjunction with ONDM, February 2003.
- [1793] Min et al.. "Time-Wavelength Hybrid Optical CDMA System with Tunable Encoder/Decoder using Switch and Fixed Delay-Line". In: Optics Communications, vol. 216, pp. 4-6, February 2003.
- [1794] Stavdas et al.. "IST-DAVID: Concept Presentation and Physical Layer Modeling of a Metropolitan Area Network". In: Journal of Lightwave Technology, vol. 21, pp. 372-383, February 2003.
- [1795] Gumaste et al.. "DWDM Network Designs and Engineering Solutions". In: ECOC, no. We4P131, January 2003.
- [1796] Hodzic et al.. "Improvement of System Performance in Nx40-Gb/s WDM Transmission Using Alternate Polarizations". In: IEEE Photonics Technology Letters, vol. 15, pp. 153-155, January 2003.
- [1797] Keiser et al.. "Optical Fiber Communications". In: APOC, vol. 5281, pp. 44-51, January 2003.
- [1798] Tilsch et al.. "Experimental Demonstration of Thin-Film Dispersion Compensation for 50-GHz Filters". In: IEEE Photonics Technology Letters, vol. 15, pp. 66-68, January 2003.

2002

- [1799] Salvo et al.. "Advanced Components and Sub-System Solutions for 40 Gb/s Transmission". In: Journal of Lightwave Technology, vol. 20, pp. 2154-2181, December 2002.
- [1800] Hoshida et al.. "Optimal 40 Gb/s Modulation Formats for Spectrally Efficient Long-Haul DWDM Systems". In: Journal of Lightwave Technology, vol. 20, pp. 1989-1996, December 2002.
- [1801] Konrad et al.. "Impact of Fiber Chromatic Dispersion in High-Speed TDM Transmission Systems". In: Journal of Lightwave Technology, vol. 20, pp. 2129-2135, December 2002.
- [1802] Verdurmen et al.. "Characterization of an All Optical Label Swapping Node for IP over WDM". In: IEEE LEOS symposium, pp. 286-289, December 2002.
- [1803] Barry et al.. "Optimization of 40 Gbit/s Transmission Systems using Frequency Resolved Optical Gating Characterization Techniques". In: LEOS Annual Meeting, no. MI3, November 2002.
- [1804] Lim et al.. "Capacity analysis and optimum channel allocations for a WDM ring fiber-radio backbone incorporating wavelength interleaving with a sectorized antenna interface". In: International Topical Meeting on Microwave Photonics (MWP), pp. 371-374, November 2002.
- [1805] Lim et al.. "The merging of a wavelength interleaved WDM fiber-radio backbone with a standard WDM ring network". In: First International Conference on Optical Communications and Networks (ICOON), pp. 91-94, November 2002.
- [1806] Wen et al.. "Launch Power Management for DWDM Transmission Systems Using Two Stage Lumped Amplification". In: ICOON, pp. 234-237, November 2002.
- [1807] Wen et al.. "Dispersion map optimisation in WDM transmission systems". In: LEOS Annual Meeting, no. Tu12, November 2002.
- [1808] Chae et al.. "Dispersion-insensitive, Frequency-doubled SCM Signal Processing Technique for Optical Label Swapping". In: APOC, vol. SPIE 4907, pp. 300-308, October 2002.
- [1809] Heckel et al.. "Novel Characterization and Reliability Method for Erbium-doped Fiber Amplifiers based on the Use of Photonics Transmission Simulation". In: Reliability of Optical Fiber Components, Devices, Systems, and Networks, vol. SPIE 4940, pp. 93-100, October 2002.
- [1810] Lallas et al.. "An Optical FSK-Based Label Coding Technoique for the Realization of the All-Optical Label Swapping". In: IEEE Photonics Technology Letters, vol. 14, pp. 1472-1474, October 2002.
- [1811] Morthier et al.. "Intensity Noise and Linewidth of Laser Diodes with Integrated Semiconductor Optical Amplifier". In: IEEE Photonics Technology Letters, vol. 14, pp. 1644-1646, October 2002.
- [1812] Sartorius et al.. "All-Optical Clock Recovery for Signal Processing and Regeneration". In: IEEE LEOS Newsletter, vol. 16, pp. 17-19, October 2002.
- [1813] Cheng et al.. "Spectral Slicer without Cascaded Dispersion Penalty". In: ECOC, no. 2.3.4, September 2002.
- [1814] Feng et al.. "Size and Cascadability Limits of SOA based Burst Switching Nodes". In: ECOC, no. 8.5.5, September 2002.
- [1815] Hill et al.. "Carrier recovery time in semiconductor optical amplifiers employing a holding beam". In: Optics Letters, vol. 27, pp. 1625, September 2002.
- [1816] Hodzic et al.. "Performance comparison of 4Nx40 Gb/s and Nx160 Gb/s transmission systems". In: ECOC, no. 3.24, September 2002.

- [1817] Koonen et al.. "Optical Labeling of Packets in IP-over-WDM networks". In: ECOC, no. 5.5.2, September 2002.
- [1818] Koonen et al.. "Microwave signal transport over multimode polymer optical fibre networks for feeding wireless LAN access points". In: ECOC, no. 9.2.5, September 2002.
- [1819] Lallas et al.. "A new all optical label swapping method based on optical FSK header encoding on the intensity modulated payload". In: ECOC, no. 4.04, September 2002.
- [1820] Madsen et al.. "An Integrated Wavelength-Sensitive Polarimeter". In: ECOC, no. 1.2.5, September 2002.
- [1821] Martin et al.. "Systems Performance Predictions for Lossy Ring-Resonator Dispersion Compensators for WDM". In: NFOEC, no. 217, September 2002.
- [1822] Nolting et al.. "Fast Clocked Decision - A Novel Ultra High Speed Switching Technique". In: ECOC, no. 8.4.5, September 2002.
- [1823] Randel et al.. "Influence of Bitwise Phase Changes on the Performance of 160 Gbit/s Transmission Systems". In: ECOC, no. 3.31, September 2002.
- [1824] Richter et al.. "Performance Degradations in High-Speed (40 Gbit/s +) Transmission Systems due to Polarization Mode Dispersion". In: NFOEC, no. 073, September 2002.
- [1825] Richter et al.. "Virtual Product Prototyping of Erbium Doped Fiber Amplifiers for Applications in Dense WDM Systems". In: NFOEC, no. 153, September 2002.
- [1826] Rohde et al.. "Monitoring of transmission impairments in long-haul transmission systems using the novel digital control modulation technique". In: ECOC, no. 3.13, September 2002.
- [1827] Wang et al.. "A Study of Metro Network Economics Based on Sonet Ring, WDM Ring and SONE/WDM Hybrid Ring Architectures". In: NFOEC, no. 018, September 2002.
- [1828] White et al.. "Wavelength Switching Components for Future Photonic Networks". In: IEEE Communications Magazine, vol. 40, pp. 74-81, September 2002.
- [1829] Nabas et al.. "Análise para Implantação de WDM em Enlaces Ópticos existentes frente a efeitos de SRS e FWM". In: Xth. Brazilian Microwave and Optoelectronics Symposium (X SBMO), pp. 645-649, August 2002.
- [1830] Fugihara et al.. "Estudos para Equalização de Ganho em um AFDE com uma única Rede de Bragg". In: Xth. Brazilian Microwave and Optoelectronics Symposium (X SBMO), pp. 79-82, August 2002.
- [1831] Koonen et al.. "Polymer Optical Fibre network for feeding wireless LAN antenna stations". In: URSI General Assembly, no. 1833, August 2002.
- [1832] Shake et al.. "Averaged Q-Factor Method Using Amplitude Histogram Evaluation for Transparent Monitoring of Optical Signal-to-Noise Ratio Degradation in Optical Transmission System". In: Journal of Lightwave Technology, vol. 20, pp. 1367-1373, August 2002.
- [1833] Choi et al.. "Power Penalty Reduction by the Optimal Control of the CW Power in a Cross Phase Modulation Wavelength Converter". In: Optical Internet and Photonic Switching Conference (COIN+PS), July 2002.
- [1834] Jeong et al.. "Improvement of Input Power Dynamic Range in a XGM Wavelength Converter by a Attached Optical Amplifier Using a SOA". In: Optical Internet and Photonic Switching Conference (COIN+PS), July 2002.
- [1835] Stavdas et al.. "Concept presentation and performance issues of multiwavelength Label/Headers in optical packet switching". In: Optical Internet and Photonic Switching Conference (COIN+PS), July 2002.
- [1836] Wen et al.. "Impact of carrier pulse shape on 40 Gb/s based DWDM transmission". In: ACOFT, July 2002.
- [1837] Yoo et al.. "Transmission Characteristics of Wavelength Hopping/Time Spreading 2-D Optical CDMA Systems". In: Optical Internet and Photonic Switching Conference (COIN+PS), July 2002.

- [1838] Andre et al.. "Optimising the Operation Characteristics of a LiNbO₃ based Mach-Zehnder Modulator for 10 Gbit/s Lightwave Systems". In: Journal of Optical Communications, vol. 23, pp. 234-238, June 2002.
- [1839] Gene et al.. "Reduced Driving Voltage Optical Duobinary Transmitter and its Impact on Transmission Performance over Standard Single-Mode Fiber". In: IEEE Photonics Technology Letters, vol. 14, pp. 843-845, June 2002.
- [1840] Koonen et al.. "Orthogonal Optical Labeling of Packets in IP-over-WDM Networks". In: NOC - European Conference on Networks and Optical Communications, pp. 82-89, June 2002.
- [1841] Novak et al.. "Simulink Model for EDFA Dynamics Applied to Gain Modulation". In: Journal of Lightwave Technology, vol. 20, pp. 986-992, June 2002.
- [1842] Hodzic et al.. "Alternative Modulation Formats in N x 40 Gb/s WDM Standard Fiber RZ-Transmission Systems". In: Journal of Lightwave Technology, vol. 20, pp. 598-607, April 2002.
- [1843] Koonen et al.. "In-house networks using Polymer Optical Fibre for broadband wireless applications". In: International Symposium on Services and Local Access, pp. 285-294, April 2002.
- [1844] Feng et al.. "WDM monitoring through blind signal separation". In: OFC, no. ThGG95, March 2002.
- [1845] Griffin et al.. "Optical Differential Quadrature Phase-Shift Key (oDQPSK) for High Capacity Optical Transmission". In: OFC, no. WX6, March 2002.
- [1846] Cai et al.. "Sliding Window Criterion Codes and Concatenation Scheme for Mitigating Timing-Jitter-Induced Errors in WDM Fiber Transmissions". In: Journal of Lightwave Technology, vol. 20, pp. 201-212, February 2002.
- [1847] Dahan et al.. "Numerical Comparison Between Distributed and Discrete Amplification in a Point-to-Point 40-Gb/s 40-WDM-Based Transmission System With Three Different Modulation Formats". In: Journal of Lightwave Technology, vol. 20, pp. 379-388, February 2002.
- [1848] Hodzic et al.. "Prechirp in NRZ-Based 40-Gb/s Single-Channel and WDM Transmission Systems". In: IEEE Photonics Technology Letters, vol. 14, pp. 152 - 154, February 2002.

2001

- [1849] oma et al.. "Distributing microwave signals via polymer optical fiber (POF) systems". In: Symposium IEEE/LEOS Benelux Chapter, pp. 157-160, December 2001.
- [1850] Niemi et al.. "Limitations of Phase-Shift Method in Measuring Dense Group Delay Ripple of Fiber Bragg Gratings". In: IEEE Photonics Technology Letters, vol. 13, pp. 1334-1336, December 2001.
- [1851] Chan et al.. "CAD-supported university course on photonics and fiber optic communications". In: ETOP, vol. SPIE 4588, pp. 423-431, November 2001.
- [1852] Hodzic et al.. "Improvement of NRZ based 40Gbit/s single channel and WDM transmission using pre-chirp". In: LEOS Annual Meeting, pp. 218-219, November 2001.
- [1853] Kaszubowska et al.. "Optical generation of millimetre-wave frequencies for hybrid radio/fiber systems". In: 1st Joint IEI/IEE Symposium on Telecommunications Systems Research, no. E5, November 2001.
- [1854] Lim et al.. "Wavelength-interleaving technique to improve optical spectral efficiency in millimetre-wave WDM fiber-radio". In: LEOS Annual Meeting, pp. 54-55, November 2001.
- [1855] Richter et al.. "VPIsystems Industry Training Program on Computer-Aided Design of Fiber-optic Communication Systems". In: ETOP, vol. SPIE 4588, pp. 432-439, November 2001.
- [1856] Arabasi et al.. "Simulations of Polarization Mode Dispersion Phenomena and Compensation using VPI* Software Package". In: SPIE Symp. Optical Devices, Components & Systems, OPTO South East, October 2001.
- [1857] Hill et al.. "Fast optical flip-flop by use of Mach-Zehnder interferometers". In: Microwave and Optical Technology Letters, vol. 31, pp. 411-415, October 2001.
- [1858] Mutafungwa et al.. "Optical hop number limits imposed by various 2 x 2 cross-connect node designs". In: Optics Express, vol. 9, pp. 400-410, October 2001.
- [1859] Aleksic et al.. "A novel scalable optical packet compression/decompression scheme". In: ECOC, no. We.P.51, September 2001.
- [1860] Bornholdt et al.. "All optical clock recovery at 80 GHz and beyond". In: ECOC, no. Th.F.1.2, September 2001.
- [1861] Hodzic et al.. "Novel Modulation Format for Nx40 Gbit/s WDM Transmission with 50 GHz Channel Spacing". In: ECOC, no. Mo.L.3.3, September 2001.
- [1862] Konrad et al.. "Dispersion compensation schemes for 160 Gb/s TDM-transmission over SSMF and NZDSF". In: ECOC, no. Tu.L.2.4, September 2001.
- [1863] Niemi et al.. "Group-delay measurement using the phase-shift method". In: ECOC, no. Th.M.1.5, September 2001.
- [1864] Schulze et al.. "10 Gb/s NRZ Transmission over 1800 km Multiple Pumped Distributed Raman Amplified Transmission Link Without Lumped Amplifiers". In: ECOC, no. Tu.A.2.3, September 2001.
- [1865] Yang et al.. "Enhanced performance of uncooled strongly-gain-coupled MQW DFB lasers in 10 Gb/s link applications". In: ECOC, no. Tu.B.1.4, September 2001.
- [1866] Mutafungwa et al.. "On the use of optical spreading codes to design DWDM systems with reduced FWM crosstalk". In: Optics Communications, vol. 198, pp. 339-350, August 2001.
- [1867] Woellner et al.. "High gain EDFA using ASE suppression: numerical simulation and experimental characterization". In: 4th Iberoamerican Meeting on Optics and 7th Latin American Meeting on Optics, Lasers, and Their Applications, vol. SPIE 4419, pp. 90-93, August 2001.

- [1868] Agarwal et al.. "Wavelength routing with Limited Range Tunability". In: NFOEC, no. 140, July 2001.
- [1869] Andre et al.. "Fiber Bragg Grating For Telecommunications Applications: Tunable Thermally Stress Enhanced OADM". In: Journal of Microwaves and Optoelectronics, vol. 2, July 2001.
- [1870] Dods et al.. "Temporal Statistics of Crosstalk-induced errors in WDM Optical Network". In: NFOEC, no. 097, July 2001.
- [1871] Hewitt et al.. "Unexpected Limits on Digital QAM Cable Access Systems due to Four-Wave Mixing". In: NFOEC, no. 132, July 2001.
- [1872] Mutafungwa et al.. "Circulating loop simulations for transmission performance comparison of various node architectures". In: Journal on Optics A: Pure and Applied Optics, vol. 3, pp. 255-261, July 2001.
- [1873] Richter et al.. "Estimation of BER in the Presence of Timing Jitter in WDM Transmission Systems using RZ Modulation Format". In: NFOEC, no. 098, July 2001.
- [1874] Kaszubowska et al.. "Generation of optical microwave signals using laser diodes with enhanced modulation response for hybrid radio/fiber systems". In: IEEE 3rd International Conference on Transparent Optical Networks, pp. 271-274, June 2001.
- [1875] Krajcinovic et al.. "All-optical address recognition based on Mach-Zehnder interferometer". In: NOC - European Conference on Networks and Optical Communications, pp. 324-329, June 2001.
- [1876] Stavdas et al.. "Multi-lambda Packet Labeling for Metroplitan and Wide-Area Optical Networks". In: Photonic Network Communications, vol. 3, pp. 131-145, June 2001.
- [1877] Andre et al.. "Strictly Non-Blocking Optical Cross - Connect for WDM Wavelength Path Networks". In: 3rd Conf. on Telecommunications - Conftele, pp. 279-284, April 2001.
- [1878] Konrad et al.. "Optimum Fiber Dispersion in High-Speed TDM Systems". In: IEEE Photonics Technology Letters, vol. 13, pp. 299-301, April 2001.
- [1879] Bibac et al.. "Simulation of photonic devices-L-band amplifier". In: Journal of Optoelectronics and Advanced Materials, vol. 3, pp. 51 - 58, March 2001.
- [1880] Caspar et al.. "Penalties through XPM crosstalk in a switched long haul standard fiber WDM system based on normalized transmission sections". In: OFC, no. W15-1, March 2001.
- [1881] Mao et al.. "All-Optical Enhancement of Clock and Clock-to-Data Suppression Ratio of NRZ Data". In: IEEE Photonics Technology Letters, vol. 13, pp. 239-241, March 2001.
- [1882] Theophilopoulos et al.. "40 GHz all-optical XOR with UNI gate". In: OFC, no. MB2-1, March 2001.

2000

- [1883] Stavdas et al.. "Scalability Issues in Corporate Optical Backbone WDM Add/Drop Ring Networks". In: Optics Communications, vol. 184, pp. 127-139, October 2000.
- [1884] Aleksic et al.. "Multicast-capable access nodes for slotted ring photonic networks". In: ECOC, vol. 3, pp. 83-84, September 2000.
- [1885] Hanik et al.. "Optimized design of transparent optical domains". In: ECOC, vol. 3, pp. 195-197, September 2000.
- [1886] Kaszubowska et al.. "Optically fed microwave system using laser diodes with enhanced modulation Bandwidth". In: IEEE High Frequency Postgraduate Student Colloquium, September 2000.
- [1887] Saxena et al.. "All-Optical 3R Regeneration and Wavelength Conversion in an Integrated SOA/DFB Laser: Experiment and Simulation". In: CLEO Europe, no. CMH2, September 2000.
- [1888] Grigoryan et al.. "Efficient Approach for Modeling Collision-Induced Timing Jitter in WDM Return-to-Zero Dispersion-Managed Systems". In: Journal of Lightwave Technology, vol. 18, pp. 1148-1154, August 2000.
- [1889] Yu et al.. "A Mean Field Approach for Simulating Wavelength-Division Multiplexed Systems". In: IEEE Photonics Technology Letters, vol. 16, pp. 443-445, April 2000.
- [1890] Cai et al.. "A line coding scheme for reducing timing jitter in WDM soliton systems". In: OFC, no. ThS4-2, March 2000.
- [1891] Gisin et al.. "Influence of polarization dependent loss on birefringent optical fiber networks". In: OFC, no. TuG1-1, March 2000.
- [1892] Huttner et al.. "Polarization-Induced Distortions in Optical Fiber Networks with Polarization-Mode Dispersion and Polarization-Dependent Losses". In: Journal of Selected Topics in Quantum Electronics, vol. 6, pp. 317-329, March 2000.
- [1893] Lowery et al.. "Phase portraits for characterizing advanced lasers". In: OFC, no. WM23-1, March 2000.
- [1894] Lowery et al.. "Multiple Signal Representation Simulation of Photonic Devices, Systems, and Networks". In: Journal of Selected Topics in Quantum Electronics, vol. 6, pp. 282-296, March 2000.

1999

- [1895] Damle et al.. "Outside-in evaluation of commercial WDM systems". In: NFOEC, vol. 1, no. B3-3, pp. 450-454, September 1999.